PHASE I ENVIRONMENTAL SITE ASSESSMENT

for

Tax Parcels 145.-1-5.1 & 158.-1-2.1 Crossroads Manufacturing Facility

Towns of Angelica & Amity, Allegany County, New York



Prepared For: Allegany County Industrial Development Agency

Prepared By: CPL, 205 St. Paul Street, Suite 500, Rochester, NY 14604

February 2021



TABLE OF CONTENTS

1.0	INTRODUCTION	. 1
2.0	SITE DESCRIPTION	. 2
3.0	USER INFORMATION / RECORDS REVIEW	3
4.0	SITE RECONNAISSANCE	4
5.0	INTERVIEWS	. 5
	FINDINGS, OPINIONS, AND CONCLUSIONS.	

APPENDICES

Appendix A	Tax	and Deed	Records
------------	-----	----------	---------

Appendix BPhysical Features DataAppendix CEnvironmental Database Records Review

Appendix D Historical Records Appendix E Site Photographs

1.0 INTRODUCTION

CPL was retained by Allegany County Industrial Development Agency to conduct a Phase I Environmental Site Assessment for Tax Parcels 145.-1-5.1 & 158.-1-2.1. Parcel 145.-1-5.1 is approximately 45.8 acres in the Town of Angelica and parcel 145.-1-5.1 is approximately 264.85 acres in the Town of Amity. Both parcels reside within Allegany County, New York. Parcel 158.-1-2.1 will be subdivided into the smaller parcel on the east side of County Route (CR) 20 and the remainder of the parcel west of CR 20. The parcels to be acquired are both on the east side of CR 20 and bounded on the east, north, and south by the Genesee River. The parcels will be combined into one parcel and will house the new Crossroads Manufacturing Facility. The purpose of this Assessment was to evaluate the recognized environmental condition of the property. This assessment followed the general format of the ASTM Standard Practice for Phase I Environmental Site Assessments (ASTM E 1527) and included the following:

- Records Review A review of Federal, State, and County environmental databases for records pertaining to the current or historical environmental condition of the property and surrounding areas.
- Site Reconnaissance A site inspection to review existing property conditions and uses with respect to obvious environmental concerns.
- Interviews Interviews with current landowner and local Officials to discuss past uses of the property.
- Evaluation and Conclusions An assessment of the property's environmental condition based upon the results of the above tasks and CPL's professional opinion.

Limitations, Exceptions and User Reliance

This Assessment does not include any sampling or analysis of environmental media. Opinions and judgments presented are based upon professional experience and obvious surficial evidence and observations. This Phase I Environmental Site Assessment was performed in accordance with the ASTM and generally accepted practices of the profession. Opinions presented herein are for the current site condition at the time field work is conducted and based upon review of information readily available to the public, surface observations of accessible areas, and interviews with involved parties assumed to be accurate.

There was no sampling or analysis completed as part of this assessment. As such, the site is not guaranteed to be free of subgrade or building environmental impairment. This Assessment is not intended to be a guarantee or indemnification pertaining to environmental liabilities with the subject parcel.

This report is certified to its accuracy, to the best of our knowledge, to Allegany County Industrial Development Agency and/or its successors/assigns. No other certifications, warranties or guarantees are expressed or implied.

2.0 SITE DESCRIPTION

Allegany County tax records indicate Tax Parcels 145.-1-5.1 & 158.-1-2.1 are owned by Marshacres, LLC. Marshacres, LLC has owned the parcels since approximately 1996. The parcels are currently agricultural fields located on County Road 20. Tax records and the property maps are included in Appendix A.

2.1 <u>Physical Setting</u>

The property is located at an elevation of approximately 1344 feet above Mean Sea Level (MSL) along CR 20, sloping to the northeast. Road drainage on CR 20 flows north away from the site. The Genesee River and tributaries of said creek are present on the edge of the site. There are no established drainage ways on the site other than roadside stormwater ditches, nor any surface water features other than the Genesee River.

Soils mapped by USDA are primarily Allard silt Loam, gently sloping (0-3%). These soils are moderately well-drained soils formed in glacial till, with a hydrologic soil class B and classified as prime farmlands. The soils are not subject to flooding and have a depth to water table of greater than 80 inches. Topsoil is likely impacted by past farming activities. Soil mapping information is included in Appendix B.

There are no curbs preventing access to the parcel, however there is a small ditch and drop off on the west side of the site along CR 20. There are no additional fences on the parcel.

There is no public water service or sanitary sewer currently available to the site. There is public water service located on NYS Route 19 to the southwest of the site. Three phase electric service is available at the site, along poles at the road right-of-way. There are no pad-mounted transformers currently on the site.

The parcel vegetation is active agricultural fields. There are trees on the site mainly in the north, south, and east edges of the site adjacent to the Genesee River, with no significant wildlife habitats developed.

The eastern portion of the site is located in Zone A and B FEMA flood zones. Additionally, there is a federal freshwater wetland located in the center of the site and the Genesee River is a Class C stream. However, the site does not contain any State jurisdictional wetlands.

2.2 <u>Surrounding Properties</u>

There are agricultural properties to the west of the site along CR 20, with the Genesee River bounding the site on the north, east, and south. There are commercial and residential land uses southwest of the site. The sites immediately adjacent are either farmland or forested areas.

2.3 <u>Building Descriptions</u>

Currently, there are no buildings located on the parcel.

3.0 USER INFORMATION / RECORDS REVIEW

3.1 Environmental Database Records

CPL conducted a review of the Federal and State databases through EDR, Inc. as of January 12, 2021. The database search identified two leaking tank sites within 0.25 to 0.5 miles to the southwest of the site at the Belmont Travel Center, which is on the west side of NYS Route 19. Within the appropriate ASTM search radius, no sites were identified within the databases searched that were deemed to be environmentally significant or have the potential to impact this parcel. Copies of the EDR report are included in Appendix C, listing the databases searched in accordance with the ASTM required search radius.

3.2 <u>Other Sources</u>

There is no Sanborn Fire Insurance mapping for the area. Historical aerial photography was reviewed and confirmed that no buildings existed or land use other than farming occurred as far back as the 1952 aerial photo. Copies of these records are included in Appendix D.

3.3 <u>User Questionnaire</u>

User Questionnaire, pursuant to ASTM Stand 1527.13-6 were sent to the Owner and purchaser of the parcel, with no correspondence received to date. Copies of these records are included in Appendix C.

4.0 SITE RECONNAISSANCE

Ben Wolfling of CPL conducted the site visit to the property on January 15, 2021 under the direction of Norm Gardner of CPL. Mr. Wolfling was unescorted during the site visit. Mr. Gardner meets the requirements of USEPA's requirements for a "qualified environmental professional" with more than 20 years of experience conducting Phase I ESA's as a Certified Professional Geologist (CPG), with a Resume included in Appendix A. Site photographs of the existing conditions are presented in Appendix E.

At the time of the audit, the site was free of snow cover. The entire site was fully accessible. Vegetation was actively growing at the time of the audit. There were no significant pits, ponds or lagoons on the site. There was no abnormal mounding or evidence of any material burials. There was no current use of the parcel other than agricultural. Nothing of any environmental significance was observed on the site being considered.

5.0 INTERVIEWS

A call was made to the Town of Amity Code Enforcement Officer, John Clouse, on January 22, 2021. He had no record of any environmental issues, building permits, or land use other than agricultural. An email was sent to the Town of Angelica Code Enforcement Officer, Kevin Margerum, on January 22, 2021. A response was received on January 25, 2021 indicating that he also had no records indicating any environmental issues, building permits, or land use other than agricultural. Email correspondence is included in Appendix C.

6.0 FINDINGS, OPINIONS, AND CONCLUSIONS

We have performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E 1527 for the parcel described in this report. Based upon the results of this audit on January 15, 2021, the following conclusions are made with respect to the environmental condition of the parcel being considered:

- There are no pits, ponds, lagoons, bulk chemical storage tanks or other items of environmental concern identified on the parcel audited.
- There were no areas of stressed vegetation, oil staining on soils or any sheens on ponded surface water.
- There are no environmentally significant uses or operations at the site and as such, there are no environmental concerns regarding any site operations.
- The site is not currently serviced by public utilities including water and sanitary sewer.
- Review of the federal and site environmental databases did not identify any significant environmental concerns regarding the site.
- Although the site is publicly accessible, there were no significant dumping or other debris piles considered to be environmentally significant.
- The site has been actively farmed since before the 1950's, up to the current day. However, farming appears to have been food row crops (corn, soybean, etc.). No orchard crops were observed in the aerial photos. There may be residual pesticides/herbicides in the soils associated with past farming activities, however, this is considered a *de minimis* condition given the topsoil likely has been disturbed and the types of crops.

Based upon the above conclusions and findings, there are <u>No Recognized Environmental</u> <u>Conditions</u> identified with the site and additional environmental investigation is NOT warranted.

Deviations, Limiting Conditions and Data Gaps

User questionnaires have not been received from the owner. No other deviations or data gaps identified, nor any conditions limiting this Audit.

Certification

I declare that, to the best of my professional knowledge and belief, I meet the definition of Environmental Professional as described in 40 CFR Part 312.10 and that I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. I have developed and performed the "all appropriate inquiries" in conformance with the standards and practices set forth in 40 CFR Part 312.

Respectfully submitted,

Mon E Gentur

Norm Gardner, CPG CPL

APPENDIX A TAX AND DEED RECORDS



Property Description Report For: County Road 20, Municipality of Angelica

		Status:	Active
		Roll Section:	Taxable
		Swis:	023289
		Tax Map ID #:	1451-5.1
No Photo	o Available	Property Class:	105 - Vac farmland
NO PHOLO	AVAIIADIE	Site:	RES 1
		In Ag. District:	No
		Site Property Class:	105 - Vac farmland
		Zoning Code:	-
		Neighborhood Code:	32350
Total Acreage/Size:	45.80	School District:	Genesee Valley
Land Assessment:	2020 - \$41,200	Total Assessment:	2020 - \$41,200
Full Market Value:	2020 - \$41,200		
Equalization Rate:		Property Desc:	GI 62 63
Deed Book:	1246	Deed Page:	98
Grid East:	1293080	Grid North:	824558
Area			
Living Area:	0 sq. ft.	First Story Area:	0 sq. ft.
Second Story Area:	0 sq. ft.	Half Story Area:	0 sq. ft.
Additional Story Area:	0 sq. ft.	3/4 Story Area:	0 sq. ft.
Finished Basement:	0 sq. ft.	Number of Stories:	0
Finished Rec Room	0 sq. ft.	Finished Area Over Garage	0 sq. ft.
Structure			
Building Style:	0	Bathrooms (Full - Half):	0 - 0
Bedrooms:	0	Kitchens:	0
Fireplaces:	0	Basement Type:	0
Porch Type:	0	Porch Area:	0.00
Basement Garage Cap:	0	Attached Garage Cap:	0.00 sq. ft.
Overall Condition:	0	Overall Grade:	
Overall condition.	•		

Owners

Marshacres, LLC 7017 Fadale Rd Ellicottville NY 14731

Sales

No Sales Information Available

Utilities

Sewer Type Utilities: Fuel Type:	:	No No 0	ne Public	н	/ater Supply: eat Type: entral Air:		None D No		
Improvem	ents								
Structure	Si	ze	Gr	ade	Condition	Yea	r	Replac	cement Cost
Land Type	S								
Туре		Siz	e						
Tillable		22	.70 acres						
Woodland		23	.10 acres						
Special Dis	stricts fo	or 2020	C						
Description		Units		Percent	:	Туре		Value	
FD321-Angel prot	ica fire	0		0%		0		0	
Exemption	ıs								
Year	Descripti	ion /	Amount	Exempt %	Start Yr	End Yr	V Flag	H Code	Own %
	AG DIST		\$9,800	0	2012				0

Taxes

Year	Description	Amount
2021	County	\$568.72
2020	County	\$574.73
2020	School	\$448.26

* Taxes reflect exemptions, but may not include recent changes in assessment.



Property Description Report For: Old State Rd, Municipality of Amity



Total Acreage/Size:	264.85
Land Assessment:	2020 - \$133,100
Full Market Value:	2020 - \$186,234
Equalization Rate:	
Deed Book:	1246
Grid East:	1290230

Area

0 sq. ft.
0 sq. ft.

Structure

Building Style:	0	Bathrooms (Full - Half):	0 - 0
Bedrooms:	0	Kitchens:	0
Fireplaces:	0	Basement Type:	0
Porch Type:	0	Porch Area:	0.00
Basement Garage Cap:	0	Attached Garage Cap:	0.00 sq. ft.
Overall Condition:	0	Overall Grade:	
Year Built:			

Owners

Marshacres LLC 7017 Fadale Rd Ellicottville NY 14731

Status:	Active
Roll Section:	Taxable
Swis:	022889
Tax Map ID #:	1581-2.1
Property Class:	312 - Vac w/imprv
Site:	RES 1
In Ag. District:	No
Site Property Class:	312 - Vac w/imprv
Zoning Code:	1
Neighborhood Code:	28020 - Amity Outside
School District:	Genesee Valley
Total Assessment:	2020 - \$143,400
Property Desc:	1 2
Deed Page:	98
Grid North:	822978
First Story Area:	0 sq. ft.
Half Story Area:	0 sq. ft.

0 sq. ft.

Number of Stories:	0
Finished Area Over Garage	0 sq. ft.

3/4 Story Area:

Sales

Sale Date	Price	Property Class	Sale Type	Prior Owner	Value r Usable	Arms Length	Addl. Parcels	Deed Book and Page
4/25/2003	\$1	112 - Dairy farm	Land & Building	Strzelec, Barbara A	No	No	Yes	1246/98
9/6/1996	\$300,000	112 - Dairy farm	Land & Building	Pfuntner, Eugene	Yes	Yes	Yes	1116/266
9/6/1996	\$300,000	112 - Dairy farm	Land & Building	Pfuntner, Eugene	Yes	Yes	Yes	1116/266

Utilities

Sewer Type:	Private	Water Supply:	Private
Utilities:	Electric	Heat Type:	0
Fuel Type:	0	Central Air:	No

Improvements

Structure	Size	Grade	Condition	Year	Replacement Cost
Quonset hut	32 × 72	Economy	Poor	1900	\$32,786
Barn-2.0 gen	40 × 160	Economy	Fair	1900	\$215,744

Land Types

Туре	Size
Primary	1.00 acres
Tillable	187.20 acres
Woodland	76.65 acres

Special Districts for 2020

Description	Units	Percent	Туре	Value
FD281-Belmont fire prot	0	0%	0	0


Exemptions


Year	Description	Amount	Exempt %	Start Yr	End Yr	V Flag	H Code	Own %
2020	AG DIST	\$0	0	2012				0

Taxes

Year	Description	Amount
2021	County	\$4,002.53
2020	County	\$3,865.44
2020	School	\$2,658.64

* Taxes reflect exemptions, but may not include recent changes in assessment.







EDUCATION

- Graduate Studies, The Ohio State University; 1985
- B.S., Geology, Ohio State University; 1984

PROFESSIONAL REGISTRATION

- Certified Professional Geologist: Nationwide
- Registered Geologist: PA
- Certified Professional in Erosion and Sediment Control

PROFESSIONAL AFFILIATIONS

- American Institute of Professional Geologists
- American Water Works Association
- Water Environment Federation
- Fairport Little League Executive Board
 Member
- Town of Perinton Conservation Board Member (2000-2005)
- Town of Perinton Planning Board Member

Norman E. Gardner CPG

PRINCIPAL ASSOCIATE

Mr. Gardner has over 30 years of experience in project management including civil, site, and environmental projects. In addition, Mr. Gardner has overseen SEQRA compliance for a wide range of projects, including comprehensive plans, educational and health care facilities, and civil/municipal design projects. Mr. Gardner has also conducted numerous site investigations and environmental audits for private industrial concerns within New York State.

PROJECT EXPERIENCE

University of Rochester Medical Center Imaging Center, Rochester, NY

Project Site Plan development and approvals with the Town of Brighton, Monroe County and NYSDEC. Project involved designing and approvals by regulatory agencies for all infrastructure and utilities for a 92,000 SF medical office campus, incorporating future build out. Also involved traffic studies, environmental studies, including noise assessment, wildlife assessments, and wetlands) and included complete stormwater management system development for a 12 acre campus. The stormwater design met the NYSDEC and Monroe County requirements and incorporated bioretention areas and constructed wetland ponds.

Wyoming County Brownfield, Perry, NY

Project Manager for Wyoming County Business Center Brownfield project at the A&A Metal facility.

Livingston County SEQRA Assistance, Mt. Morris, NY

Project Manager responsible for the environmental study to assist Livingston County in meeting the requirements of the State Environmental Quality Review Act as it applies to the construction of a new skilled living facility.

Phase 1 Environmental Site Assessments, Various Locations, NY

Completed Phase 1 and Phase 2 environmental audits for over 100 properties at various locations across NY.

Environmental Site Remediation Project, Broome County, NY

Project Manager for this project that involved the investigation and development of remediation plans for a municipal landfill closure.

Rochester City School District, Rochester, NY Project Manager for Phase 1 of \$325 Million Schools Modernization Program SEQRA process involving additions and renovations at 12 schools.

Highland Hospital, Rochester, NY

Project Manager for Environmental Impact Statement for construction of an off-site parking garage. Numerous environmental studies were required including traffic assessments, visual impact studies, noise studies, and shadow analysis.

Livingston County SEQRA Assistance, Mt. Morris, NY

Project Manager for environmental study to assist Livingston County in meeting requirements of the State Environmental Quality Review Act as it applies to construction of a new skilled living facility.

St. Ann's Community Portland Campus, SEQRA Assistance, Rochester, NY

Project Manager for a Stormwater Management Plan and local site plan approval through the Town of Irondequoit. Responsible for SEQRA review for project managed design.

Norman E. Gardner, CPG PRINCIPAL ASSOCIATE

Camp Dittmer Dam Assessment and Maintenance Plan, Phelps, NY Project Manager for the preparation of a Dam

Inspection and Maintenance Plan; Initial Dam Safety Inspection and Reporting; Emergency Action Plan and Initial Engineering Assessment of the Dam. (2011)

Phase I and 2 Environmental Audits, Bank of Castile, Various Locations in Western NY Project Manager for The Bank of Castile has developed numerous branch locations throughout western New York including the purchase of several sites. Completed several Phase 1 and Phase 2 Environmental Audits in accordance with ASTM 1527. Following the environmental review, worked with the Bank to successfully obtain permits and develop the sites into their current Bank branch network.

Wyoming County Brownfield, Perry, NY

Project Manager for Wyoming County Business Center Brownfield project at the A&A Metal facility. Phase 1 Environmental Site Assessment and a Phase 2 Environmental Site Assessment for the site, identifying environmental Areas of Concerns within the property.

Avoca Natural Gas Storage, Avoca, NY

Project Consultant for installation, testing, and permit assistance for the water supply from three ground water wells for solution mining construction of underground natural gas storage caverns within salt formation. Three wells were permitted, each at a rated capacity of one MGD water supply, and required a permit for total consumptive use within the Susquehanna River Basin. Environmental Site Remediation Project, Broome County, NY

Project Manager for investigation and development of remediation plans for a municipal landfill closure. Remedial Investigation/Feasibility Study for a USEPA Superfund Project involving a Municipal Solid Waste Landfill, Endicott, NY Project Manager for Remedial Investigation project involving collection of numerous gas, ground water, soil samples in accordance with strict QA/QC protocol and preparation of the final Remedial Investigation report. In addition, the project involved design of landfill closure in accordance with Part 360 regulations while complying with numerous other regulations of FAA and US Army Corps of Engineers.

Remedial Investigation/Feasibility Study for NYSDEC site for a private industrial client, Ellicott, NY

Project Manager for Remedial Investigation and Remediation Implementation for a project involving collection of numerous gas, ground water and soil samples. Remediation involved the installation of an air stripper and long-term pumping equipment.

Village of Dansville, Dansville, NY

Project Consultant for testing and permit assistance to upgrade the Village's ground water wells to the primary water supply. Project required installation of monitoring wells and conducting a 30-day pumping test of the well field at one MGD.

Village of Holley, Holley, NY

Project Consultant for conducting a Ground Water Under the Influence of Surface Water Study for the Village water supply. Project required the installation of long-term temperature and water level monitoring equipment.

Waste Management Mill Seat Landfill, Monroe County, NY

Project Consultant for preparing annual reports and permit review.

Norman E. Gardner, CPG PRINCIPAL ASSOCIATE

Mill Seat Landfill, Monroe County, NY Project Consultant for a research project involves leachate recirculation impacts on landfill gas production. This project involved the New York State Energy Research and Development Agency (NYSERDA).

Underground Storage Tank Closure, Monroe County, NY

Project Manager for investigation and closure of an underground storage tank that involved the development of a closure plan and negotiations of clean closure with NYSDEC.

Site Assessments for Underground Storage Tanks, Ohio

Project Manager for several sites in Ohio for a major oil company. Projects involved evaluating various sites with respect to closure issues for a tank replacement program.

Broome County Landfill Site Study – Draft Environmental Impact Statement, Broome County, NY

Project Manager for coordination of scoping and preparation of the DEIS. The project included wetlands evaluation, archeological review, visual impact analysis, traffic impacts, and other impacts associated with development of the new landfill.

Phase I Environmental Site Assessments, Various Locations, NY

Completed Phase I and Phase II environmental audits for over 100 properties at various locations across NY.

Genesee County Water Supply EIS, Genesee County, NY (2002-2004)

Project Manager for the Development of the Environmental Impact Statement for a county-wide water system supplied by both the Erie and Monroe County Water Authorities, the City of Batavia and the Villages of LeRoy and Corfu. The firm was required to complete an extensive water model to accurately size the proposed infrastructure. The construction included three water tanks, three pump stations and over 20 miles of water main. Clark Patterson Lee provided design, bidding and construction inspection services

Rochester Joint Schools Construction Board, Rochester, NY

Rochester Schools Modernization Program Phase 1 SEQRA Services


Monroe County Landfill, Riga, NY

Project Manager for a NYSERDA Research project involving leachate recirculation and gas generation analysis.

Farmersville Landfill, Farmersville, NY

Project Manager for the Town of Farmersville charged with reviewing all project plans associated a proposed privately-developed landfill.

APPENDIX B PHYSICAL FEATURES DATA



KEY TO M	AP
500-Year Flood Boundary	ZONE B
100-Year Flood Boundary	THE REPORT OF LEVEL AND ADDRESS OF ADDRESS OF
Zone Designations*	ZONE A1 ZONE A5
100-Year Flood Boundary	ZONE B
500-Year Flood Boundary	20NE B
Base Flood Elevation Line With Elevation In Feet**	513
Base Flood Elevation in Feet Where Uniform Within Zone**	(EL 987)
Elevation Reference Mark	RM7×
Zone D Boundary	
River Mile	*M1.5

*EXPLANATION OF ZONE DESIGNATIONS

EXPLANATION Areas of 100/year flood, bee flood devalots and flood bazard factors not determined. Areas of 100/year shallow flooding where depths are between one (1) and three [3] feet; average depths of the state of the state of the state of the state are determined. Areas of 100/year shallow flooding where depths are between one (1) and three [3] feet; base flood elevations are shown, but no flood bazard factors are determined. А AO

- AH
- 0EA-1A Areas of 100-year flood; base flood elevations an flood hazard factors determined.
- Areas of 100-year flood to be protected by protection system under construction; base elevations and flood hazard factors not deter A99 Hereation and Rood hazard factors not determined. Areas between times of the 100-year fload and 500-year fload; or certain seas subject to 100-year fload-ing with average dem his sha non of 110 oot or when the contributing fearing area is test shan one suare the contributing fearing area is test shan one suare the contributing fearing area is test shan one suare (Medium shating) Areas of mixing flooting. No shating? Areas of mixing flooting, No shating? Areas of 100/year coasts flood with velocity [wave not determined, Areas of 100/year coasts flood with velocity [wave not determined. в

- V1-V30 Areas of 100-year coastal flood with velocity [wave action]; base flood elevations and flood hazard factors determined.

NOTES TO USER

Certain areas not in the special flood hazard areas (zones A and V) may be protected by flood control structures.

This map is for flood insurance purposes only; it does not neces-sarily show all areas subject to flooding in the community or all planimetric features outside special flood hazard areas. For adjoining map panels, see separately printed Index To Mag

INITIAL IDENTIFICATION: November 8, 1974


1.000 HAZARD BOUNDARY MAP REV July 23, 1976

FLOOD INSURANCE RATE MAP EITECTIVE: DECEMBER 18, 1984 FLOOD INSURANCE RATE MAP REVISIONS


Refer to the FLOOD INSURANCE RATE MAP EFFECTIVE data shown on this map to determine when actuarial rates apply to structures in the zones where drevations or depths have been estab-lighted.

o determine if flood insurance is available in this common intact your insurance agent, or call the Nation: logram, at (800) 638-6620.






deral Emergency Management Agency



Custom Soil Resource Report Soil Map



	MAP LEGEND			MAP INFORMATION		
Area of Int	terest (AOI) Area of Interest (AOI)	8	Spoil Area Stony Spot	The soil surveys that comprise your AOI were mapped at 1:24,000.		
Soils	Soil Map Unit Polygons	â	Very Stony Spot	Warning: Soil Map may not be valid at this scale.		
~	Soil Map Unit Lines Soil Map Unit Points	\$ ∆	Wet Spot Other	Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil		
— Special	Point Features	 Water Fea	Special Line Features	line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.		
© ⊠	Blowout Borrow Pit	Transport	Streams and Canals	Please rely on the bar scale on each map sheet for map		
¥ ◇	Clay Spot Closed Depression	+++	Rails Interstate Highways	measurements.		
X	Gravel Pit	~	US Routes	Source of Map: Natural Resources Conservation Service Web Soil Survey URL: Coordinate System: Web Mercator (EPSG:3857)		
÷ Ø	Gravelly Spot Landfill	~	Major Roads Local Roads	Maps from the Web Soil Survey are based on the Web Mercator		
.A طله	Lava Flow Marsh or swamp	Backgrou	Ind Aerial Photography	projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.		
*	Mine or Quarry Miscellaneous Water Perennial Water			This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.		
0 ~	Rock Outcrop Saline Spot			Soil Survey Area: Allegany County Area, New York Survey Area Data: Version 26, Jun 11, 2020		
+	Sandy Spot			Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.		
⇒ ♦	Severely Eroded Spot Sinkhole Slide or Slip			Date(s) aerial images were photographed: Jul 29, 2011—Oct 18, 2016		
\$ ø	Sodic Spot			The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.		

Мар	Unit	Legend
-----	------	--------

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
1A	Udifluvents and Fluvaquents, frequently flooded, 0 to 3 percent slopes	26.3	9.6%
3A	Tioga loam, occasionally flooded, 0 to 3 percent slopes	12.6	4.6%
8A	Middlebury silt loam, 0 to 3 percent slopes	55.6	20.4%
22A	Allard silt loam, 0 to 3 percent slopes		
25A	Chenango gravelly silt loam, 0 to 3 percent slopes		
81E	Varysburg gravelly loam, 25 to 35 percent slopes	0.0	0.0%
300A	Tioga loam, rarely flooded, 0 to 3 percent slopes	32.1	11.8%
800A	Holderton silt loam, 0 to 3 percent slopes, occasionally flooded 140	20.4	7.5%
W	Water	47.0	17.3%
Totals for Area of Interest		272.5	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different

management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Allegany County Area, New York

1A—Udifluvents and Fluvaquents, frequently flooded, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 20ffj Elevation: 1,140 to 1,800 feet Mean annual precipitation: 33 to 43 inches Mean annual air temperature: 45 to 50 degrees F Frost-free period: 106 to 139 days Farmland classification: Not prime farmland

Map Unit Composition

Udifluvents and similar soils: 45 percent *Fluvaquents and similar soils:* 40 percent *Minor components:* 15 percent *Estimates are based on observations, descriptions, and transects of the mapunit.*

Description of Udifluvents

Setting

Landform: Flood plains Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread, talf Down-slope shape: Concave Across-slope shape: Convex Parent material: Alluvium with a wide range of texture

Typical profile

H1 - 0 to 3 inches: very gravelly sandy loam *H2 - 3 to 72 inches:* stratified extremely gravelly loamy coarse sand

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Moderately well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately low to very high (0.06 to 20.00 in/hr)
Depth to water table: About 24 to 72 inches
Frequency of flooding: Frequent
Frequency of ponding: None
Available water capacity: Very low (about 2.5 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 5w Hydrologic Soil Group: A Hydric soil rating: No

Description of Fluvaquents

Setting

Landform: Flood plains Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Tread, dip *Down-slope shape:* Concave *Across-slope shape:* Concave *Parent material:* Alluvium with highly variable texture

Typical profile

H1 - 0 to 17 inches: gravelly loam *H2 - 17 to 72 inches:* extremely gravelly loamy sand

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Very poorly drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately low to very high (0.06 to 20.00 in/hr)
Depth to water table: About 0 to 6 inches
Frequency of flooding: Frequent
Frequency of ponding: None
Calcium carbonate, maximum content: 15 percent
Available water capacity: Moderate (about 6.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 5w Hydrologic Soil Group: A/D Hydric soil rating: Yes

Minor Components

Holderton

Percent of map unit: 10 percent Landform: Flood plains Landform position (two-dimensional): Footslope Landform position (three-dimensional): Tread, talf Down-slope shape: Concave Across-slope shape: Linear Hydric soil rating: No

Canandaigua

Percent of map unit: 5 percent Landform: Depressions Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Tread Down-slope shape: Concave Across-slope shape: Concave Hydric soil rating: Yes

3A—Tioga loam, occasionally flooded, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 20ffr

Elevation: 1,140 to 1,800 feet *Mean annual precipitation:* 33 to 43 inches *Mean annual air temperature:* 45 to 50 degrees F *Frost-free period:* 106 to 139 days *Farmland classification:* All areas are prime farmland

Map Unit Composition

Tioga, occasionally flooded, and similar soils: 90 percent *Minor components:* 10 percent *Estimates are based on observations, descriptions, and transects of the mapunit.*

Description of Tioga, Occasionally Flooded

Setting

Landform: Flood plains Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread, rise Down-slope shape: Convex Across-slope shape: Convex Parent material: Loamy alluvium

Typical profile

H1 - 0 to 10 inches: loam

- H2 10 to 26 inches: loam
- H3 26 to 59 inches: loam
- H4 59 to 80 inches: gravelly loamy coarse sand

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 6.00 in/hr)
Depth to water table: About 60 to 72 inches
Frequency of flooding: NoneOccasional
Frequency of ponding: None
Calcium carbonate, maximum content: 1 percent
Available water capacity: High (about 10.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 1 Hydrologic Soil Group: A Ecological site: F140XY013PA - High Floodplain Hydric soil rating: No

Minor Components

Udifluvents

Percent of map unit: 5 percent Landform: Flood plains Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread, talf Down-slope shape: Concave Across-slope shape: Convex Hydric soil rating: No

Holderton

Percent of map unit: 5 percent Landform: Flood plains Landform position (two-dimensional): Footslope Landform position (three-dimensional): Tread, talf Down-slope shape: Concave Across-slope shape: Linear Hydric soil rating: No

8A—Middlebury silt loam, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 20fg2 Elevation: 1,140 to 1,800 feet Mean annual precipitation: 33 to 43 inches Mean annual air temperature: 45 to 50 degrees F Frost-free period: 106 to 139 days Farmland classification: All areas are prime farmland

Map Unit Composition

Middlebury and similar soils: 90 percent *Minor components:* 10 percent *Estimates are based on observations, descriptions, and transects of the mapunit.*

Description of Middlebury

Setting

Landform: Flood plains Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread, talf Down-slope shape: Concave Across-slope shape: Convex Parent material: Loamy alluvium predominantly from areas of shale and sandstone with some lime-bearing material

Typical profile

H1 - 0 to 8 inches: silt loam H2 - 8 to 30 inches: loam H3 - 30 to 72 inches: fine sandy loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Moderately well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)
Depth to water table: About 18 to 24 inches
Frequency of flooding: NoneOccasional
Frequency of ponding: None
Available water capacity: High (about 10.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 2w Hydrologic Soil Group: B/D Hydric soil rating: No

Minor Components

Holderton

Percent of map unit: 5 percent Landform: Flood plains Landform position (two-dimensional): Footslope Landform position (three-dimensional): Tread, talf Down-slope shape: Concave Across-slope shape: Linear Hydric soil rating: No

Udifluvents

Percent of map unit: 5 percent Landform: Flood plains Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread, talf Down-slope shape: Concave Across-slope shape: Convex Hydric soil rating: No

22A—Allard silt loam, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: b200 Elevation: 1,140 to 1,800 feet Mean annual precipitation: 33 to 43 inches Mean annual air temperature: 45 to 50 degrees F Frost-free period: 106 to 139 days Farmland classification: All areas are prime farmland

Map Unit Composition

Allard and similar soils: 90 percent *Minor components:* 10 percent *Estimates are based on observations, descriptions, and transects of the mapunit.*

Description of Allard

Setting

Landform: Alluvial fans, outwash plains, terraces Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Convex Across-slope shape: Convex *Parent material:* Silty eolian, glaciolacustrine, or old alluvial deposits over sandy and gravelly glaciofluvial deposits

Typical profile

H1 - 0 to 9 inches: silt loam

H2 - 9 to 34 inches: silt loam

H3 - 34 to 72 inches: stratified very gravelly sand to gravel

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 20 to 36 inches to strongly contrasting textural stratification
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Available water capacity: Moderate (about 7.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 1 Hydrologic Soil Group: B Ecological site: F140XY021NY - Dry Outwash Hydric soil rating: No

Minor Components

Olean

Percent of map unit: 5 percent Landform: Terraces, alluvial fans, outwash plains Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Concave Across-slope shape: Convex Hydric soil rating: No

Chenango

Percent of map unit: 5 percent Landform: Valley trains, terraces Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Convex Across-slope shape: Convex Hydric soil rating: No

25A—Chenango gravelly silt loam, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: b203

Elevation: 1,140 to 1,800 feet *Mean annual precipitation:* 33 to 43 inches *Mean annual air temperature:* 45 to 50 degrees F *Frost-free period:* 106 to 139 days *Farmland classification:* All areas are prime farmland

Map Unit Composition

Chenango and similar soils: 92 percent Minor components: 8 percent Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Chenango

Setting

Landform: Valley trains, terraces Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Convex Across-slope shape: Convex Parent material: Gravelly loamy glaciofluvial deposits over sandy and gravelly glaciofluvial deposits, derived mainly from sandstone, shale, and siltstone

Typical profile

H1 - 0 to 9 inches: gravelly silt loam

H2 - 9 to 30 inches: very gravelly silt loam

H3 - 30 to 72 inches: stratified very gravelly sand

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Available water capacity: Low (about 5.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 2s Hydrologic Soil Group: A Ecological site: F140XY021NY - Dry Outwash Hydric soil rating: No

Minor Components

Olean

Percent of map unit: 5 percent Landform: Alluvial fans, outwash plains, terraces Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Concave Across-slope shape: Convex Hydric soil rating: No

Red hook

Percent of map unit: 3 percent Landform: Valley trains, terraces Landform position (two-dimensional): Footslope Landform position (three-dimensional): Tread Down-slope shape: Concave Across-slope shape: Linear Hydric soil rating: No

81E—Varysburg gravelly loam, 25 to 35 percent slopes

Map Unit Setting

National map unit symbol: b25d Elevation: 1,140 to 1,800 feet Mean annual precipitation: 33 to 43 inches Mean annual air temperature: 45 to 50 degrees F Frost-free period: 106 to 139 days Farmland classification: Not prime farmland

Map Unit Composition

Varysburg and similar soils: 90 percent *Minor components:* 10 percent *Estimates are based on observations, descriptions, and transects of the mapunit.*

Description of Varysburg

Setting

Landform: Lake plains Landform position (two-dimensional): Backslope Landform position (three-dimensional): Riser, tread Down-slope shape: Convex Across-slope shape: Convex Parent material: Gravelly loamy glaciofluvial deposits over clayey glaciolacustrine deposits

Typical profile

H1 - 0 to 9 inches: gravelly loam
H2 - 9 to 21 inches: very gravelly loam
Bt - 21 to 28 inches: very gravelly loam
2Bt - 28 to 41 inches: silty clay
2C - 41 to 72 inches: stratified silty clay to silt loam

Properties and qualities

Slope: 25 to 35 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: About 22 to 35 inches
Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 15 percent *Available water capacity:* Moderate (about 7.7 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 6e Hydrologic Soil Group: B Hydric soil rating: No

Minor Components

Chenango

Percent of map unit: 5 percent Landform: Valley trains, terraces Landform position (two-dimensional): Backslope Landform position (three-dimensional): Riser, tread Down-slope shape: Convex Across-slope shape: Convex Hydric soil rating: No

Hudson

Percent of map unit: 3 percent Landform: Lake plains Landform position (two-dimensional): Summit Landform position (three-dimensional): Riser, tread Down-slope shape: Concave Across-slope shape: Convex Hydric soil rating: No

Udifluvents

Percent of map unit: 2 percent Landform: Flood plains Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread, talf Down-slope shape: Concave Across-slope shape: Convex Hydric soil rating: No

300A—Tioga loam, rarely flooded, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 20fhj Elevation: 1,140 to 1,800 feet Mean annual precipitation: 33 to 43 inches Mean annual air temperature: 45 to 50 degrees F Frost-free period: 106 to 139 days Farmland classification: All areas are prime farmland

Map Unit Composition

Tioga, rarely flooded, and similar soils: 85 percent

Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Tioga, Rarely Flooded

Setting

Landform: Flood plains Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread, rise Down-slope shape: Convex Across-slope shape: Convex Parent material: Loamy alluvium

Typical profile

H1 - 0 to 11 inches: loam
H2 - 11 to 16 inches: fine sandy loam
H3 - 16 to 42 inches: loamy sand
H4 - 42 to 80 inches: very gravelly loamy sand

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 6.00 in/hr)
Depth to water table: About 36 to 72 inches
Frequency of flooding: RareNone
Frequency of ponding: None
Calcium carbonate, maximum content: 2 percent
Available water capacity: Moderate (about 6.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 1 Hydrologic Soil Group: A Ecological site: F140XY013PA - High Floodplain Hydric soil rating: No

Minor Components

Chenango

Percent of map unit: 5 percent Landform: Terraces, valley trains Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Convex Across-slope shape: Convex Hydric soil rating: No

Tioga, occasionally flooded

Percent of map unit: 5 percent Landform: Flood plains Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread, rise Down-slope shape: Convex Across-slope shape: Convex Hydric soil rating: No

Olean

Percent of map unit: 5 percent Landform: Alluvial fans, outwash plains, terraces Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Concave Across-slope shape: Convex Hydric soil rating: No

800A—Holderton silt loam, 0 to 3 percent slopes, occasionally flooded 140

Map Unit Setting

National map unit symbol: 2rw9q Elevation: 160 to 1,970 feet Mean annual precipitation: 31 to 68 inches Mean annual air temperature: 43 to 52 degrees F Frost-free period: 105 to 180 days Farmland classification: Prime farmland if drained

Map Unit Composition

Holderton and similar soils: 85 percent *Minor components:* 15 percent *Estimates are based on observations, descriptions, and transects of the mapunit.*

Description of Holderton

Setting

Landform: Flood plains Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Parent material: Loamy alluvium derived from sedimentary rock

Typical profile

Ap - 0 to 10 inches: silt loam Bw1 - 10 to 18 inches: loam Bw2 - 18 to 35 inches: fine sandy loam C1 - 35 to 42 inches: sandy loam C2 - 42 to 72 inches: gravelly loamy coarse sand

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Somewhat poorly drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately low to high (0.14 to 14.17 in/hr)
Depth to water table: About 6 to 18 inches
Frequency of flooding: OccasionalNone
Frequency of ponding: None

Calcium carbonate, maximum content: 1 percent Maximum salinity: Nonsaline (0.0 to 1.9 mmhos/cm) Available water capacity: Moderate (about 7.7 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 3w Hydrologic Soil Group: B/D Ecological site: F139XY008OH - Moist Floodplain Hydric soil rating: No

Minor Components

Middlebury

Percent of map unit: 10 percent Landform: Flood plains Landform position (two-dimensional): Summit Landform position (three-dimensional): Talf Down-slope shape: Concave Across-slope shape: Convex Hydric soil rating: No

Wayland

Percent of map unit: 5 percent Landform: Flood plains Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

W-Water


Map Unit Setting

National map unit symbol: b274 Mean annual precipitation: 33 to 43 inches Mean annual air temperature: 41 to 50 degrees F Frost-free period: 106 to 139 days Farmland classification: Not prime farmland

Map Unit Composition

Water: 100 percent *Estimates are based on observations, descriptions, and transects of the mapunit.*

DEC Wetlands




January 21, 2021

		1:9,028	
0	0.07	0.15	0.3 mi
0	0.13	0.25	0.5 km

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community, NYS ITS GIS Program Office, Esri, HERE, Garmin, (c) OpenStreetMap contributors

Federal Wetlands



January 21, 2021

		1:9,028	
0	0.07	0.15	0.3 mi
0	0.13	0.25	0.5 km

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community, NYS ITS GIS Program Office, Esri, HERE, Garmin, (c) OpenStreetMap contributors

APPENDIX C ENVIRONMENTAL DATABASE RECORDS REVIEW

Ben Wolfling

From:	Kevin Margerum <kmargerum.mace@gmail.com></kmargerum.mace@gmail.com>
Sent:	Monday, January 25, 2021 11:22
То:	Ben Wolfling
Subject:	Re: Building records

CAUTION: This email originated from outside of the organization. Only open attachments and click links if you recognize the sender and are expecting this type of content. -CPL Helpdesk

Ben,

We have no building permit records or record of environmental concerns with parcel 145.-1-5.1 in the Town of Angelica. Kevin Margerum

On Fri, Jan 22, 2021 at 3:24 PM Ben Wolfling <<u>BWolfling@cplteam.com</u>> wrote:

Hi Kevin,

I called and tried to leave a message but I seem to have been directed to the Town of Canadea instead of Angelica. I'm interested in any building records or permits or any other environmental issues you may know of for the parcel (145.-1-5.1) located on the east side of CR 20, just south of the Genesee River. If you need any additional information, please let me know. I will reach back out next week if I don't hear from you.

Thanks! Ben

ဇူ

Benedict Wolfling, P.E.

Direct: 585.324.0442

ARCHITECTURE. ENGINEERING. PLANNING.

CPLteam.com

Crossroads Manufacturing

Gibson Hill Road Belmont, NY 14813

Inquiry Number: 6328827.2s January 12, 2021

The EDR Radius Map[™] Report with GeoCheck®



6 Armstrong Road, 4th floor Shelton, CT 06484 Toll Free: 800.352.0050 www.edrnet.com

FORM-LBC-MGA

TABLE OF CONTENTS

SECTION

PAGE

Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	23
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-7
Physical Setting Source Map Findings	A-8
Physical Setting Source Records Searched	PSGR-1

Thank you for your business. Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental St Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

GIBSON HILL ROAD BELMONT, NY 14813

COORDINATES

Latitude (North):	42.2567360 - 42° 15' 24.24''
Longitude (West):	78.0527690 - 78° 3' 9.96''
Universal Tranverse Mercator:	Zone 17
UTM X (Meters):	743116.2
UTM Y (Meters):	4682274.5
Elevation:	1341 ft. above sea level

2013

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	
Version Date:	

5940029 BELMONT, NY 2013

5938752 ANGELICA, NY

AERIAL PHOTOGRAPHY IN THIS REPORT

South Map: Version Date:

Portions of Photo from:	20150514
Source:	USDA

Target Property Address: GIBSON HILL ROAD BELMONT, NY 14813

Click on Map ID to see full detail.

|--|

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
1	BELMONT TRAVEL CENTE	ROUTES 17 & 19	LTANKS	Higher	2314, 0.438, West
2	BELMONT TRAVEL CENTE	ROUTE 19 AND CR 19	LTANKS, NY Spills	Higher	2510, 0.475, WSW

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL	National Priority List
	Proposed National Priority List Sites
NPL LIENS	- Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL_____ National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY______ Federal Facility Site Information listing SEMS______ Superfund Enterprise Management System

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE...... Superfund Enterprise Management System Archive

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG	RCRA - Large Quantity Generators
RCRA-SQG	RCRA - Small Quantity Generators
RCRA-VSQG	RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity
	Generators)

Federal institutional controls / engineering controls registries

LUCIS...... Land Use Control Information System

US ENG CONTROLS...... Engineering Controls Sites List US INST CONTROLS...... Institutional Controls Sites List

Federal ERNS list

ERNS_____ Emergency Response Notification System

State- and tribal - equivalent CERCLIS

SHWS_____ Inactive Hazardous Waste Disposal Sites in New York State

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... Facility Register

State and tribal leaking storage tank lists

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land HIST LTANKS..... Listing of Leaking Storage Tanks

State and tribal registered storage tank lists

FEMA UST	Underground Storage Tank Listing
	Petroleum Bulk Storage (PBS) Database
CBS UST	Chemical Bulk Storage Database
MOSF UST	Major Oil Storage Facilities Database
CBS	Chemical Bulk Storage Site Listing
MOSF	Major Oil Storage Facility Site Listing
AST	Petroleum Bulk Storage
CBS AST	Chemical Bulk Storage Database
MOSF AST	Major Oil Storage Facilities Database
INDIAN UST	. Underground Storage Tanks on Indian Land
TANKS	Storage Tank Faciliy Listing

State and tribal institutional control / engineering control registries

RES DECL	Restrictive Declarations Listing
ENG CONTROLS	Registry of Engineering Controls
	Registry of Institutional Controls

State and tribal voluntary cleanup sites

INDIAN VCP...... Voluntary Cleanup Priority Listing VCP...... Voluntary Cleanup Agreements

State and tribal Brownfields sites

BROWNFIELDS______Brownfields Site List ERP_____Environmental Restoration Program Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY	Registered Recycling Facility List
SWTIRE	Registered Waste Tire Storage & Facility List
INDIAN ODI	Report on the Status of Open Dumps on Indian Lands
ODI	Open Dump Inventory
DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations
IHS OPEN DUMPS	

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL	Delisted National Clandestine Laboratory Register
DEL SHWS	. Delisted Registry Sites
US CDL	National Clandestine Laboratory Register
PFAS	PFAS Contamination Site Location Listing

Local Lists of Registered Storage Tanks

HIST UST	Historical Petroleum	Bulk Storage Database
HIST AST	Historical Petroleum	Bulk Storage Database

Local Land Records

LIENS	Spill Liens Information
LIENS 2	CERCLA Lien Information

Records of Emergency Release Reports

HMIRS	Hazardous Materials Information Reporting System
NY Spills	Spills Information Database
NY Hist Spills	SPILLS Database
	. SPILLS 90 data from FirstSearch
SPILLS 80	. SPILLS 80 data from FirstSearch

Other Ascertainable Records

RCRA NonGen / NLR	. RCRA - Non Generators / No Longer Regulated
FUDS	Formerly Used Defense Sites
DOD	Department of Defense Sites
SCRD DRYCLEANERS	. State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR	Financial Assurance Information
EPA WATCH LIST	. EPA WATCH LIST
2020 COR ACTION	. 2020 Corrective Action Program List
	Toxic Substances Control Act
	Toxic Chemical Release Inventory System
SSTS	
ROD	
RMP	. Risk Management Plans
	- RCRA Administrative Action Tracking System
	Potentially Responsible Parties
PADS	PCB Activity Database System
	Integrated Compliance Information System
FTTS	- FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide
	Act)/TSCA (Toxic Substances Control Act)

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	EDR Proprietary Manufactured Gas Plants
	EDR Exclusive Historical Auto Stations
EDR Hist Cleaner	EDR Exclusive Historical Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

```
RGA HWS______ Recovered Government Archive State Hazardous Waste Facilities List RGA LF______ Recovered Government Archive Solid Waste Facilities List
```

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in **bold italics** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

State and tribal leaking storage tank lists

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 08/10/2020 has revealed that there are 2 LTANKS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BELMONT TRAVEL CENTE Spill Number/Closed Date: 9309705 / Site ID: 307831 Spill Date: 1993-04-01	ROUTES 17 & 19 1995-06-21	W 1/4 - 1/2 (0.438 mi.)	1	8
BELMONT TRAVEL CENTE Spill Number/Closed Date: 9106154 / Site ID: 211096 Spill Date: 1991-08-30	ROUTE 19 AND CR 19 1992-03-20	WSW 1/4 - 1/2 (0.475 mi.)	2	9

Due to poor or inadequate address information, the following sites were not mapped. Count: 1 records.


Site Name

ANGELICA TRANSFER STATION

Database(s)

SWF/LF, SWRCY

OVERVIEW MAP - 6328827.2S



- Target Property ★
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites



Indian Reservations BIA

Pipelines Special Flood Hazard Area (1%)

- 0.2% Annual Chance Flood Hazard
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

R.

SITE NAME:	Crossroads Manufacturing
ADDRESS:	Gibson Hill Road
	Belmont NY 14813
LAT/LONG:	42.256736 / 78.052769

CLIENT: Clark Patterson Lee CONTACT: Norm Gardner INQUIRY #: 6328827.2s January 12, 2021 1:42 pm DATE:

Copyright © 2021 EDR, Inc. © 2015 TomTom Rel. 2015.



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors 2
- National Priority List Sites
- Dept. Defense Sites



Indian Reservations BIA Special Flood Hazard Area (1%) 0.2% Annual Chance Flood Hazard National Wetland Inventory State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

Ħ

SITE NAME:	Crossroads Manufacturing
ADDRESS:	Gibson Hill Road
	Belmont NY 14813
LAT/LONG:	42.256736 / 78.052769

CLIENT: Clark Patterson Lee CONTACT: Norm Gardner INQUIRY #: 6328827.2s January 12, 2021 1:45 pm DATE: Copyright © 2021 EDR, Inc. © 2015 TomTom Rel. 2015.

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMEN	TAL RECORDS							
Federal NPL site list								
NPL Proposed NPL NPL LIENS	1.000 1.000 1.000		0 0 0	0 0 0	0 0 0	0 0 0	NR NR NR	0 0 0
Federal Delisted NPL sit	te list							
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
FEDERAL FACILITY SEMS	0.500 0.500		0 0	0 0	0 0	NR NR	NR NR	0 0
Federal CERCLIS NFRA	P site list							
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
Federal RCRA CORRAC	TS facilities lis	st						
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-COR	RACTS TSD fa	acilities list						
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generato	rs list							
RCRA-LQG RCRA-SQG RCRA-VSQG	0.250 0.250 0.250		0 0 0	0 0 0	NR NR NR	NR NR NR	NR NR NR	0 0 0
Federal institutional cor engineering controls re								
LUCIS US ENG CONTROLS US INST CONTROLS	0.500 0.500 0.500		0 0 0	0 0 0	0 0 0	NR NR NR	NR NR NR	0 0 0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
State- and tribal - equiva	alent CERCLIS							
SHWS	1.000		0	0	0	0	NR	0
State and tribal landfill a solid waste disposal site								
SWF/LF	0.500		0	0	0	NR	NR	0
State and tribal leaking	storage tank li	sts						
INDIAN LUST LTANKS HIST LTANKS	0.500 0.500 0.500		0 0 0	0 0 0	0 2 0	NR NR NR	NR NR NR	0 2 0
State and tribal register	ed storage tan	k lists						
FEMA UST	0.250		0	0	NR	NR	NR	0

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
UST CBS UST MOSF UST CBS MOSF AST CBS AST MOSF AST INDIAN UST TANKS	0.250 0.250 0.500 0.250 0.250 0.250 0.250 0.250 0.250		0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	NR NR O NR O NR O NR NR	NR NR NR NR NR NR NR NR	NR NR NR NR NR NR NR NR NR	0 0 0 0 0 0 0 0 0 0 0
State and tribal institution control / engineering co		es						
RES DECL ENG CONTROLS INST CONTROL	0.125 0.500 0.500		0 0 0	NR 0 0	NR 0 0	NR NR NR	NR NR NR	0 0 0
State and tribal volunta	ry cleanup sit	es						
INDIAN VCP VCP	0.500 0.500		0 0	0 0	0 0	NR NR	NR NR	0 0
State and tribal Brownfi	elds sites							
BROWNFIELDS ERP	0.500 0.500		0 0	0 0	0 0	NR NR	NR NR	0 0
ADDITIONAL ENVIRONME	NTAL RECORD	s						
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Waste Disposal Sites	Solid							
SWRCY SWTIRE INDIAN ODI ODI DEBRIS REGION 9 IHS OPEN DUMPS	0.500 0.500 0.500 0.500 0.500 0.500		0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	NR NR NR NR NR	NR NR NR NR NR	0 0 0 0 0 0
Local Lists of Hazardou Contaminated Sites	s waste /							
US HIST CDL DEL SHWS US CDL PFAS	TP 1.000 TP 0.500		NR 0 NR 0	NR 0 NR 0	NR 0 NR 0	NR 0 NR NR	NR NR NR NR	0 0 0 0
Local Lists of Registere	•	nks						
HIST UST HIST AST	0.250 TP		0 NR	0 NR	NR NR	NR NR	NR NR	0 0
Local Land Records								
LIENS	TP		NR	NR	NR	NR	NR	0

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LIENS 2	TP		NR	NR	NR	NR	NR	0
Records of Emergency F	Release Repo	orts						
HMIRS NY Spills NY Hist Spills SPILLS 90 SPILLS 80	TP 0.125 0.125 0.125 0.125 0.125		NR 0 0 0 0	NR NR NR NR NR	NR NR NR NR NR	NR NR NR NR NR	NR NR NR NR NR	0 0 0 0
Other Ascertainable Rec	ords							
RCRA NonGen / NLR FUDS DOD SCRD DRYCLEANERS US FIN ASSUR EPA WATCH LIST 2020 COR ACTION TSCA TRIS SSTS ROD RMP RAATS PRP PADS ICIS FTTS MLTS COAL ASH DOE COAL ASH DOE COAL ASH DOE COAL ASH EPA PCB TRANSFORMER RADINFO HIST FTTS DOT OPS CONSENT INDIAN RESERV FUSRAP UMTRA LEAD SMELTERS US AIRS US MINES ABANDONED MINES FINDS UXO ECHO DOCKET HWC	0.250 1.000 1.000 0.500 TP TP 0.250 TP TP TP TP TP TP TP TP TP TP		0 0 0 0 R R 0 R R R 0 R R R R R R R R R	0 0 0 0 R R 0 R R 0 R R R R R R R R R R	NR 0 0 0 R R R R R O R R R R R R R R R R	NR 0 0 R R R R R R 0 R R R R R R R R R R	NR R R R R R R R R R R R R R R R R R R	
FUELS PROGRAM AIRS COAL ASH DRYCLEANERS E DESIGNATION	0.250 TP 0.500 0.250 0.125		0 NR 0 0 0	0 NR 0 0 NR	NR NR 0 NR NR	NR NR NR NR NR	NR NR NR NR NR	0 0 0 0

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
Financial Assurance	TP		NR	NR	NR	NR	NR	0
HSWDS	0.500		0	0	0	NR	NR	0
MANIFEST	0.250		0	0	NR	NR	NR	0
SPDES	TP		NR	NR	NR	NR	NR	0
VAPOR REOPENED	0.500		0	0	0	NR	NR	0
UIC	TP		NR	NR	NR	NR	NR	0
COOLING TOWERS	TP		NR	NR	NR	NR	NR	0
MINES MRDS	TP		NR	NR	NR	NR	NR	0
LEAD	TP		NR	NR	NR	NR	NR	0
EDR HIGH RISK HISTORIC	AL RECORDS							
EDR Exclusive Records	1							
EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		0	NR	NR	NR	NR	0
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0
EDR RECOVERED GOVER		/ES						
Exclusive Recovered G	ovt. Archives							
RGA HWS	TP		NR	NR	NR	NR	NR	0
RGA LF	TP		NR	NR	NR	NR	NR	0
- Totals		0	0	0	2	0	0	2

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Database(s)

EDR ID Number EPA ID Number

1 West 1/4-1/2 0.438 mi. 2314 ft.	BELMONT TRAVEL CENTER #4 ROUTES 17 & 19 AMITY, NY		LTANKS	S100782074 N/A
Relative: Higher Actual: 1360 ft.	LTANKS: Name: Address: City,State,Zip: Spill Number/Closed Date: Facility ID: Site ID: Spill Cause: Spill Cause: Cleanup Ceased: SWIS: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Notifier: Last Inspection: Recommended Penalty: Meets Standard: UST Involvement: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Company: Spiller Contact: Spiller Contact: Spiller Phone: Spiller Extention: DEC Region: DEC Region: DEC Memo:	BELMONT TRAVEL CENTER #4 ROUTES 17 & 19 AMITY, NY 9309705 / 1995-06-21 9309705 307831 1993-04-01 Tank Failure Commercial/Industrial C3 1995-06-21 0228 PRINGLE Not reported 1993-11-10 Not reported DEC 1995-06-15 False True True 0 1995-06-15 False True True 0 1993-11-16 2000-07-21 Not reported TRAVEL PORTS OF AMERICA 3495 WINTON PLACE BLDG. C 001 Not reported Not reported SepARATOR 2004 data translation this spill Lead_DEC Fi MNP 12/08/93: 12/2/93 MNP INSP. NO SPILL OF RED DI FOUND. 12/22/93: 12/22/93 MNP TELECON W. JERRY B PORTS. DISCUSSED 2 REPORTED SPILLS IN 4/93 & 8/3 INVENTORY RECORDS & TO REPORT FUTURE SPILLS 12/23/93: 12/23/93 LETTER TO JERRY BIERMAN - TRAV 4/93 INVENTORY RECORDS & TO REPORT FUTURE SPILLS 12/23/93: 12/23/93 LETTER TO JERRY BIERMAN - TRAV 4/93 INVENTORY RECORDS & TO REPORT FUTURE SPILLS 1/14/94. 03/29/94: 3/29/94 MNP INSP. OLI IN SEPARATOR SEPARATOR DOWN TO WETLAND. SEE VIDEO. 04/19/3 IN SEPARATOR & DITCH FROM SEPARATOR DOWN TO 6/28/94 MNP INSP. CHECKED OIL/WATER SEPARATOR SEPARATOR, BLACK STAIN IN DITCH DOWNSTREAM. C 02/03/95: 2/3/95 MNP INSP. CHECKED SEPARATOR, SORBENTS ON E 02/03/95: 2/3/95 MNP INSP. CHECKED OIL/WATER SEPARATOR, ON E 02/03/95: 2/3/95 MNP INSP. CHECKED OIL/WATER SEPARATOR, SORBENTS ON E 02/03/95: 2/3/95 MNP INSP. CHECKED SEPARATOR, SORBENTS ON E 02/03/95: 2/3/95 MNP INSP. CHECKED OIL/WATER SEPARATOR, SORBENTS ON E 02/03/95: 2/3/95 MNP INSP. CH	ESEL ADDI IERMAN - T 93. REQUE 3. NEED TO YEL PORTS. PILLS. RESI R & DITCH 94: 4/19/94 0 WETLANI R FRESH BO 09/27/94: 9// EFFLUENT I L ON BOTT NP REVIEW ED, BUT NO DER LEGAL	RAVEL STED 4/93 SEND LETTER. REQUESTED PONSE BY FROM MNP INSP. OIL D. 06/28/94: DOMS IN 27/94 MNP HAVE OIL STAINS. OM OF /ED FILE. DT REPORTED TO REFERRAL.

2 WSW 1/4-1/2 0.475 mi. 2510 ft.

Relative: Higher

Actual: 1371 ft. MAP FINDINGS

EDR ID Number Database(s) EPA ID Number

BELMONT TRAVEL CENTER #4 (Continued)

S100782074

	onanaoay		0100102011
	LIKE IT IS MAINTAINED REGULARLY. NO FLOW NOTE WORK NEEDS TO BE COMPLETED. LEGAL ORDER FO BE RETURNED BY 7/12/95. SITE CAN BE CLOSED. "	OR NOT REF	PORTING A SPILL TO
Remarks:	"ALLEGED 200 GALS. OF GASOLINE LEAKED FROM U	JNDER DISP	ENSOR PUMP"
All TTF:			
Facility ID:	9309705		
Spill Number:	9309705		
Spill Tank Test:	1542193		
Site ID:	307831		
Tank Number:	Not reported		
Tank Size:	0		
Material:	0009		
EPA UST:	Not reported		
UST:	Not reported		
Cause:	Not reported		
Source: Test Method:	Not reported 00		
Test Method 2:	Unknown		
Leak Rate:	.00		
Gross Fail:	Not reported		
Modified By:	Spills		
Last Modified Date:	Not reported		
Last modified Bats.	Notroponou		
All Materials:			
Site ID:	207024		
Operable Unit ID:	307831 991233		
Operable Unit:	01		
Material ID:	392359		
Material Code:	0009		
Material Name:	gasoline		
Case No.:	Not reported		
Material FA:	Petroleum		
Quantity:	.00		
Units:	G		
Recovered:	.00		
Oxygenate:	Not reported		
		_	
BELMONT TRAVEL CENTER		LTANKS	S100153170
ROUTE 19 AND CR 19		NY Spills	N/A
AMITY, NY			
LTANKS:			
Name:	BELMONT TRAVEL CENTER		
Address:	ROUTE 19 AND CR 19		
City,State,Zip:	AMITY, NY		
Spill Number/Closed Date:	9106154 / 1992-03-20		
Facility ID:	9106154		
Site ID:	211096		
Spill Date:	1991-08-30		
Spill Cause:	Tank Test Failure		
Spill Source:	Gasoline Station or other PBS Facility		
Spill Class:	Not reported		
Cleanup Ceased:	1992-03-20		
SWIS:	0228		

BELMONT TRAVEL CENTER (Continued)

Site ID:

Operable Unit ID:

Operable Unit:

Material Code:

Material Name:

Material ID:

Case No .:

Material FA:

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

S100153170

Investigator: PRINGLE Referred To: Not reported Reported to Dept: 1991-09-05 CID: Not reported Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: 1992-02-28 **Recommended Penalty:** False Meets Standard: True UST Involvement: True Remediation Phase: 0 Date Entered In Computer: 1991-10-09 Spill Record Last Update: 2002-01-15 Spiller Name: Not reported Spiller Company: TRAVEL PORTS OF AMERICA Spiller Address: 3495 WINTON PLACE Spiller County: 001 Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported DEC Region: 9 DER Facility ID: 174979 DEC Memo: "Prior to Sept. 2004 data translation this spill Lead DEC Field was MNP 09/20/91: 9/20/91 MNP INSP. OIL SPILLAGE ON GROUND AROUND TOP OF PARTIALLY EXPOSED TANK, SEE SPILL # 9105942. TANK EMPTY & NOT IN USE. 03/20/92: 3/20/92 MNP FILE REVIEW, TANK PASSED TEST ON 2/5/92. OBTAINED COPY FROM PBS PROGRAM. NO FURTHER ACTION NEEDED, COMPLETE. " Remarks: "FAILED TANK AT BELMONT TRAVEL CENTER, RETESTED TIGHT" All TTF: Facility ID: 9106154 Spill Number: 9106154 Spill Tank Test: 1539014 Site ID: 211096 Tank Number: Not reported Tank Size: 0 0008 Material: EPA UST: Not reported UST: Not reported Not reported Cause: Not reported Source: Test Method: 00 Test Method 2: Unknown Leak Rate: .00 Gross Fail: Not reported Modified By: Spills Last Modified Date: Not reported All Materials:

211096

960483

421887

0008

diesel

Not reported

Petroleum

01

Database(s)

EDR ID Number EPA ID Number

Quantity:	.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

SPILLS:

Name: Address: City,State,Zip: Spill Number/Closed Date: Facility ID: Facility Type: **DER Facility ID:** Site ID: DEC Region: 9 Spill Cause: Spill Class: SWIS: Spill Date: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Notifier: **Cleanup Ceased:** Cleanup Meets Std: Last Inspection: Recommended Penalty: UST Trust: **Remediation Phase:** 0 Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Address: Spiller Company: Contact Name: DEC Memo:

BELMONT TRAVEL CENTER **ROUTE 19 & CR 20** AMITY (BELMONT), NY 9975640 / 2009-12-30 9975640 ER 204799 249831 Unknown B3 0228 1999-11-01 **MXFRANKS** Not reported 1999-11-05 Not reported Not reported Non Major Facility > 1,100 gal Other Not reported False 2008-06-25 False True 2000-01-11 2018-04-06 DAVE PLUMMER TRAVEL CENTERS OF AMERICA 24601 CENTER RIDGE ROAD 001 ROGER ROBERTS "Prior to Sept, 2004 data translation this spill Lead DEC Field was MF 11/05/99: MF RECEIVED SITE ASSESSMENT REPORT, GASOLINE & DIESEL CONTAMINATION AROUND ISLANDS. ALSO SEE SPILL #9808523. WILL 'I' SPILL # 9808523 & KEEP THIS SPILL OPEN [HOUSE KEEPING]. 12/31/99: MF SENT LETTER TO RP, REMEDIATION NECESSARY & THE EXTENT OF THE CONTAMINATION MUST BE BETTER DEFINED IN THE AREA OF MW#1. SCHEDULE BY 1/31/00. 01/27/00: MF WORK PLAN RECEIVED. THEY PROPOSED GEOPROBING AREA TAKING AND ANALIZING WATER SAMPLES FROM ACROSS CORT 20. IF HOT WILL MOVE FURTHER DOWN GRADIENT. NO MENTION OF REMEDIATION. 01/31/00: MF LETTER TO RP, OKING PLAN, SCHEDULE BY 2/29/00. 03/22/00: MF S/I/FRANK KARBOSKI, PLUMLEY ENGINEERING, 315-638-8587./PARRATT & WOLFF INC, GEOPROBE. INSTALLING GEOPOINTS TO DETERMINE EXTENT OF CONTAMINATION. THEY ARE PROBING BUDINGER'S PROPERTY, SOUTH SIDE OF CORT 20. 05/30/00: MF RECEIVED MAY 2000 REPORT, CONTAMINATION OFF SITE ON BUDINGER'S PROPERTY, SOUTH OF CORT 20, CONTRACTOR RECOMMENDS

REMEDIATION OF GW CONTAMINATION. MW'S & SB'S SAMPLED 3/23/00. SB#3 - 1630 WITHIN ROW SOUTH SIDE OF CORT 20 MW#1 - 18325 WITHIN ROW NORTH

S100153170

EDR ID Number Database(s) EPA ID Number

BELMONT TRAVEL CENTER (Continued)

S100153170

SIDE OF CORT 20 MW#3 - 1179 AAPX 60' INSIDE BUDINGER'S PROPERTY 6 SB'S & 4 MW'S SAMPLED. 06/09/00: MF LETTER TO RP, REMEDIATION NECESSARY AT DIESEL & GASOLINE ISLANDS, MW'S 1 & 3 & SB#3. SCHEDULE BY 7/15/00. 07/20/00: MF NO RESPONSE LETTER TO RP, RESPONSE BY 8/15/00. 07/14/00: MF RECEIVED REMEDIATION PLAN. THEY PLAN TO INJECT ORC'S AT 4 POINTS AROUND DIESEL CONTAMINATION & A WALL ORC'S AT 8 POINTS BETWEEN GASOLINE ISLANDS & CR 20. 08/01/00: MF T/C/FRANK KARBOSKI, DISCUSSED REMEDIATION BETWEEN MUST BE DONE UPGRADIENT OF GASOLINE ISLANDS. HE CLAIMED THEY WILL DO THIS AFTER THEY SEE HOW INITIAL TREATMENT WORKS. LETTER TO RP OKING PLAN. SCHEDULE BY 8/15/00. 08/09/00: MF T/C/FRANK KARBOWSKI, THEY WILL BE ON SITE, 8/14 & 8/15. 08/15/00: MF S/I WITH TOM THE MANAGER. CONTRACTOR JUST LEFT THE SITE. THEY INJECTED ORC'S TODAY IN DIESEL ISLAND AREA. TEHY INJECTED ORC'S YESTERDAY BY GASOLINE ISLAND AREA. 01/12/01: MF UPDATE LETTER TO RP, DUE 2/15/01. 02/02/01: MF RECEIVED 1/25/01 REPORT. DO INCREASED IN MOST MW'S. MW'S SAMPLED 9/10/99, 3/23/00, 8/16/00 & 12/27/00. RESULTS IN TOTAL VOC'S, PPB 9/10/99 3/23/00 8/16/00 12/27/00 MW#1 - 20510 18325 NS 15900 MW#2 - 53 NS NS 54 MW#3 - NI 1179 NS 26 MW#4 - NI BDL NS BDL MW#6 - NI NI 111 456 MW#5 - 2210 113 NS 167 MW#7 - BDL NS NS NS MW#9 - 1986 NS NS 73 THEY RECOMMEND SAMPLING IN MARCH/APRIL, MEASURE DO & ANALYZE FOR 8260. MW'S 3 & 6 ARE OFF SITE. MW#9 IS IN THE DIESEL ISLAND AREA. MW#1 IS IN THE ROW JUST NORTH OF CORT 20. MW#6 IS ON THE SOUTH SIDE OF CORT 20. MW#3 IS ON BUDINGERS PROPERTY. 03/16/01: MF T/C FRANK G, WELLS TO BE RESAMPLED 4/01. 06/21/01: MF RECEIVED 6/19/01 REPORT. MW'S SAMPLED 5/9/01. IN TOTAL VOC'S + MTBE IN PPB. MW#1 - 11760 MW#2 - ND MW#3 -40 MW#4 - ND MW#5 - 233 MW#6 - 859 MW#7 - ND MW#9 - 188 09/24/01: MF RCEIVED 9/17/01 REPORT. MW'S SAMPLED 8/10/01. IN TOTAL VOC'S + MTBE, PPB. MW#1 - 14290 MW#2 - NS MW#3 - 16 MW#4 - ND MW#5 - 11 MW#6 - 861 MW#7 - NS MW#9 - ND THE DO IN ALL THE WELLS BUT 1 ARE less than 3. CONTRACTOR RECOMMENDS MONITORING. 09/25/01: MF LETTER TO RP, RECOMMENDING INCREASING THE DO IN THE GW. PLAN BY 10/31/01, 10/23/01: MF PROPOSAL FROM PLUMLEY. ANOTHER ROUND OF ORC INJECTIONS APPX IN THE SAME AREA AS BEFORE. SCHEDULED FOR THE WEEK OF 11/5. 11/14/01: MF S/I, PLUMLEY WAS ON SITE YESTERDAY INJECTING ORC'S. 04/05/02: MF RECEIVED REPORT WITH 2/3/02 8021 SAMPLING DATA. TOTAL VOC'S PPB O2 READINGS PPM MW#1 1325 5.88 MW#2 NS NS MW#3 NS NS MW#4 BDL NS MW#5 2765 + 59 MTBE 1.58 MW#6 38 34.43 MW#7 390 7.06 MW#9 NS 1.58 MW'S 1 & 5 ARE DOWN GRADIENT OF GAS ISLAND. CONTRACTOR RECOMMENDS ANOTHER SAMPLING EVENT 6/02. 07/19/02: MF RECEIVED 6/28/02 REPORT, MW'S SAMPLED 6/5/02 . TOTAL VOC'S PPB O2 READINGS PPM MW#1 5488 8.8 MW#2 NS NS MW#3 NS NS MW#4 BDL NS MW#5 98 + 63 MTBE 1.2 MW#6 24 + 3 31.4 MW#7 NS NS MW#9 79 7.75 LAST ORC INJECTION 11/13/01. CONTRACTOR RECOMMENDS SAMPLING BE DISCONTINUED AT MW#9. SIMI-ANNUAL SAMPLING. 01/21/03: MF RECEIVED 1/13/03 REPORT. MW SAMPLES COLLECTED 12/3/02, 8260 TOTAL VOC'S PPB O2 READINGS PPM MW#1 6580 + 44400 MTBE 0.9 MW#2 NS 0.93 MW#3 NS 1.36 MW#4 BDL 4.3 MW#5 230 + 131 0.85 MW#6 7 14.43 MW#7 NS 5.84 MW#9 106 0.87 CONTRACTOR RECOMMENDS DISCONTINUING SAMPLING MW#9 & CONTINUED MONITORING. NEXT SAMPLING 6/03. 01/22/03: MF LETTER TO RP. REMEDIATION NECESSARY IN THE AREA OF MW#1. ALSO WANT BUDINGER'S & TRAVEL CENTER'S WELL WATER SAMPLED. SCHEDULE BY 2/29/03. 02/12/03: MF LETTER FROM TCA, THEY DON'T BELIEVE REMEDIATION IS NECESSARY IN THE AREA OF MW#1. THEY CLAIM SAMPLING PROCEDURES MAY HAVE COUSED A SHARP INCREASE IN MTBE & CHANGES IN GW LEVELS MAY HAVE CONTRIBUTED TO INCREASE IN BTEX. 02/20/03: MF S/I/DERK HUTSON, PLUMLEY ENG. MW'S & DRINKING WATER BEING SAMPLED. I WAS TOLD MW#1 HAS AN ODOR. 04/25/03: MF T/C FRANK G, THEY ON SITE THE 23RD & 24TH.

EDR ID Number Database(s) EPA ID Number

BELMONT TRAVEL CENTER (Continued)

S100153170

FOUND A COUPLE OF INCHES OF FP IN MW#1. THEY CLAIM ITS A NEW PROBLEM. WELL NEVER HAD FP ALSO HIGH MTBE DETECTED ALONG WITH BTEX. HE WILL WRITE LETTER REGARDING THIS. INSTALLED 2 NEW MW'S THIS WEEK. T/C DAVE PLUMMER, NEW OWNER: MODULAR MACHNICAL ENGERY MANAGEMENT & SUPPLY CORP 3912 CRESENT ST 350 EAST 82ND ST APT 5G LONG ISLAND CITY NY 11101NY NY 10028 ROGER ROBERTS, CONTACT 301-514-5047 FAX 856-299-7339 05/12/03: MF LETTER FROM PLUMLEY, THEY SUSPECT NEW RELEASE DUE TO ELEVATED 8260 COMPUNDS IN MW#1. DISPENSOR WAS PREVIOUSLY HIT & SOAKED PADS NOTICED UNDER THE DISPENSOR. TRAVEL CENTER ALSO SENT A LETTER TO ENERGY MANAGEMENT REQUESTING INVENTORY RECORDS & LINE TESTING OF AFFECTED DISPENSOR SYSTEM. 05/14/03: MF T/C ROGER ROBERTS, THEY TOOK OVER FACILITY 3/02. OKAR TIGHTENED UNION & FOUND FLEX HOSE LEAKING. LINE TEST LAST WEEK, LINES TIGHT. HE WILL SEND ME INVENTORY FROM 1/03 TO PRESENT. HE WILL ALSO SEND LINE TEST RESULTS. 06/04/03: MF LETTER TO ROGER ROBERTS, REGARDING 5/14/03. INFORMATION BY 6/30/03. 06/05/03: MF RECEIVED 5/03, SUPPLEMENTAL SUBSURFACE INVESTIGATION REPORT. 5 SOIL BORINGS ADVANCED, GW APPX 7'. 3 BORINGS EXTENDED TO 14-15' & COMPLETED AS MW'S. FP IN MW#1, FP OR SHEEN ON DRILLING TOOLS AT TW-1 & MW#10. STARTING IN 12/02 SIGNIFICANT INCREASES IN MTBE IN MW#1 NOTED. CONTRACTOR'S CONCLUSIONS FROM REPORT: 1) A NEW SOURCE OF GASOLINE CONTAMINATION IS IMPACTING GW. 2) THE SOURCE OF CONTAMINATION IS FROM A PIPING LEAK SOMEWARE IN THE DISPENSOR OR BURIED PIPING A SHORT DISTANCE FROM MW#5. ALSO THE DOWN GRADIENT WATER SUPPLY WELLS ARE AT RISK OF BEING IMPACTED. BUDINGER'S WELL IS A DUG WELL. MW'S SAMPLED 4/24/03 IN PPB TOTAL 8260 + MTBE. MW#1 - NS MW#2 - 3618 + 11400 MW#3 - 228 + 1200 MW#4 - BDL'S + 103 MW#5 - 21320 + 34600 MW#6 - 218 + 11400 MW#7 - BDL'S MW#9 - NS MW#10 - 66350 + 14100 MW#11 - 40 + 57 MW#12 - 2592 + 4620 TW1 - 86160 + 224000 06/30/03: MF LETTER CAME BACK UNDELIVERABLE, T/C ROGER ROBERTS, HE GAVE ME DIFFERENT ADDRESS & FAX #. I FAXED LETTER TO HIM. T/C FRANK G, PLUMBLY ENG. 07/02/03: MF AFTER MANY CALLS BY KAB ROGER ROBERTS FAXED INVENTORY & OKAR INFO. WENT OVER ONVENTORY RECORDS WITH ANDREA. BASED ON RECORDS THERE IS AN INVENTORY PROBLEM. 07/07/03: MF T/C CHUCK NORRIS, OKAR 800-333-0685. HE RELACED LEAKING FLEX CONNECTOR UNDER PUMP #1 (GASOLINE),5/7/03. THATS ALL THE WORK THEY DID. HE TOLD ME IT WAS A SLIGHT LEAK & NO PRODUCE GOT OUT OF THE CONTAINMENT. T/C TANKNOLOGY, 512-451-6334, STACY BOWERS, THEY TESTED GASOLINE LINES & LEAK DETECTORS 5/8/03. EVERYTHING PASSED. 11/10/03: MF LETTER FROM TRAVEL CENTERS OF AMERICA, DAVE PLUMMER. THEY TESTED SUMP UNDER THE DISPENSOR THAT HAD BEEN LEAKING (9/20/03). IT DIDN'T HOLD WATER. APPEARS INCREASED MW CONTAMINATION IS FROM THIS LEAK. THINKS THE RESPONSIBILITY SHOULD BE AMERICAN TRUCK STOPS. T/C DAVE PLUMMER, LEFT MESSAGE ASKING IF I CAN SEND REPORT TO AMERICAN TRUCK STOPS. 11/26/03: MF LETTER TO AMERICAN TRUCK STOP REQUESTING THERE POSITION ON NEW SPILLAGE. RESPONSE BY 12/31/03. 12/05/03: MF T/C DAVE PLUMMER, LEFT MESSAGE. 12/22/03: MF LETTER FROM WILLIAM ROGERS, ALL AMERICAN PLAZAS: PO BOX 302 BETHEL PA 19507 717-933-4146 FAX 717-933-4813 THEY WANT TRAVELCENTERS TO SHARE RESPONSIBILITY, DUE TO DISPENSOR BEING HIT BEFORE PROPERTY SOLD. 12/29/03: MF T/C DAVE PLUMMER, HE FINDS NO LINK IN ROGERS 12/16/03 LETTER & PROBLEM. HE WILL TRY TO WORK IT OUT ROGERS. 12/31/03: MF LETTER FROM RP, CLAIMS DAMAGE TO DISPENSER OCCORED PRIOR TO SELLING PROPERTY & WAS IDENTIFIED IN PERCHASE AGREEMENT & THERE WAS NO INDICATION OF FUEL LEAKAGE. 03/10/04: MF LETTER TO BOTH PARTIES REQUESTING UPDATE BY 3/31/04. 03/25/04: MF T/C FRANK GRABOWSKI, 315-638-8587. TRAVEL CENTERS & ROGER ROBERTS CAME TO AN AGREEMENT. THEY WILL BE OUT NEXT WEEK TO SAMPLE. WILL WAIT FOR SAMPLING RESULTS THEN COME UP WITH A REMEDIATION METHOD. HOMES IN THE

EDR ID Number Database(s) EPA ID Number

BELMONT TRAVEL CENTER (Continued)

S100153170

AREA WILL BE SAMPLED. 06/22/04: MF T/C FRANK GRABOWSKI, REPORT SENT 5/28/04, I DIDN'T RECEIVE IT. WILL SEND REPORT TODAY. 06/23/04: MF RECEIVED 5/20/04 REPORT. MW'S SAMPLED 4/6/04, STARS 8260, IN PPB. DO READINGS IN MW'S 6 & 7 ARE ABOVE THAT WHICH WILL SUPPORT BIODEGRADATION. MW#1 - 63992 + 36300 MW#2 - 2 + 821 MW#3 - 99 + 1150 MW#4 - ND + 75 MW#5 - 99237 + 4010 MW#6 - 1070 + 13000 MW#7 - ND MW#9 - NS MW#10 - 95241 + 3980 MW#11 - 3 MTBE MW#12 - 322 + 138 TW-1 - NA CONTRACTOR PROPOSES AN ACTIVE REMEDIATION SYSTEM FOR THE SOURCE AREA. AS & SVE, CONTINUED OFF SITE MONITORING & EXPANSION OF THE SYSTEM IF NECESSARY. 06/24/04: MF LETTER TO ROGER ROBERTS FOR SCHEDULE BY 7/31/04. 07/23/04: MF RECEIVED IMPLEMENTATION SCHEDULE. SHOULD COMPLETE WORK BY 9/17/04 AT THE LATEST. 10/04/04: MF S/I/KEITH WITTMAN, JIM MAREHOOD, RENSHAW BAY CORP. INSTALLING SPARGE & SOIL VENT LINES. 10/06/04: MF T/C FRANK KARBOWSKI, LEFT MESSAGE. 07/27/04: MF S/I/FRANK KARBOWSKI, PLUMLEY ENG & DRILLING CREW. INSTALLING SV POINTS & SVE POINTS. 10/04/04: MF S/I/KEITH WITTMAN, JIM MAREHOOD, RENSHAW BAY CORP, INSTALLING SPARGE & SOIL VENT LINES. 12/30/04: MF STARTED STIP PROCESS. 01/07/05: MF RECEIVED SIGNED STIP FROM ALL AMERICAN PLAZAS. 5/17/05 STIPULATION WAS SIGNED BY DEC ON 3/8/05. PLUMLEY ENGINEERING SUBMITTED THE JULY AND DEC 2004 SAMPLING EVENTS REPORT. GW SAMPLES WERE COLLECTED ON 7/28/04 FROM MW1,5 & 6. GW SAMPLES WERE COLLECTED FROM MW1, 3, 4, 5, 6 & 10 ON 12/2/04. ALL 12 WELLS WERE NOT SAMPLED ON EITHER DATE. DO READINGS WERE TAKEN AND WATER LEVFEL MEASUREMENTS WERE OBTAINED. WATER SAMPLES FROM THE TWO RESIDENCES WERE COLLECTED IN DECEMBER FROM BUDINGER AND SCOTT PROPERTIES AND THE RESULTS WERE ND. DO CONCENTRATIONS FROM MW1,3,4,5,6,& 10 RANGED FROM 2.88 TO 5.7 PPM. THE GW FLOW DIRECTION IS TOWARDS THE SOUTHEAST. THE ANALYTICAL RESULTS ARE AS FOLLOW: 7/28/04 SAMPLING RESULTS: TOTAL 8260 STARS, PPB MW1 70,842 MW5 89,060 MW6 15,153 12/2/04 SAMPLING RESULTS: TOTAL 8260 STARS, PPB MW1 24,919 MW3 1,047 MW4 4 MW5 2,390 MW6 30,718 MW9 5,303 RECOMMENDATIONS INCLUDE: COMPLETE STARTUP LOGISTICS AND RESTART THE SVE AND AI SYSTEMS, IMPLEMENT A BIWEEKLY AIR COMPLIANCE MONITORING PROGRAM, CONTINUE WEEKLY INSPECTION, USING CUSTOM ELECTRIC. CONTINUE QUARTERLY INSPECTIONS AND GW SAMPLING. 8/8/04 PLUMLEY ENGINEERING SUBMITTED THE SUMMARY REPORT OF REMEDIAL ACTIVITIES WHICH SUMMARIZES THE LATEST TWO QUARTERLY SAMPLING EVENTS CONDUCTED AT THE SITE SINCE 3/3/05. GW SAMPLES WERE COLLECTED ON 3/25/05 AND 6/24/05. 3/25/05 SAMPLING RESULTS: TOTAL 8260 STARS, PPB MW1 2100 MW2 NS (NOT SAMPLED) MW3 766 MW4 ND MW5 2603 MW6 6111 MW7 NS MW9 NS MW10 444 MW11 NS MW12 NS BUDDINGER ND SCOTT NS 6/24/05 SAMPLING RESULTS: TOTAL 8260 STARS, PPB MW1 4054 MW2 NS MW3 1280 MW4 3 MW5 2620 MW6 3267 MW7 NS MW9 NS MW10 725 MW11 NS MW12 NS BUDDINGER ND SCOTT NS THEY WILL CONTINUE OPERATING THE SYSTEM, PERFORM QUARTERLY GW SAMPLING AND SUBMIT A QUARTERLY UPDATE. 11/16/05 PLUMLEY ENGINEERING SUBMITTED THE SAMPLING RESULTS FOR THE SITE. SAMPLES WERE COLLECTED ON 9/29/05. THE DATA REPORT WASN'T SUBMITTED BUT JUST A SUMMARY REPORT. TOTAL 8260 STARS LIST PPB: MW1 54 MW2 NS MW3 779 MW4 4 MW5 139 MW6 4419 MW7 NS MW9 NS MW10 141 MW11 NS MW12 NS TW1 NS BUDDINGER ND SCOTT ND THEY WILL BE SAMPLING AGAIN IN DEC 2005 AND WILL PREPARE A MORE COMPREHENSIVE SEMI-ANNUAL REPORT. 01/24/06: MF RECEIVED 1/18/06 REPORT. MW'S SAMPLED 9/29/05 & 12/30/06 STARS 8260. 9/29/05 DW-1 - BDL DW-2 - BDL MW#4 - 4 MTBE MW#3 - 24 + 755 MW#6 - 4148 + 271 MW#5 - 139 MTBE MW#10 - 141 MTBE MW#1 - 33 + 21 12/21/05 DW-1 - BDL DW-2 - BDL MW#4 - 1 MTBE MW#3 - 11 + 249 MW#6 - 1632 + 116 MW#5 - 526 MTBE MW#10 - 61 MTBE MW#1 - 4643 + 3260 CONTRACTOR EXPLAINS HI LEVELS IN MW#1 AS A LOCALIZED SLUG. THERE IS NO INDICATIONS OF AN ADDITIONAL LEAK. NEXT

EDR ID Number Database(s) EPA ID Number

BELMONT TRAVEL CENTER (Continued)

S100153170

REPORT DUE 6/30/06. 9/25/06 Received the 8/30/06 report. Mw's sampled 4/5/06 & 7/14/06 stars 8260. The total results (ppb) are as follow: 4/5/06 mw1 6971, mw2 ns, mw3 207, mw4 nd, ms5 236, mw6 347, mw7 ns, mw9 ns, mw10 264, mw11 ns, mw12 ns, tw1 ns, buddinger nd, scott nd 7/14/06 mw1 772, mw2 ns, mw3 380, mw4 nd, mw5 53, mw6 706, mw7 ns, mw9 ns, mw10 129, mw11 ns, mw12 ns, tw1 ns, Buddinger nd, Scott nd. 12/19/06 PLUMLEY ENGINEERING SUBMITTED THE QUARTERLY SAMPLING RESULTS WHICH HAD BEEN COLLECTED ON 10/26/06: RESULTS ARE TOTAL 8260 STARS LIST PPB MW1 166, MW2 NS, MW3 168, MW4 ND, MW5 365, MW6 109, MW7 NS, MW9 NS, MW10 157, MW11 NS, MW12 NS, BUDDINGER ND, SCOTT ND. PLUMLEY WILL SAMPLE AGAIN IN MARCH AND SUBSEQUENTLY PROVIDE A SUMMARY REPORT WITH RECOMMENDATIONS. 5/30/07 PLUMLEY ENGINEERING SUBMITTED THE SEMIANNUAL REPORT FOR GW SAMPLES COLLECTED ON 10/26/06 AND 3/27/07 FOR 8260 STARS LIST. RESULTS ARE TOTAL 8260 STARS LIST PPB. THE FIRST NUMBER IS FOR THE OCTOBER SAMPLING AND THE SECOND IS FOR THE MARCH SAMPLING: MW1 166, 577; MW2 NS, NS; MW3 168, 105; MW4 ND, ND; MW5 365, 170; MW6 109, 63; MW7 NS, NS; MW9 NS, NS; MW10 157, 75; MW11 NS, NS; MW12 NS, NS; TW1 NS, NS; BUDDINGER ND, ND; SCOTT ND, ND. PLUMLEY PLANS ON CONTINUING FULL TIME OPERATION OF THE SYSTEM INTO JUNE 2007. THEY WILL SHUT DOWN THE SYSTEM IN JUNE AND COLLECT SAMPLES. THEY WILL RESAMPLE ON A QUARTERLY BASIS AND SUBMIT RESULTS TO DEC. IF THEREIS A REBOUND IN THE RESULTS, THEY WILL TURN THE SYSTEM BACK ON. THEY WILL THEN PREPARE AN ANNUAL REPORT IN MARCH 2008, 1/14/08 PLUMLEY ENGINEERING SUBMITTED THE DATA SUMMARY RESULTS FOR THE MOST RECENT POST-REMEDIATION SYSTEM SHUTDOWN SAMPLING EVENTS COMPLETED IN SEPTEMBER AND DECEMBER OF 2007. THE SYSTEM WILL CONTINUE TO REMAIN OFF AND WE WILL SAMPLE THE SITE AGAIN IN MARCH 2008. THE RESULTS FOR THE TOTAL 8260 STARS LIST OF COMPOUNDS FOR THE GW SAMPLES COLLECTED ARE AS FOLLOW IN PPB: WELL 9/25/07 12/13/07 MW1 2916 754 MW2 NS NS MW3 341 144 MW4 1 1 MW5 1836 173 MW6 9 14 MW7 NS NS MW9 NS NS MW10 498 621 MW11 NS NS MW12 NS NS TW1 NS NS BUDDINGER ND ND SCOTT ND ND 05/15/08: MF T/C FRANK, DATA TAKEN FOR THIS SEASON, SAMPLED 3/08. REPORT TO BE SUBMITTED SHORTLY. 06/02/08: MF RECEIVED 5/29/08 REPORT. MW'S SAMPLED 3/21/08, IN PPB STARS + MTBE. MW#1 - 563 + 8 MW#2 - NS MW#3 - 36 + 38 MW#4 - ND MW#5 - 6 + 14 MW#6 - ND MW#7 - NS MW#9 - NS MW#10 - 2153 + 32 MW#11 & 12 - NS BUDDINGER WELL - ND SCOTT WELL - 16 TBA CONTRACTOR RECOMMENDS KEEPING SYSTEM OFF & ONLY SAMPLING MW#10. MW2 LAST SAMPLED 4/24/03, 15018 PPB 8260. MW# 12 LAAST SAMPLES 4/24/03, 7212 PPB 8260. 06/06/08: MF LETTER TO PRP TO SAMPLE MW'S# 2 & 12. SCHEDULE BY 6/27/08. 06/25/08: MF FG S/I/MATT MARTIN/ERIN LEUINBURGER, PLUMBLEY ENG. ON SITE SAMPLING MW'S. PUMPS NOT IN OPERATION. I WAS TOLD THEY ARE WAITING FOR A DELIVERY. MW'S 2 & 12 WILL BE SAMPLED. 08/13/08: MF RECEIVED 8/11/08 REPORT.MW'S SAMPLED 6/25/08 IN PPB TOTALSTARS 8260 + MTBE. MW#2- 0 + 28 MW#3 - 0 + 100 MW#6 - 0 + 3 MW#10 - 876 + 402 MW#12 - 4 + 5 SCOTT WELL WATER - TBA 10 BUDDINGER WELL WATER - NS 08/18/08: MF LETTER TO RP TO INCLUDE MW#10 & SCOTT WELL WATER IN NEXT ROUND OF SAMPLING. 09/02/08: MF LETTER FROM MIKE SCHAFFRON 585-295-6227, LABELLA ASS. CONTRACTOR FOR COUNTY, INSTALLING WATER LINE ON CR 20 ALONG SIDE OF SPILL SITE. HE WANTS RP TO HANDLE EXCESS CONTAMINATED SOIL. 09/26/08: MF LETTER TO RP TELLING THEY THEY WILL BE RESPONSIBLE FOR STAGING SAMPLING & DISPOSING OF EXCESS SOIL. 10/06/08: MF T/C MIKE SCHAFFRON, BIDS FOR PIPELINE WILL GO OUT IN 1/09. EXPECT CONSTRUCTION TO BEGIN IN THE SPRING OF 09. 12/17/08: MF RECEIVED 11/4/08 REPORT, MW'S SAMPLED 9/18/08 IN PPB TOTAL 8260 + MTBE. MW#1, 2, 4, 5, 7, 9, 11, 12, TW1 & BUDDINGER WELL NOT SAMPLED. MW#3 - 23 + 101 MW#6 - 5 + 3 MW#10 - 1182 + 42 SCOTTS WELL - NDL NO TBA 12/24/08: MF LETTER TO RP TO HAVE MW#5

EDR ID Number Database(s) EPA ID Number

BELMONT TRAVEL CENTER (Co	ntinued)	S100153170
	INCLUDED IN NEXT ROUND OF SAMPLING. A PLAN BY 1/31/09. 02/17/09: MF RECEIVED SC BORINGS TO BE ADVANCED & SAMPLED FC TO RP OKING PLAN. SCHEDULE BY 3/31/09. rp, response by 7/31/09. 08/05/09: MF T/C FRA WAITING FOR CHECK BEFORE ANY ADDITIO 10/26/09: MF T/C FRANK K, WORK ON SITE C PAY BEFORE HE RELEASES REPORT. HIS E 12/18/09: MF RECEIVED 11/24/09, REPORT, 5 APPX 8' BG. SAMPLED FOR STARS 8260 IN F ABOVE TAGM. B-2 - 21560 XYLENES AT 5100 VOC'S 22000, TAGM 10000. B-3 - ND B-4 - 27' ND B-2 IS AT THE SE CORNER OF THE GASC LETTER SENT. "	DIL BORING PROPOSAL. 5 DR STARS 8260. 02/23/09: MF LETTER 07/16/09: mf update letter to NK , PLUMBLY ENG, DNAL WORK. RP IS IN CHAPTER 11. COMPLETED. HE IS WAITING FOR E-MAIL FKARBOSKI@PLUMLEY ENG. COM. 5 SOIL BORING ADVANCED. GW PPB TOTAL. B-1 - 2410, NONE 0 PPB greater than TAGM, TOTAL 10, NONE ABOVE TAGM B-5 -
Remarks:	"FACILITY CHANGED HANDS, SITE ASSESSI CONTAMINATION FOUND. ALSO SEE SPILL	
All Materials:		
Site ID:	249831	
Operable Unit ID:	1093939	
Operable Unit:	01	
Material ID:	290176	
Material Code:	0009	
Material Name:	gasoline	
Case No.:	Not reported	
Material FA:	Petroleum	
Quantity:	.00	
Units:	G	
Recovered:	.00	
Oxygenate:	Not reported	
Site ID:	249831	
Operable Unit ID:	1093939	
Operable Unit:	01	
•		
Material ID:	290175	
Material Code:	0008	
Material Name:	diesel	
Case No.:	Not reported	
Material FA:	Petroleum	
Quantity:	.00	
Units:	G	
Recovered:	.00	
Oxygenate:	Not reported	
Name:	BELMONT TRAVEL CENTER	
Address:	ROUTE 19 & CR 20	
City,State,Zip:	AMITY (BELMONT), NY	
Spill Number/Closed Date:	9975640 / 2009-12-30	
Facility ID:	9975640	
Facility Type:	ER	
DER Facility ID:	204799	
Site ID:	249831	
DEC Region:	9	
Spill Cause:	Unknown	
Spill Class:	B3	
SWIS:	0228	
Spill Date:	1999-11-01	

Database(s)

EDR ID Number EPA ID Number

S100153170

BELMONT TRAVEL CENTER (Continued)

Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Notifier: Cleanup Ceased: Cleanup Meets Std: Last Inspection: **Recommended Penalty:** UST Trust: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Address: Spiller Company: Contact Name: DEC Memo:

MXFRANKS Not reported 1999-11-05 Not reported Not reported Non Major Facility > 1,100 gal Other Not reported False 2008-06-25 False True 0 2000-01-11 2018-04-06 W ROGER ROBERTS ALL AMERICAN PLAZAS, INC **PO BOX 302** 001 ROGER ROBERTS "Prior to Sept, 2004 data translation this spill Lead_DEC Field was MF 11/05/99: MF RECEIVED SITE ASSESSMENT REPORT, GASOLINE & DIESEL CONTAMINATION AROUND ISLANDS, ALSO SEE SPILL #9808523, WILL 'I' SPILL # 9808523 & KEEP THIS SPILL OPEN [HOUSE KEEPING]. 12/31/99: MF SENT LETTER TO RP, REMEDIATION NECESSARY & THE EXTENT OF THE CONTAMINATION MUST BE BETTER DEFINED IN THE AREA OF MW#1. SCHEDULE BY 1/31/00. 01/27/00: MF WORK PLAN RECEIVED. THEY PROPOSED GEOPROBING AREA TAKING AND ANALIZING WATER SAMPLES FROM ACROSS CORT 20. IF HOT WILL MOVE FURTHER DOWN GRADIENT. NO MENTION OF REMEDIATION. 01/31/00: MF LETTER TO RP, OKING PLAN, SCHEDULE BY 2/29/00. 03/22/00: MF S/I/FRANK KARBOSKI, PLUMLEY ENGINEERING, 315-638-8587./PARRATT & WOLFF INC, GEOPROBE, INSTALLING GEOPOINTS TO DETERMINE EXTENT OF CONTAMINATION. THEY ARE PROBING BUDINGER'S PROPERTY, SOUTH SIDE OF CORT 20. 05/30/00: MF RECEIVED MAY 2000 REPORT. CONTAMINATION OFF SITE ON BUDINGER'S PROPERTY, SOUTH OF CORT 20. CONTRACTOR RECOMMENDS REMEDIATION OF GW CONTAMINATION. MW'S & SB'S SAMPLED 3/23/00. SB#3 -1630 WITHIN ROW SOUTH SIDE OF CORT 20 MW#1 - 18325 WITHIN ROW NORTH SIDE OF CORT 20 MW#3 - 1179 AAPX 60' INSIDE BUDINGER'S PROPERTY 6 SB'S & 4 MW'S SAMPLED. 06/09/00: MF LETTER TO RP, REMEDIATION NECESSARY AT DIESEL & GASOLINE ISLANDS, MW'S 1 & 3 & SB#3. SCHEDULE BY 7/15/00. 07/20/00: MF NO RESPONSE LETTER TO RP, RESPONSE BY 8/15/00. 07/14/00: MF RECEIVED REMEDIATION PLAN. THEY PLAN TO INJECT ORC'S AT 4 POINTS AROUND DIESEL CONTAMINATION & A WALL ORC'S AT 8 POINTS BETWEEN GASOLINE ISLANDS & CR 20. 08/01/00: MF T/C/FRANK KARBOSKI, DISCUSSED REMEDIATION BETWEEN MUST BE DONE UPGRADIENT OF GASOLINE ISLANDS. HE CLAIMED THEY WILL DO THIS AFTER THEY SEE HOW INITIAL TREATMENT WORKS. LETTER TO RP OKING PLAN. SCHEDULE BY 8/15/00. 08/09/00: MF T/C/FRANK KARBOWSKI, THEY WILL BE ON SITE , 8/14 & 8/15. 08/15/00: MF S/I WITH TOM THE MANAGER. CONTRACTOR JUST LEFT THE SITE, THEY INJECTED ORC'S TODAY IN DIESEL ISLAND AREA, TEHY INJECTED ORC'S YESTERDAY BY GASOLINE ISLAND AREA. 01/12/01: MF UPDATE LETTER TO RP, DUE 2/15/01. 02/02/01: MF RECEIVED 1/25/01 REPORT. DO INCREASED IN MOST MW'S. MW'S SAMPLED 9/10/99, 3/23/00, 8/16/00 & 12/27/00. RESULTS IN TOTAL VOC'S, PPB 9/10/99 3/23/00 8/16/00 12/27/00 MW#1 - 20510 18325 NS 15900 MW#2 - 53 NS NS 54 MW#3 - NI 1179 NS 26 MW#4 - NI BDL NS BDL MW#6 - NI NI 111 456 MW#5 - 2210 113 NS 167 MW#7 - BDL NS NS NS MW#9 - 1986 NS NS 73 THEY RECOMMEND

EDR ID Number Database(s) EPA ID Number

BELMONT TRAVEL CENTER (Continued)

S100153170

SAMPLING IN MARCH/APRIL, MEASURE DO & ANALYZE FOR 8260. MW'S 3 & 6 ARE OFF SITE. MW#9 IS IN THE DIESEL ISLAND AREA. MW#1 IS IN THE ROW JUST NORTH OF CORT 20, MW#6 IS ON THE SOUTH SIDE OF CORT 20, MW#3 IS ON BUDINGERS PROPERTY. 03/16/01: MF T/C FRANK G, WELLS TO BE RESAMPLED 4/01. 06/21/01: MF RECEIVED 6/19/01 REPORT. MW'S SAMPLED 5/9/01. IN TOTAL VOC'S + MTBE IN PPB. MW#1 - 11760 MW#2 - ND MW#3 -40 MW#4 - ND MW#5 - 233 MW#6 - 859 MW#7 - ND MW#9 - 188 09/24/01: MF RCEIVED 9/17/01 REPORT. MW'S SAMPLED 8/10/01. IN TOTAL VOC'S + MTBE, PPB. MW#1 - 14290 MW#2 - NS MW#3 - 16 MW#4 - ND MW#5 - 11 MW#6 - 861 MW#7 - NS MW#9 - ND THE DO IN ALL THE WELLS BUT 1 ARE less than 3. CONTRACTOR RECOMMENDS MONITORING. 09/25/01: MF LETTER TO RP, RECOMMENDING INCREASING THE DO IN THE GW. PLAN BY 10/31/01. 10/23/01: MF PROPOSAL FROM PLUMLEY. ANOTHER ROUND OF ORC INJECTIONS APPX IN THE SAME AREA AS BEFORE. SCHEDULED FOR THE WEEK OF 11/5. 11/14/01: MF S/I, PLUMLEY WAS ON SITE YESTERDAY INJECTING ORC'S. 04/05/02: MF RECEIVED REPORT WITH 2/3/02 8021 SAMPLING DATA. TOTAL VOC'S PPB O2 READINGS PPM MW#1 1325 5.88 MW#2 NS NS MW#3 NS NS MW#4 BDL NS MW#5 2765 + 59 MTBE 1.58 MW#6 38 34.43 MW#7 390 7.06 MW#9 NS 1.58 MW'S 1 & 5 ARE DOWN GRADIENT OF GAS ISLAND. CONTRACTOR RECOMMENDS ANOTHER SAMPLING EVENT 6/02. 07/19/02: MF RECEIVED 6/28/02 REPORT, MW'S SAMPLED 6/5/02 . TOTAL VOC'S PPB O2 READINGS PPM MW#1 5488 8.8 MW#2 NS NS MW#3 NS NS MW#4 BDL NS MW#5 98 + 63 MTBE 1.2 MW#6 24 + 3 31.4 MW#7 NS NS MW#9 79 7.75 LAST ORC INJECTION 11/13/01. CONTRACTOR RECOMMENDS SAMPLING BE DISCONTINUED AT MW#9. SIMI-ANNUAL SAMPLING. 01/21/03: MF RECEIVED 1/13/03 REPORT. MW SAMPLES COLLECTED 12/3/02, 8260 TOTAL VOC'S PPB O2 READINGS PPM MW#1 6580 + 44400 MTBE 0.9 MW#2 NS 0.93 MW#3 NS 1.36 MW#4 BDL 4.3 MW#5 230 + 131 0.85 MW#6 7 14.43 MW#7 NS 5.84 MW#9 106 0.87 CONTRACTOR RECOMMENDS DISCONTINUING SAMPLING MW#9 & CONTINUED MONITORING. NEXT SAMPLING 6/03. 01/22/03: MF LETTER TO RP, REMEDIATION NECESSARY IN THE AREA OF MW#1. ALSO WANT BUDINGER'S & TRAVEL CENTER'S WELL WATER SAMPLED. SCHEDULE BY 2/29/03. 02/12/03: MF LETTER FROM TCA, THEY DON'T BELIEVE REMEDIATION IS NECESSARY IN THE AREA OF MW#1. THEY CLAIM SAMPLING PROCEDURES MAY HAVE COUSED A SHARP INCREASE IN MTBE & CHANGES IN GW LEVELS MAY HAVE CONTRIBUTED TO INCREASE IN BTEX. 02/20/03: MF S/I/DERK HUTSON, PLUMLEY ENG. MW'S & DRINKING WATER BEING SAMPLED. I WAS TOLD MW#1 HAS AN ODOR. 04/25/03: MF T/C FRANK G, THEY ON SITE THE 23RD & 24TH. FOUND A COUPLE OF INCHES OF FP IN MW#1. THEY CLAIM ITS A NEW PROBLEM. WELL NEVER HAD FP ALSO HIGH MTBE DETECTED ALONG WITH BTEX. HE WILL WRITE LETTER REGARDING THIS. INSTALLED 2 NEW MW'S THIS WEEK. T/C DAVE PLUMMER, NEW OWNER: MODULAR MACHNICAL ENGERY MANAGEMENT & SUPPLY CORP 3912 CRESENT ST 350 EAST 82ND ST APT 5G LONG ISLAND CITY NY 11101NY NY 10028 ROGER ROBERTS, CONTACT 301-514-5047 FAX 856-299-7339 05/12/03: MF LETTER FROM PLUMLEY, THEY SUSPECT NEW RELEASE DUE TO ELEVATED 8260 COMPUNDS IN MW#1. DISPENSOR WAS PREVIOUSLY HIT & SOAKED PADS NOTICED UNDER THE DISPENSOR. TRAVEL CENTER ALSO SENT A LETTER TO ENERGY MANAGEMENT REQUESTING INVENTORY RECORDS & LINE TESTING OF AFFECTED DISPENSOR SYSTEM. 05/14/03: MF T/C ROGER ROBERTS, THEY TOOK OVER FACILITY 3/02. OKAR TIGHTENED UNION & FOUND FLEX HOSE LEAKING. LINE TEST LAST WEEK, LINES TIGHT, HE WILL SEND ME INVENTORY FROM 1/03 TO PRESENT. HE WILL ALSO SEND LINE TEST RESULTS. 06/04/03: MF LETTER TO ROGER ROBERTS, REGARDING 5/14/03. INFORMATION BY 6/30/03. 06/05/03: MF RECEIVED 5/03, SUPPLEMENTAL SUBSURFACE INVESTIGATION REPORT. 5 SOIL BORINGS ADVANCED, GW APPX 7'. 3 BORINGS EXTENDED TO 14-15' & COMPLETED AS MW'S. FP IN MW#1, FP OR SHEEN ON DRILLING TOOLS AT TW-1 & MW#10. STARTING IN 12/02 SIGNIFICANT INCREASES IN MTBE IN MW#1 NOTED. CONTRACTOR'S CONCLUSIONS FROM REPORT: 1) A NEW SOURCE OF

EDR ID Number Database(s) EPA ID Number

BELMONT TRAVEL CENTER (Continued)

S100153170

GASOLINE CONTAMINATION IS IMPACTING GW. 2) THE SOURCE OF CONTAMINATION IS FROM A PIPING LEAK SOMEWARE IN THE DISPENSOR OR BURIED PIPING A SHORT DISTANCE FROM MW#5. ALSO THE DOWN GRADIENT WATER SUPPLY WELLS ARE AT RISK OF BEING IMPACTED. BUDINGER'S WELL IS A DUG WELL. MW'S SAMPLED 4/24/03 IN PPB TOTAL 8260 + MTBE. MW#1 - NS MW#2 - 3618 + 11400 MW#3 - 228 + 1200 MW#4 - BDL'S + 103 MW#5 - 21320 + 34600 MW#6 - 218 + 11400 MW#7 - BDL'S MW#9 - NS MW#10 - 66350 + 14100 MW#11 - 40 + 57 MW#12 - 2592 + 4620 TW1 - 86160 + 224000 06/30/03: MF LETTER CAME BACK UNDELIVERABLE, T/C ROGER ROBERTS, HE GAVE ME DIFFERENT ADDRESS & FAX #. I FAXED LETTER TO HIM. T/C FRANK G, PLUMBLY ENG. 07/02/03: MF AFTER MANY CALLS BY KAB ROGER ROBERTS FAXED INVENTORY & OKAR INFO. WENT OVER ONVENTORY RECORDS WITH ANDREA, BASED ON RECORDS THERE IS AN INVENTORY PROBLEM. 07/07/03: MF T/C CHUCK NORRIS, OKAR 800-333-0685. HE RELACED LEAKING FLEX CONNECTOR UNDER PUMP #1 (GASOLINE),5/7/03. THATS ALL THE WORK THEY DID. HE TOLD ME IT WAS A SLIGHT LEAK & NO PRODUCE GOT OUT OF THE CONTAINMENT. T/C TANKNOLOGY, 512-451-6334, STACY BOWERS, THEY TESTED GASOLINE LINES & LEAK DETECTORS 5/8/03. EVERYTHING PASSED. 11/10/03: MF LETTER FROM TRAVEL CENTERS OF AMERICA, DAVE PLUMMER. THEY TESTED SUMP UNDER THE DISPENSOR THAT HAD BEEN LEAKING (9/20/03). IT DIDN'T HOLD WATER. APPEARS INCREASED MW CONTAMINATION IS FROM THIS LEAK. THINKS THE RESPONSIBILITY SHOULD BE AMERICAN TRUCK STOPS. T/C DAVE PLUMMER, LEFT MESSAGE ASKING IF I CAN SEND REPORT TO AMERICAN TRUCK STOPS. 11/26/03: MF LETTER TO AMERICAN TRUCK STOP REQUESTING THERE POSITION ON NEW SPILLAGE. RESPONSE BY 12/31/03. 12/05/03: MF T/C DAVE PLUMMER, LEFT MESSAGE. 12/22/03: MF LETTER FROM WILLIAM ROGERS, ALL AMERICAN PLAZAS: PO BOX 302 BETHEL PA 19507 717-933-4146 FAX 717-933-4813 THEY WANT TRAVELCENTERS TO SHARE RESPONSIBILITY, DUE TO DISPENSOR BEING HIT BEFORE PROPERTY SOLD. 12/29/03: MF T/C DAVE PLUMMER, HE FINDS NO LINK IN ROGERS 12/16/03 LETTER & PROBLEM. HE WILL TRY TO WORK IT OUT ROGERS. 12/31/03: MF LETTER FROM RP, CLAIMS DAMAGE TO DISPENSER OCCORED PRIOR TO SELLING PROPERTY & WAS IDENTIFIED IN PERCHASE AGREEMENT & THERE WAS NO INDICATION OF FUEL LEAKAGE. 03/10/04: MF LETTER TO BOTH PARTIES REQUESTING UPDATE BY 3/31/04. 03/25/04: MF T/C FRANK GRABOWSKI, 315-638-8587. TRAVEL CENTERS & ROGER ROBERTS CAME TO AN AGREEMENT. THEY WILL BE OUT NEXT WEEK TO SAMPLE. WILL WAIT FOR SAMPLING RESULTS THEN COME UP WITH A REMEDIATION METHOD. HOMES IN THE AREA WILL BE SAMPLED. 06/22/04: MF T/C FRANK GRABOWSKI, REPORT SENT 5/28/04, I DIDN'T RECEIVE IT. WILL SEND REPORT TODAY. 06/23/04: MF RECEIVED 5/20/04 REPORT. MW'S SAMPLED 4/6/04, STARS 8260, IN PPB. DO READINGS IN MW'S 6 & 7 ARE ABOVE THAT WHICH WILL SUPPORT BIODEGRADATION. MW#1 - 63992 + 36300 MW#2 - 2 + 821 MW#3 - 99 + 1150 MW#4 - ND + 75 MW#5 - 99237 + 4010 MW#6 - 1070 + 13000 MW#7 - ND MW#9 - NS MW#10 - 95241 + 3980 MW#11 - 3 MTBE MW#12 - 322 + 138 TW-1 - NA CONTRACTOR PROPOSES AN ACTIVE REMEDIATION SYSTEM FOR THE SOURCE AREA. AS & SVE, CONTINUED OFF SITE MONITORING & EXPANSION OF THE SYSTEM IF NECESSARY. 06/24/04: MF LETTER TO ROGER ROBERTS FOR SCHEDULE BY 7/31/04. 07/23/04: MF RECEIVED IMPLEMENTATION SCHEDULE. SHOULD COMPLETE WORK BY 9/17/04 AT THE LATEST. 10/04/04: MF S/I/KEITH WITTMAN, JIM MAREHOOD, RENSHAW BAY CORP. INSTALLING SPARGE & SOIL VENT LINES. 10/06/04: MF T/C FRANK KARBOWSKI, LEFT MESSAGE. 07/27/04: MF S/I/FRANK KARBOWSKI, PLUMLEY ENG & DRILLING CREW. INSTALLING SV POINTS & SVE POINTS. 10/04/04: MF S/I/KEITH WITTMAN, JIM MAREHOOD, RENSHAW BAY CORP, INSTALLING SPARGE & SOIL VENT LINES. 12/30/04: MF STARTED STIP PROCESS. 01/07/05: MF RECEIVED SIGNED STIP FROM ALL AMERICAN PLAZAS, 5/17/05 STIPULATION WAS SIGNED BY DEC ON 3/8/05. PLUMLEY ENGINEERING SUBMITTED THE JULY AND DEC 2004 SAMPLING EVENTS

EDR ID Number Database(s) EPA ID Number

BELMONT TRAVEL CENTER (Continued)

S100153170

REPORT. GW SAMPLES WERE COLLECTED ON 7/28/04 FROM MW1,5 & 6. GW SAMPLES WERE COLLECTED FROM MW1, 3, 4, 5, 6 & 10 ON 12/2/04. ALL 12 WELLS WERE NOT SAMPLED ON EITHER DATE. DO READINGS WERE TAKEN AND WATER LEVFEL MEASUREMENTS WERE OBTAINED. WATER SAMPLES FROM THE TWO RESIDENCES WERE COLLECTED IN DECEMBER FROM BUDINGER AND SCOTT PROPERTIES AND THE RESULTS WERE ND. DO CONCENTRATIONS FROM MW1,3,4,5,6,& 10 RANGED FROM 2.88 TO 5.7 PPM. THE GW FLOW DIRECTION IS TOWARDS THE SOUTHEAST. THE ANALYTICAL RESULTS ARE AS FOLLOW: 7/28/04 SAMPLING RESULTS: TOTAL 8260 STARS, PPB MW1 70.842 MW5 89,060 MW6 15,153 12/2/04 SAMPLING RESULTS: TOTAL 8260 STARS, PPB MW1 24,919 MW3 1,047 MW4 4 MW5 2,390 MW6 30,718 MW9 5,303 RECOMMENDATIONS INCLUDE: COMPLETE STARTUP LOGISTICS AND RESTART THE SVE AND AI SYSTEMS, IMPLEMENT A BIWEEKLY AIR COMPLIANCE MONITORING PROGRAM, CONTINUE WEEKLY INSPECTION, USING CUSTOM ELECTRIC. CONTINUE QUARTERLY INSPECTIONS AND GW SAMPLING. 8/8/04 PLUMLEY ENGINEERING SUBMITTED THE SUMMARY REPORT OF REMEDIAL ACTIVITIES WHICH SUMMARIZES THE LATEST TWO QUARTERLY SAMPLING EVENTS CONDUCTED AT THE SITE SINCE 3/3/05. GW SAMPLES WERE COLLECTED ON 3/25/05 AND 6/24/05. 3/25/05 SAMPLING RESULTS: TOTAL 8260 STARS, PPB MW1 2100 MW2 NS (NOT SAMPLED) MW3 766 MW4 ND MW5 2603 MW6 6111 MW7 NS MW9 NS MW10 444 MW11 NS MW12 NS BUDDINGER ND SCOTT NS 6/24/05 SAMPLING RESULTS: TOTAL 8260 STARS, PPB MW1 4054 MW2 NS MW3 1280 MW4 3 MW5 2620 MW6 3267 MW7 NS MW9 NS MW10 725 MW11 NS MW12 NS BUDDINGER ND SCOTT NS THEY WILL CONTINUE OPERATING THE SYSTEM, PERFORM QUARTERLY GW SAMPLING AND SUBMIT A QUARTERLY UPDATE. 11/16/05 PLUMLEY ENGINEERING SUBMITTED THE SAMPLING RESULTS FOR THE SITE. SAMPLES WERE COLLECTED ON 9/29/05. THE DATA REPORT WASN'T SUBMITTED BUT JUST A SUMMARY REPORT. TOTAL 8260 STARS LIST PPB: MW1 54 MW2 NS MW3 779 MW4 4 MW5 139 MW6 4419 MW7 NS MW9 NS MW10 141 MW11 NS MW12 NS TW1 NS BUDDINGER ND SCOTT ND THEY WILL BE SAMPLING AGAIN IN DEC 2005 AND WILL PREPARE A MORE COMPREHENSIVE SEMI-ANNUAL REPORT. 01/24/06: MF RECEIVED 1/18/06 REPORT. MW'S SAMPLED 9/29/05 & 12/30/06 STARS 8260. 9/29/05 DW-1 - BDL DW-2 - BDL MW#4 - 4 MTBE MW#3 - 24 + 755 MW#6 - 4148 + 271 MW#5 - 139 MTBE MW#10 - 141 MTBE MW#1 - 33 + 21 12/21/05 DW-1 - BDL DW-2 - BDL MW#4 - 1 MTBE MW#3 - 11 + 249 MW#6 - 1632 + 116 MW#5 - 526 MTBE MW#10 - 61 MTBE MW#1 - 4643 + 3260 CONTRACTOR EXPLAINS HI LEVELS IN MW#1 AS A LOCALIZED SLUG. THERE IS NO INDICATIONS OF AN ADDITIONAL LEAK. NEXT REPORT DUE 6/30/06. 9/25/06 Received the 8/30/06 report. Mw's sampled 4/5/06 & 7/14/06 stars 8260. The total results (ppb) are as follow: 4/5/06 mw1 6971, mw2 ns, mw3 207, mw4 nd, ms5 236, mw6 347, mw7 ns, mw9 ns, mw10 264, mw11 ns, mw12 ns, tw1 ns, buddinger nd, scott nd 7/14/06 mw1 772, mw2 ns, mw3 380, mw4 nd, mw5 53, mw6 706, mw7 ns, mw9 ns, mw10 129, mw11 ns, mw12 ns, tw1 ns, Buddinger nd, Scott nd. 12/19/06 PLUMLEY ENGINEERING SUBMITTED THE QUARTERLY SAMPLING RESULTS WHICH HAD BEEN COLLECTED ON 10/26/06: RESULTS ARE TOTAL 8260 STARS LIST PPB MW1 166, MW2 NS, MW3 168, MW4 ND, MW5 365, MW6 109, MW7 NS, MW9 NS, MW10 157, MW11 NS, MW12 NS, BUDDINGER ND, SCOTT ND. PLUMLEY WILL SAMPLE AGAIN IN MARCH AND SUBSEQUENTLY PROVIDE A SUMMARY REPORT WITH RECOMMENDATIONS. 5/30/07 PLUMLEY ENGINEERING SUBMITTED THE SEMIANNUAL REPORT FOR GW SAMPLES COLLECTED ON 10/26/06 AND 3/27/07 FOR 8260 STARS LIST. RESULTS ARE TOTAL 8260 STARS LIST PPB. THE FIRST NUMBER IS FOR THE OCTOBER SAMPLING AND THE SECOND IS FOR THE MARCH SAMPLING: MW1 166, 577; MW2 NS, NS; MW3 168, 105; MW4 ND, ND; MW5 365, 170; MW6 109, 63; MW7 NS, NS; MW9 NS, NS; MW10 157, 75; MW11 NS, NS; MW12 NS, NS; TW1 NS, NS; BUDDINGER ND, ND; SCOTT ND, ND. PLUMLEY PLANS ON CONTINUING FULL TIME OPERATION OF THE SYSTEM INTO JUNE 2007. THEY WILL SHUT DOWN THE SYSTEM IN JUNE AND COLLECT SAMPLES. THEY WILL

EDR ID Number Database(s) EPA ID Number

BELMONT TRAVEL CENTER (Continued)

S100153170

RESAMPLE ON A QUARTERLY BASIS AND SUBMIT RESULTS TO DEC. IF THEREIS A REBOUND IN THE RESULTS, THEY WILL TURN THE SYSTEM BACK ON. THEY WILL THEN PREPARE AN ANNUAL REPORT IN MARCH 2008. 1/14/08 PLUMLEY ENGINEERING SUBMITTED THE DATA SUMMARY RESULTS FOR THE MOST RECENT POST-REMEDIATION SYSTEM SHUTDOWN SAMPLING EVENTS COMPLETED IN SEPTEMBER AND DECEMBER OF 2007. THE SYSTEM WILL CONTINUE TO REMAIN OFF AND WE WILL SAMPLE THE SITE AGAIN IN MARCH 2008. THE RESULTS FOR THE TOTAL 8260 STARS LIST OF COMPOUNDS FOR THE GW SAMPLES COLLECTED ARE AS FOLLOW IN PPB: WELL 9/25/07 12/13/07 MW1 2916 754 MW2 NS NS MW3 341 144 MW4 1 1 MW5 1836 173 MW6 9 14 MW7 NS NS MW9 NS NS MW10 498 621 MW11 NS NS MW12 NS NS TW1 NS NS BUDDINGER ND ND SCOTT ND ND 05/15/08: MF T/C FRANK, DATA TAKEN FOR THIS SEASON, SAMPLED 3/08. REPORT TO BE SUBMITTED SHORTLY. 06/02/08: MF RECEIVED 5/29/08 REPORT. MW'S SAMPLED 3/21/08, IN PPB STARS + MTBE. MW#1 - 563 + 8 MW#2 - NS MW#3 - 36 + 38 MW#4 - ND MW#5 - 6 + 14 MW#6 - ND MW#7 - NS MW#9 - NS MW#10 - 2153 + 32 MW#11 & 12 - NS BUDDINGER WELL - ND SCOTT WELL - 16 TBA CONTRACTOR RECOMMENDS KEEPING SYSTEM OFF & ONLY SAMPLING MW#10. MW2 LAST SAMPLED 4/24/03, 15018 PPB 8260. MW# 12 LAAST SAMPLES 4/24/03, 7212 PPB 8260. 06/06/08: MF LETTER TO PRP TO SAMPLE MW'S# 2 & 12. SCHEDULE BY 6/27/08. 06/25/08: MF FG S/I/MATT MARTIN/ERIN LEUINBURGER, PLUMBLEY ENG. ON SITE SAMPLING MW'S. PUMPS NOT IN OPERATION. I WAS TOLD THEY ARE WAITING FOR A DELIVERY. MW'S 2 & 12 WILL BE SAMPLED. 08/13/08: MF RECEIVED 8/11/08 REPORT.MW'S SAMPLED 6/25/08 IN PPB TOTALSTARS 8260 + MTBE. MW#2- 0 + 28 MW#3 - 0 + 100 MW#6 - 0 + 3 MW#10 - 876 + 402 MW#12 - 4 + 5 SCOTT WELL WATER - TBA 10 BUDDINGER WELL WATER - NS 08/18/08: MF LETTER TO RP TO INCLUDE MW#10 & SCOTT WELL WATER IN NEXT ROUND OF SAMPLING. 09/02/08: MF LETTER FROM MIKE SCHAFFRON 585-295-6227, LABELLA ASS. CONTRACTOR FOR COUNTY, INSTALLING WATER LINE ON CR 20 ALONG SIDE OF SPILL SITE. HE WANTS RP TO HANDLE EXCESS CONTAMINATED SOIL. 09/26/08: MF LETTER TO RP TELLING THEY THEY WILL BE RESPONSIBLE FOR STAGING SAMPLING & DISPOSING OF EXCESS SOIL, 10/06/08; MF T/C MIKE SCHAFFRON, BIDS FOR PIPELINE WILL GO OUT IN 1/09. EXPECT CONSTRUCTION TO BEGIN IN THE SPRING OF 09. 12/17/08: MF RECEIVED 11/4/08 REPORT, MW'S SAMPLED 9/18/08 IN PPB TOTAL 8260 + MTBE. MW#1, 2, 4, 5, 7, 9, 11, 12, TW1 & BUDDINGER WELL NOT SAMPLED. MW#3 - 23 + 101 MW#6 - 5 + 3 MW#10 - 1182 + 42 SCOTTS WELL - NDL NO TBA 12/24/08: MF LETTER TO RP TO HAVE MW#5 INCLUDED IN NEXT ROUND OF SAMPLING. ALSO A SOIL BORING & SAMPLING PLAN BY 1/31/09. 02/17/09: MF RECEIVED SOIL BORING PROPOSAL. 5 BORINGS TO BE ADVANCED & SAMPLED FOR STARS 8260. 02/23/09: MF LETTER TO RP OKING PLAN. SCHEDULE BY 3/31/09. 07/16/09: mf update letter to rp, response by 7/31/09. 08/05/09: MF T/C FRANK, PLUMBLY ENG, WAITING FOR CHECK BEFORE ANY ADDITIONAL WORK. RP IS IN CHAPTER 11. 10/26/09: MF T/C FRANK K, WORK ON SITE COMPLETED. HE IS WAITING FOR PAY BEFORE HE RELEASES REPORT. HIS E-MAIL FKARBOSKI@PLUMLEY ENG. COM. 12/18/09: MF RECEIVED 11/24/09, REPORT, 5 SOIL BORING ADVANCED. GW APPX 8' BG. SAMPLED FOR STARS 8260 IN PPB TOTAL. B-1 - 2410, NONE ABOVE TAGM. B-2 - 21560 XYLENES AT 5100 PPB greater than TAGM, TOTAL VOC'S 22000, TAGM 10000. B-3 - ND B-4 - 2710, NONE ABOVE TAGM B-5 -ND B-2 IS AT THE SE CORNER OF THE GASOLINE ISLAND, 12/23/09: MF I LETTER SENT. ' "FACILITY CHANGED HANDS, SITE ASSESSMENT PERFORMED. GASOLINE & DIESEL CONTAMINATION FOUND. ALSO SEE SPILL #9808523 "

Remarks:

All Materials: Site ID: Operable Unit ID: Operable Unit:

249831 1093939 01

Database(s)

EDR ID Number EPA ID Number

Material ID:	290176
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported
Site ID:	249831
Operable Unit ID:	1093939
Operable Unit:	01
Material ID:	290175
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

S100153170

Count: 1 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
ANGELICA	S105842405	ANGELICA TRANSFER STATION	COUNTY ROAD 20	14709	SWF/LF, SWRCY

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 10/28/2020 Date Data Arrived at EDR: 11/05/2020 Date Made Active in Reports: 11/25/2020 Number of Days to Update: 20 Source: EPA Telephone: N/A Last EDR Contact: 12/02/2020 Next Scheduled EDR Contact: 04/12/2021 Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC) Telephone: 202-564-7333

EPA Region 1 Telephone 617-918-1143

EPA Region 3 Telephone 215-814-5418

EPA Region 4 Telephone 404-562-8033

EPA Region 5 Telephone 312-886-6686

EPA Region 10 Telephone 206-553-8665 EPA Region 6 Telephone: 214-655-6659

EPA Region 7 Telephone: 913-551-7247

EPA Region 8 Telephone: 303-312-6774

EPA Region 9 Telephone: 415-947-4246

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 10/28/2020 Date Data Arrived at EDR: 11/05/2020 Date Made Active in Reports: 11/25/2020 Number of Days to Update: 20 Source: EPA Telephone: N/A Last EDR Contact: 12/02/2020 Next Scheduled EDR Contact: 04/12/2021 Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991 Date Data Arrived at EDR: 02/02/1994 Date Made Active in Reports: 03/30/1994 Number of Days to Update: 56 Source: EPA Telephone: 202-564-4267 Last EDR Contact: 08/15/2011 Next Scheduled EDR Contact: 11/28/2011 Data Release Frequency: No Update Planned

Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 10/28/2020 Date Data Arrived at EDR: 11/05/2020 Date Made Active in Reports: 11/25/2020 Number of Days to Update: 20 Source: EPA Telephone: N/A Last EDR Contact: 12/02/2020 Next Scheduled EDR Contact: 04/12/2021 Data Release Frequency: Quarterly

Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 04/03/2019 Date Data Arrived at EDR: 04/05/2019 Date Made Active in Reports: 05/14/2019 Number of Days to Update: 39 Source: Environmental Protection Agency Telephone: 703-603-8704 Last EDR Contact: 12/23/2020 Next Scheduled EDR Contact: 04/12/2021 Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 10/28/2020 Date Data Arrived at EDR: 11/05/2020 Date Made Active in Reports: 11/25/2020 Number of Days to Update: 20 Source: EPA Telephone: 800-424-9346 Last EDR Contact: 12/02/2020 Next Scheduled EDR Contact: 01/25/2021 Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 10/28/2020 Date Data Arrived at EDR: 11/05/2020 Date Made Active in Reports: 11/25/2020 Number of Days to Update: 20 Source: EPA Telephone: 800-424-9346 Last EDR Contact: 12/02/2020 Next Scheduled EDR Contact: 01/25/2021 Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 12/14/2020	Source: EPA
Date Data Arrived at EDR: 12/17/2020	Telephone: 800-424-9346
Date Made Active in Reports: 12/22/2020	Last EDR Contact: 12/17/2020
Number of Days to Update: 5	Next Scheduled EDR Contact: 04/05/2021
	Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/14/2020 Date Data Arrived at EDR: 12/17/2020 Date Made Active in Reports: 12/22/2020 Number of Days to Update: 5 Source: Environmental Protection Agency Telephone: (212) 637-3660 Last EDR Contact: 12/17/2020 Next Scheduled EDR Contact: 04/05/2021 Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/14/2020 Date Data Arrived at EDR: 12/17/2020 Date Made Active in Reports: 12/22/2020 Number of Days to Update: 5 Source: Environmental Protection Agency Telephone: (212) 637-3660 Last EDR Contact: 12/17/2020 Next Scheduled EDR Contact: 04/05/2021 Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 12/14/2020 Date Data Arrived at EDR: 12/17/2020 Date Made Active in Reports: 12/22/2020 Number of Days to Update: 5 Source: Environmental Protection Agency Telephone: (212) 637-3660 Last EDR Contact: 12/17/2020 Next Scheduled EDR Contact: 04/05/2021 Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators) RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/14/2020 Date Data Arrived at EDR: 12/17/2020 Date Made Active in Reports: 12/22/2020 Number of Days to Update: 5 Source: Environmental Protection Agency Telephone: (212) 637-3660 Last EDR Contact: 12/17/2020 Next Scheduled EDR Contact: 04/05/2021 Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 08/06/2020Source: DDate Data Arrived at EDR: 08/21/2020TelephoneDate Made Active in Reports: 11/11/2020Last EDR (Number of Days to Update: 82Next ScheDate Data Arrived at EDR: 08/21/2020Detember of Data

Source: Department of the Navy Telephone: 843-820-7326 Last EDR Contact: 11/05/2020 Next Scheduled EDR Contact: 02/22/2021 Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 10/28/2020	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/05/2020	Telephone: 703-603-0695
Date Made Active in Reports: 11/18/2020	Last EDR Contact: 11/05/2020
Number of Days to Update: 13	Next Scheduled EDR Contact: 03/08/2021
	Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 10/28/2020 Date Data Arrived at EDR: 11/05/2020 Date Made Active in Reports: 11/18/2020 Number of Days to Update: 13 Source: Environmental Protection Agency Telephone: 703-603-0695 Last EDR Contact: 11/05/2020 Next Scheduled EDR Contact: 03/08/2021 Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/14/2020SouDate Data Arrived at EDR: 12/15/2020TeleDate Made Active in Reports: 12/22/2020LasNumber of Days to Update: 7Next

Source: National Response Center, United States Coast Guard Telephone: 202-267-2180 Last EDR Contact: 12/15/2020 Next Scheduled EDR Contact: 04/05/2021 Data Release Frequency: Quarterly

State- and tribal - equivalent CERCLIS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 08/10/2020Source: Department of Environmental ConservationDate Data Arrived at EDR: 08/11/2020Telephone: 518-402-9622Date Made Active in Reports: 11/02/2020Last EDR Contact: 11/11/2020Number of Days to Update: 83Next Scheduled EDR Contact: 02/22/2021Data Release Frequency: Annually

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 09/30/2020	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 10/30/2020	Telephone: 518-402-8678
Date Made Active in Reports: 12/31/2020	Last EDR Contact: 12/30/2020
Number of Days to Update: 62	Next Scheduled EDR Contact: 04/12/2021
	Data Release Frequency: Quarterly

State and tribal leaking storage tank lists

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/14/2020	Source: EPA, Region 5
Date Data Arrived at EDR: 05/20/2020	Telephone: 312-886-7439
Date Made Active in Reports: 08/12/2020	Last EDR Contact: 12/16/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/29/2020	Source: EPA Region 1
Date Data Arrived at EDR: 05/20/2020	Telephone: 617-918-1313
Date Made Active in Reports: 08/12/2020	Last EDR Contact: 12/16/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 02/01/2021
• •	Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 04/14/2020 Date Data Arrived at EDR: 05/20/2020 Date Made Active in Reports: 08/12/2020 Number of Days to Update: 84	Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 12/16/2020 Next Scheduled EDR Contact: 02/01/2021 Data Release Frequency: Varies		
INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Iowa, Kansas, and Nebraska			
Date of Government Version: 04/15/2020 Date Data Arrived at EDR: 05/20/2020 Date Made Active in Reports: 08/12/2020 Number of Days to Update: 84	Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 12/16/2020 Next Scheduled EDR Contact: 02/01/2021 Data Release Frequency: Varies		
INDIAN LUST R9: Leaking Underground Storage LUSTs on Indian land in Arizona, California, N			
Date of Government Version: 04/08/2020 Date Data Arrived at EDR: 05/20/2020 Date Made Active in Reports: 08/12/2020 Number of Days to Update: 84	Source: Environmental Protection Agency Telephone: 415-972-3372 Last EDR Contact: 12/16/2020 Next Scheduled EDR Contact: 02/01/2021 Data Release Frequency: Varies		
INDIAN LUST R8: Leaking Underground Storage LUSTs on Indian land in Colorado, Montana,	Fanks on Indian Land North Dakota, South Dakota, Utah and Wyoming.		
Date of Government Version: 04/14/2020 Date Data Arrived at EDR: 05/20/2020 Date Made Active in Reports: 08/12/2020 Number of Days to Update: 84	Source: EPA Region 8 Telephone: 303-312-6271 Last EDR Contact: 12/16/2020 Next Scheduled EDR Contact: 02/01/2021 Data Release Frequency: Varies		
INDIAN LUST R4: Leaking Underground Storage LUSTs on Indian land in Florida, Mississippi a			
Date of Government Version: 04/14/2020 Date Data Arrived at EDR: 05/26/2020 Date Made Active in Reports: 08/12/2020 Number of Days to Update: 78	Source: EPA Region 4 Telephone: 404-562-8677 Last EDR Contact: 12/16/2020 Next Scheduled EDR Contact: 02/01/2021 Data Release Frequency: Varies		
INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in New Mexico and Oklahoma.			
Date of Government Version: 04/08/2020 Date Data Arrived at EDR: 05/20/2020 Date Made Active in Reports: 08/12/2020 Number of Days to Update: 84	Source: EPA Region 6 Telephone: 214-665-6597 Last EDR Contact: 12/16/2020 Next Scheduled EDR Contact: 02/01/2021 Data Release Frequency: Varies		
reported from 4/1/86 through the most recent	e records contain an inventory of reported leaking storage tank incidents update. They can be either leaking underground storage tanks or leaking e incidents are tank test failures, tank failures or tank overfills.		
Date of Government Version: 08/10/2020 Date Data Arrived at EDR: 08/11/2020 Date Made Active in Reports: 11/05/2020 Number of Days to Update: 86	Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 11/11/2020 Next Scheduled EDR Contact: 02/22/2021 Data Belease Frequency: Varies		

Data Release Frequency: Varies

TC6328827.2s Page GR-6

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 07/08/2005 Date Made Active in Reports: 07/14/2005 Number of Days to Update: 6 Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 07/07/2005 Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing A listing of all FEMA owned underground storage tanks.

Date of Government Version: 07/21/2020 Date Data Arrived at EDR: 09/03/2020	Source: FEMA Telephone: 202-646-5797
Date Made Active in Reports: 11/25/2020	Last EDR Contact: 01/04/2021
Number of Days to Update: 83	Next Scheduled EDR Contact: 04/19/2021
	Data Release Frequency: Varies

UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 09/21/2020 Date Data Arrived at EDR: 09/23/2020 Date Made Active in Reports: 12/15/2020 Number of Days to Update: 83 Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 12/18/2020 Next Scheduled EDR Contact: 04/05/2021 Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002 Date Made Active in Reports: 03/22/2002 Number of Days to Update: 30 Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 10/24/2005 Next Scheduled EDR Contact: 01/23/2006 Data Release Frequency: No Update Planned

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002 Date Made Active in Reports: 03/22/2002 Number of Days to Update: 30 Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 07/25/2005 Next Scheduled EDR Contact: 10/24/2005 Data Release Frequency: No Update Planned

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 09/21/2020 Date Data Arrived at EDR: 09/23/2020 Date Made Active in Reports: 12/15/2020 Number of Days to Update: 83

Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 12/18/2020 Next Scheduled EDR Contact: 04/05/2021 Data Release Frequency: Quarterly

	OSF: Major Oil Storage Facility Site Listing These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.		
	Date of Government Version: 09/21/2020 Date Data Arrived at EDR: 09/23/2020 Date Made Active in Reports: 12/15/2020 Number of Days to Update: 83	Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 12/18/2020 Next Scheduled EDR Contact: 04/05/2021 Data Release Frequency: Quarterly	
	AST: Petroleum Bulk Storage Registered Aboveground Storage Tanks.		
	Date of Government Version: 09/21/2020 Date Data Arrived at EDR: 09/23/2020 Date Made Active in Reports: 12/15/2020 Number of Days to Update: 83	Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 12/18/2020 Next Scheduled EDR Contact: 04/05/2021 Data Release Frequency: No Update Planned	
CBS AST: Chemical Bulk Storage Database Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.			
	Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002 Date Made Active in Reports: 03/22/2002 Number of Days to Update: 30	Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 07/25/2005 Next Scheduled EDR Contact: 10/24/2005 Data Release Frequency: No Update Planned	
MOSF AST: Major Oil Storage Facilities Database Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.			
	Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002 Date Made Active in Reports: 03/22/2002 Number of Days to Update: 30	Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 07/25/2005 Next Scheduled EDR Contact: 10/24/2005 Data Release Frequency: No Update Planned	
	INDIAN UST R10: Underground Storage Tanks on Indian Land The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on India land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).		
	Date of Government Version: 04/14/2020 Date Data Arrived at EDR: 05/20/2020 Date Made Active in Reports: 08/12/2020 Number of Days to Update: 84	Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 12/15/2020 Next Scheduled EDR Contact: 02/01/2021	

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Data Release Frequency: Varies

Date of Government Version: 04/14/2020	Source: EPA Region 5
Date Data Arrived at EDR: 05/20/2020	Telephone: 312-886-6136
Date Made Active in Reports: 08/12/2020	Last EDR Contact: 12/16/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 04/14/2020	Source: EPA Region 4
Date Data Arrived at EDR: 05/26/2020	Telephone: 404-562-9424
Date Made Active in Reports: 08/12/2020	Last EDR Contact: 12/16/2020
Number of Days to Update: 78	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/08/2020	Source: EPA Region 6
Date Data Arrived at EDR: 05/20/2020	Telephone: 214-665-7591
Date Made Active in Reports: 08/12/2020	Last EDR Contact: 12/16/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 04/14/2020	Source: EPA Region 8
Date Data Arrived at EDR: 05/20/2020	Telephone: 303-312-6137
Date Made Active in Reports: 08/13/2020	Last EDR Contact: 12/16/2020
Number of Days to Update: 85	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/03/2020 Date Data Arrived at EDR: 05/20/2020 Date Made Active in Reports: 08/12/2020 Number of Days to Update: 84 Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 12/16/2020 Next Scheduled EDR Contact: 02/01/2021 Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/29/2020 Date Data Arrived at EDR: 05/20/2020 Date Made Active in Reports: 08/12/2020 Number of Days to Update: 84

Source: EPA, Region 1 Telephone: 617-918-1313 Last EDR Contact: 11/16/2020 Next Scheduled EDR Contact: 02/01/2021 Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 04/08/2020	Source: EPA Region 9
Date Data Arrived at EDR: 05/20/2020	Telephone: 415-972-3368
Date Made Active in Reports: 08/12/2020	Last EDR Contact: 12/16/2020
Number of Days to Update: 84	Next Scheduled EDR Contact: 02/01/2021
	Data Release Frequency: Varies

TANKS: Storage Tank Faciliy Listing

This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

Date of Government Version: 09/21/2020	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 09/23/2020	Telephone: 518-402-9543
Date Made Active in Reports: 12/15/2020	Last EDR Contact: 12/18/2020
Number of Days to Update: 83	Next Scheduled EDR Contact: 04/05/2021
	Data Release Frequency: Quarterly

State and tribal institutional control / engineering control registries

RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 08/27/2020	Source: NYC Department of City Planning
Date Data Arrived at EDR: 09/18/2020	Telephone: 212-720-3401
Date Made Active in Reports: 12/10/2020	Last EDR Contact: 12/14/2020
Number of Days to Update: 83	Next Scheduled EDR Contact: 03/29/2021
	Data Release Frequency: Varies

ENV RES DECL: Environmental Restrictive Declarations

The Environmental Restrictive Declarations (ERD) listed were recorded in connection with a zoning action against the noted Tax Blocks and Tax Lots, or portion thereof, and are available in the property records on file at the Office of the City Register for Bronx, Kings, New York and Queens counties or at the Richmond County Clerk's office. They contain environmental requirements with respect to hazardous materials, air quality and/or noise in accordance with Section 11-15 of this Resolution.

Date of Government Version: 08/27/2020 Date Data Arrived at EDR: 09/24/2020 Date Made Active in Reports: 12/16/2020 Number of Days to Update: 83 Source: New York City Department of City Planning Telephone: 212-720-3300 Last EDR Contact: 12/14/2020 Next Scheduled EDR Contact: 03/29/2021 Data Release Frequency: Varies

ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 08/10/2020 Date Data Arrived at EDR: 08/11/2020 Date Made Active in Reports: 11/02/2020 Number of Days to Update: 83 Source: Department of Environmental Conservation Telephone: 518-402-9553 Last EDR Contact: 11/11/2020 Next Scheduled EDR Contact: 02/22/2021 Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 08/10/2020	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 08/11/2020	Telephone: 518-402-9553
Date Made Active in Reports: 11/02/2020	Last EDR Contact: 11/11/2020
Number of Days to Update: 83	Next Scheduled EDR Contact: 02/22/2021
	Data Release Frequency: Quarterly

State and tribal voluntary cleanup sites

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008 Date Data Arrived at EDR: 04/22/2008 Date Made Active in Reports: 05/19/2008 Number of Days to Update: 27	Source: EPA, Region 7 Telephone: 913-551-7365 Last EDR Contact: 04/20/2009 Next Scheduled EDR Contact: 07/20/2009 Data Release Frequency: Varies
INDIAN VCP R1: Voluntary Cleanup Priority Listing A listing of voluntary cleanup priority sites loca	
Date of Government Version: 07/27/2015 Date Data Arrived at EDR: 09/29/2015 Date Made Active in Reports: 02/18/2016 Number of Days to Update: 142	Source: EPA, Region 1 Telephone: 617-918-1102 Last EDR Contact: 12/15/2020 Next Scheduled EDR Contact: 04/05/2021 Data Release Frequency: Varies
VCP NYC: Voluntary Cleanup Program Listing NYC New York City voluntary cleanup program sites	
Date of Government Version: 07/24/2020 Date Data Arrived at EDR: 07/24/2020 Date Made Active in Reports: 10/12/2020 Number of Days to Update: 80	Source: New York City Office of Environmental Protection Telephone: 212-788-8841 Last EDR Contact: 12/10/2020 Next Scheduled EDR Contact: 03/22/2021 Data Release Frequency: Varies

VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 08/10/2020 Date Data Arrived at EDR: 08/11/2020 Date Made Active in Reports: 11/02/2020 Number of Days to Update: 83 Source: Department of Environmental Conservation Telephone: 518-402-9711 Last EDR Contact: 11/11/2020 Next Scheduled EDR Contact: 02/22/2021 Data Release Frequency: Semi-Annually

State and tribal Brownfields sites

BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 08/10/2020	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 08/11/2020	Telephone: 518-402-9764
Date Made Active in Reports: 11/02/2020	Last EDR Contact: 11/11/2020
Number of Days to Update: 83	Next Scheduled EDR Contact: 02/22/2021
	Data Release Frequency: Semi-Annually

ERP: Environmental Restoration Program Listing

In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a \$200 million Environmental Restoration or Brownfields Fund as part of the \$1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 08/10/2020 Date Data Arrived at EDR: 08/11/2020 Date Made Active in Reports: 11/02/2020 Number of Days to Update: 83 Source: Department of Environmental Conservation Telephone: 518-402-9622 Last EDR Contact: 11/11/2020 Next Scheduled EDR Contact: 02/22/2021 Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 09/14/2020 Date Data Arrived at EDR: 09/15/2020 Date Made Active in Reports: 12/10/2020 Number of Days to Update: 86 Source: Environmental Protection Agency Telephone: 202-566-2777 Last EDR Contact: 12/11/2020 Next Scheduled EDR Contact: 03/29/2021 Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

SWTIRE: Registered Waste Tire Storage & Facility List A listing of facilities registered to accept waste tires.

Date of Government Version: 02/27/2018 Date Data Arrived at EDR: 04/06/2018 Date Made Active in Reports: 06/08/2018 Number of Days to Update: 63	Source: Department of Environmental Conservation Telephone: 518-402-8694 Last EDR Contact: 12/02/2020 Next Scheduled EDR Contact: 03/22/2021 Data Release Frequency: No Update Planned
SWRCY: Registered Recycling Facility List A listing of recycling facilities.	
Date of Government Version: 09/30/2020 Date Data Arrived at EDR: 10/30/2020 Date Made Active in Reports: 12/31/2020 Number of Days to Update: 62	Source: Department of Environmental Conservation Telephone: 518-402-8678 Last EDR Contact: 12/30/2020 Next Scheduled EDR Contact: 04/12/2021 Data Release Frequency: Quarterly
INDIAN ODI: Report on the Status of Open Dumps Location of open dumps on Indian land.	on Indian Lands
Date of Government Version: 12/31/1998 Date Data Arrived at EDR: 12/03/2007 Date Made Active in Reports: 01/24/2008 Number of Days to Update: 52	Source: Environmental Protection Agency Telephone: 703-308-8245 Last EDR Contact: 10/20/2020 Next Scheduled EDR Contact: 02/08/2021 Data Release Frequency: Varies
ODI: Open Dump Inventory An open dump is defined as a disposal facility Subtitle D Criteria.	that does not comply with one or more of the Part 257 or Part 258
Date of Government Version: 06/30/1985 Date Data Arrived at EDR: 08/09/2004 Date Made Active in Reports: 09/17/2004 Number of Days to Update: 39	Source: Environmental Protection Agency Telephone: 800-424-9346 Last EDR Contact: 06/09/2004 Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009 Date Data Arrived at EDR: 05/07/2009 Date Made Active in Reports: 09/21/2009 Number of Days to Update: 137	Source: EPA, Region 9 Telephone: 415-947-4219 Last EDR Contact: 10/13/2020 Next Scheduled EDR Contact: 02/01/2021 Data Release Frequency: No Update Planned	
IHS OPEN DUMPS: Open Dumps on Indian Land A listing of all open dumps located on Indian Land in the United States.		
Date of Government Version: 04/01/2014 Date Data Arrived at EDR: 08/06/2014 Date Made Active in Reports: 01/29/2015 Number of Days to Update: 176	Source: Department of Health & Human Serivces, Indian Health Service Telephone: 301-443-1452 Last EDR Contact: 10/30/2020 Next Scheduled EDR Contact: 02/08/2021 Data Release Frequency: Varies	
Local Lists of Hazardous waste / Contaminated	Sites	
US HIST CDL: National Clandestine Laboratory Register A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.		
Date of Government Version: 03/18/2020 Date Data Arrived at EDR: 03/19/2020 Date Made Active in Reports: 06/09/2020 Number of Days to Update: 82	Source: Drug Enforcement Administration Telephone: 202-307-1000 Last EDR Contact: 11/16/2020 Next Scheduled EDR Contact: 03/08/2021 Data Release Frequency: No Update Planned	
DEL SHWS: Delisted Registry Sites A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.		
Date of Government Version: 08/10/2020 Date Data Arrived at EDR: 08/11/2020 Date Made Active in Reports: 11/02/2020 Number of Days to Update: 83	Source: Department of Environmental Conservation Telephone: 518-402-9622 Last EDR Contact: 11/11/2020 Next Scheduled EDR Contact: 02/22/2021 Data Release Frequency: Quarterly	
web site as a public service. It contains addres	U.S. Department of Justice ("the Department") provides this sees of some locations where law enforcement agencies reported ated the presence of either clandestine drug laboratories or dumpsites.	

A listing of clandestine drug lab locations. The U.S. Department of Justice (the Department) provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 03/18/2020	Sc
Date Data Arrived at EDR: 03/19/2020	Te
Date Made Active in Reports: 06/09/2020	La
Number of Days to Update: 82	Ne

Source: Drug Enforcement Administration Telephone: 202-307-1000 Last EDR Contact: 11/16/2020 Next Scheduled EDR Contact: 03/08/2021 Data Release Frequency: Quarterly

PFAS: PFAS Contamination Site Location Listing

DEC surveyed select businesses, fire departments, fire training centers, bulk storage facilities, airports, and Department of Defense (DoD) facilities. The responses to the survey have helped to determine if these entities used or stored materials containing PFOA/PFOS including AFFF and dispersants used in Teflon coating operations. The results of this survey will be updated periodically as additional responses are received..

Date of Government Version: 01/16/2019 Date Data Arrived at EDR: 05/08/2019 Date Made Active in Reports: 06/24/2019 Number of Days to Update: 47 Source: Department of Environmental Conservation Telephone: 518-402-9020 Last EDR Contact: 11/06/2020 Next Scheduled EDR Contact: 02/15/2021 Data Release Frequency: Varies

Local Lists of Registered Storage Tanks

Local Lists of Registered Storage Tanks	
	base ities in excess of 1,100 gallons and less than 400,000 gallons. This e. It is no longer updated due to the sensitive nature of the information
Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 06/02/2006 Date Made Active in Reports: 07/20/2006 Number of Days to Update: 48	Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 10/23/2006 Next Scheduled EDR Contact: 01/22/2007 Data Release Frequency: Varies
· · · ·	base ilities in excess of 1,100 gallons and less than 400,000 gallons. er site. No longer updated due to the sensitive nature of the information
Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 06/02/2006 Date Made Active in Reports: 07/20/2006 Number of Days to Update: 48	Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 10/23/2006 Next Scheduled EDR Contact: 01/22/2007 Data Release Frequency: No Update Planned
Local Land Records	
LIENS: Spill Liens Information Lien information from the Oil Spill Fund.	
Date of Government Version: 10/30/2020 Date Data Arrived at EDR: 10/30/2020 Date Made Active in Reports: 11/02/2020 Number of Days to Update: 3	Source: Office of the State Comptroller Telephone: 518-474-9034 Last EDR Contact: 10/28/2020 Next Scheduled EDR Contact: 02/15/2021 Data Release Frequency: Quarterly
	t by operation of law at any site or property at which EPA has spent investigate and address releases and threatened releases of contamination. ty of these sites and properties.
Date of Government Version: 10/28/2020 Date Data Arrived at EDR: 11/05/2020 Date Made Active in Reports: 11/25/2020 Number of Days to Update: 20	Source: Environmental Protection Agency Telephone: 202-564-6023 Last EDR Contact: 12/02/2020 Next Scheduled EDR Contact: 04/12/2021 Data Release Frequency: Semi-Annually
Pacards of Emergency Palaasa Panarts	

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Source: U.S. Department of Transportation Telephone: 202-366-4555 Last EDR Contact: 12/17/2020 Next Scheduled EDR Contact: 04/05/2021 Data Release Frequency: Quarterly

SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 08/10/2020 Date Data Arrived at EDR: 08/11/2020 Date Made Active in Reports: 11/05/2020 Number of Days to Update: 86 Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 11/11/2020 Next Scheduled EDR Contact: 02/22/2021 Data Release Frequency: Varies

HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 07/08/2005 Date Made Active in Reports: 07/14/2005 Number of Days to Update: 6

Source: Department of Environmental Conservation Telephone: 518-402-9549 Last EDR Contact: 07/07/2005 Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 12/14/2012 Date Data Arrived at EDR: 01/03/2013 Date Made Active in Reports: 02/12/2013 Number of Days to Update: 40 Source: FirstSearch Telephone: N/A Last EDR Contact: 01/03/2013 Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 11/02/2010 Date Data Arrived at EDR: 01/03/2013 Date Made Active in Reports: 03/07/2013 Number of Days to Update: 63 Source: FirstSearch Telephone: N/A Last EDR Contact: 01/03/2013 Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 12/14/2020 Date Data Arrived at EDR: 12/17/2020 Date Made Active in Reports: 12/22/2020 Number of Days to Update: 5 Source: Environmental Protection Agency Telephone: (212) 637-3660 Last EDR Contact: 12/17/2020 Next Scheduled EDR Contact: 04/05/2021 Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 08/05/2020 Date Data Arrived at EDR: 08/13/2020 Date Made Active in Reports: 10/21/2020 Number of Days to Update: 69 Source: U.S. Army Corps of Engineers Telephone: 202-528-4285 Last EDR Contact: 11/17/2020 Next Scheduled EDR Contact: 03/01/2021 Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 11/10/2006 Date Made Active in Reports: 01/11/2007 Number of Days to Update: 62 Source: USGS Telephone: 888-275-8747 Last EDR Contact: 10/13/2020 Next Scheduled EDR Contact: 01/25/2021 Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018Source: U.S. Geological SurveyDate Data Arrived at EDR: 04/11/2018Telephone: 888-275-8747Date Made Active in Reports: 11/06/2019Last EDR Contact: 01/07/2021Number of Days to Update: 574Next Scheduled EDR Contact: 04/19/2021Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017 Date Data Arrived at EDR: 02/03/2017 Date Made Active in Reports: 04/07/2017 Number of Days to Update: 63 Source: Environmental Protection Agency Telephone: 615-532-8599 Last EDR Contact: 11/09/2020 Next Scheduled EDR Contact: 02/22/2021 Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 09/21/2020 Date Data Arrived at EDR: 09/22/2020 Date Made Active in Reports: 12/14/2020 Number of Days to Update: 83 Source: Environmental Protection Agency Telephone: 202-566-1917 Last EDR Contact: 12/17/2020 Next Scheduled EDR Contact: 04/05/2021 Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013 Date Data Arrived at EDR: 03/21/2014 Date Made Active in Reports: 06/17/2014 Number of Days to Update: 88 Source: Environmental Protection Agency Telephone: 617-520-3000 Last EDR Contact: 11/02/2020 Next Scheduled EDR Contact: 02/15/2021 Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017 Date Data Arrived at EDR: 05/08/2018 Date Made Active in Reports: 07/20/2018 Number of Days to Update: 73 Source: Environmental Protection Agency Telephone: 703-308-4044 Last EDR Contact: 11/06/2020 Next Scheduled EDR Contact: 02/15/2021 Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016 Date Data Arrived at EDR: 06/17/2020 Date Made Active in Reports: 09/10/2020 Number of Days to Update: 85 Source: EPA Telephone: 202-260-5521 Last EDR Contact: 12/18/2020 Next Scheduled EDR Contact: 03/29/2021 Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2018 Date Data Arrived at EDR: 08/14/2020 Date Made Active in Reports: 11/04/2020 Number of Days to Update: 82 Source: EPA Telephone: 202-566-0250 Last EDR Contact: 11/17/2020 Next Scheduled EDR Contact: 03/01/2021 Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 10/19/2020SoDate Data Arrived at EDR: 10/19/2020ToDate Made Active in Reports: 01/04/2021LaNumber of Days to Update: 77N

Source: EPA Telephone: 202-564-4203 Last EDR Contact: 10/19/2020 Next Scheduled EDR Contact: 02/01/2021 Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 10/28/2020 Date Data Arrived at EDR: 11/05/2020 Date Made Active in Reports: 11/25/2020 Number of Days to Update: 20 Source: EPA Telephone: 703-416-0223 Last EDR Contact: 12/02/2020 Next Scheduled EDR Contact: 03/15/2021 Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 07/24/2020 Date Data Arrived at EDR: 08/03/2020 Date Made Active in Reports: 10/21/2020 Number of Days to Update: 79

Source: Environmental Protection Agency Telephone: 202-564-8600 Last EDR Contact: 10/14/2020 Next Scheduled EDR Contact: 02/01/2021 Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995 Date Data Arrived at EDR: 07/03/1995 Date Made Active in Reports: 08/07/1995 Number of Days to Update: 35

Source: EPA Telephone: 202-564-4104 Last EDR Contact: 06/02/2008 Next Scheduled EDR Contact: 09/01/2008 Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 04/27/2020	Source: EPA
Date Data Arrived at EDR: 05/06/2020	Telephone: 202-564-6023
Date Made Active in Reports: 06/09/2020	Last EDR Contact: 12/02/2020
Number of Days to Update: 34	Next Scheduled EDR Contact: 02/15/2021
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 10/09/2019	Source: EPA
Date Data Arrived at EDR: 10/11/2019	Telephone: 202-566-0500
Date Made Active in Reports: 12/20/2019	Last EDR Contact: 01/08/2021
Number of Days to Update: 70	Next Scheduled EDR Contact: 04/19/2021
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016 Date Data Arrived at EDR: 11/23/2016 Date Made Active in Reports: 02/10/2017 Number of Days to Update: 79

Source: Environmental Protection Agency Telephone: 202-564-2501 Last EDR Contact: 12/30/2020 Next Scheduled EDR Contact: 04/19/2021 Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/05/2020	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 08/10/2020	Telephone: 301-415-7169
Date Made Active in Reports: 10/08/2020	Last EDR Contact: 10/12/2020
Number of Days to Update: 59	Next Scheduled EDR Contact: 01/31/2021
	Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2018	Source: Department of Energy
Date Data Arrived at EDR: 12/04/2019	Telephone: 202-586-8719
Date Made Active in Reports: 01/15/2020	Last EDR Contact: 12/01/2020
Number of Days to Update: 42	Next Scheduled EDR Contact: 03/15/2021
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017	
Date Data Arrived at EDR: 03/05/2019	
Date Made Active in Reports: 11/11/2019	
Number of Days to Update: 251	

Source: Environmental Protection Agency Telephone: N/A Last EDR Contact: 11/30/2020 Next Scheduled EDR Contact: 03/15/2021 Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/06/2019	Telephone: 202-566-0517
Date Made Active in Reports: 02/10/2020	Last EDR Contact: 11/06/2021
Number of Days to Update: 96	Next Scheduled EDR Contact: 02/15/2021
	Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019 Date Data Arrived at EDR: 07/01/2019 Date Made Active in Reports: 09/23/2019 Number of Days to Update: 84 Source: Environmental Protection Agency Telephone: 202-343-9775 Last EDR Contact: 01/08/2021 Next Scheduled EDR Contact: 04/12/2021 Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007 Number of Days to Update: 40

Source: Environmental Protection Agency Telephone: 202-564-2501 Last EDR Contact: 12/17/2007 Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007 Number of Days to Update: 40 Source: Environmental Protection Agency Telephone: 202-564-2501 Last EDR Contact: 12/17/2008 Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020	Source: Department of Transporation, Office of Pipeline Safety
Date Data Arrived at EDR: 01/28/2020	Telephone: 202-366-4595
Date Made Active in Reports: 04/17/2020	Last EDR Contact: 10/27/2020
Number of Days to Update: 80	Next Scheduled EDR Contact: 02/08/2021
	Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 09/30/2020	Source: Departm
Date Data Arrived at EDR: 10/08/2020	Telephone: Varie
Date Made Active in Reports: 01/04/2021	Last EDR Contac
Number of Days to Update: 88	Next Scheduled I
	Data Dalaasa En

Source: Department of Justice, Consent Decree Library Telephone: Varies Last EDR Contact: 01/04/2021 Next Scheduled EDR Contact: 04/19/2021 Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2017 Date Data Arrived at EDR: 06/22/2020 Date Made Active in Reports: 11/20/2020 Number of Days to Update: 151 Source: EPA/NTIS Telephone: 800-424-9346 Last EDR Contact: 12/23/2020 Next Scheduled EDR Contact: 04/05/2021 Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014	Source: USGS
Date Data Arrived at EDR: 07/14/2015	Telephone: 202-208-3710
Date Made Active in Reports: 01/10/2017	Last EDR Contact: 01/08/2021
Number of Days to Update: 546	Next Scheduled EDR Contact: 04/19/2021
	Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 08/08/2017
Date Data Arrived at EDR: 09/11/2018
Date Made Active in Reports: 09/14/2018
Number of Days to Update: 3

Source: Department of Energy Telephone: 202-586-3559 Last EDR Contact: 11/06/2020 Next Scheduled EDR Contact: 02/15/2021 Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 08/30/2019 Date Data Arrived at EDR: 11/15/2019 Date Made Active in Reports: 01/28/2020 Number of Days to Update: 74 Source: Department of Energy Telephone: 505-845-0011 Last EDR Contact: 11/20/2020 Next Scheduled EDR Contact: 03/01/2021 Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 10/28/2020Source: EnDate Data Arrived at EDR: 11/05/2020Telephone:Date Made Active in Reports: 11/25/2020Last EDR CNumber of Days to Update: 20Next Scheder

Source: Environmental Protection Agency Telephone: 703-603-8787 Last EDR Contact: 12/02/2020 Next Scheduled EDR Contact: 04/12/2021 Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001 Date Data Arrived at EDR: 10/27/2010 Date Made Active in Reports: 12/02/2010 Number of Days to Update: 36 Source: American Journal of Public Health Telephone: 703-305-6451 Last EDR Contact: 12/02/2009 Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016 Date Data Arrived at EDR: 10/26/2016 Date Made Active in Reports: 02/03/2017 Number of Days to Update: 100	Source: EPA Telephone: 202-564-2496 Last EDR Contact: 09/26/2017 Next Scheduled EDR Contact: 01/08/2018 Data Release Frequency: Annually	
US AIRS MINOR: Air Facility System Data A listing of minor source facilities.		
Date of Government Version: 10/12/2016 Date Data Arrived at EDR: 10/26/2016 Date Made Active in Reports: 02/03/2017 Number of Days to Update: 100	Source: EPA Telephone: 202-564-2496 Last EDR Contact: 09/26/2017 Next Scheduled EDR Contact: 01/08/2018 Data Release Frequency: Annually	
US MINES: Mines Master Index File Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.		
Date of Government Version: 08/04/2020 Date Data Arrived at EDR: 08/25/2020 Date Made Active in Reports: 11/18/2020 Number of Days to Update: 85	Source: Department of Labor, Mine Safety and Health Administration Telephone: 303-231-5959 Last EDR Contact: 11/23/2020 Next Scheduled EDR Contact: 03/08/2021 Data Release Frequency: Semi-Annually	
MINES VIOLATIONS: MSHA Violation Assessment Data Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.		
Date of Government Version: 09/10/2020 Date Data Arrived at EDR: 09/15/2020 Date Made Active in Reports: 11/20/2020 Number of Days to Update: 66	Source: DOL, Mine Safety & Health Admi Telephone: 202-693-9424 Last EDR Contact: 11/24/2020 Next Scheduled EDR Contact: 03/15/2021 Data Release Frequency: Quarterly	
US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.		
Date of Government Version: 05/06/2020 Date Data Arrived at EDR: 05/27/2020 Date Made Active in Reports: 08/13/2020 Number of Days to Update: 78	Source: USGS Telephone: 703-648-7709 Last EDR Contact: 11/25/2020 Next Scheduled EDR Contact: 03/08/2021 Data Release Frequency: Varies	
US MINES 3: Active Mines & Mineral Plants Database Listing Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.		
Date of Government Version: 04/14/2011 Date Data Arrived at EDR: 06/08/2011 Date Made Active in Reports: 09/13/2011 Number of Days to Update: 97	Source: USGS Telephone: 703-648-7709 Last EDR Contact: 11/25/2020 Next Scheduled EDR Contact: 03/08/2021 Data Release Frequency: Varies	
ABANDONED MINES: Abandoned Mines An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.		

Date of Government Version: 09/16/2020 Date Data Arrived at EDR: 09/17/2020 Date Made Active in Reports: 12/10/2020 Number of Days to Update: 84 Source: Department of Interior Telephone: 202-208-2609 Last EDR Contact: 12/10/2020 Next Scheduled EDR Contact: 03/22/2021 Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 09/04/2020Source: EPADate Data Arrived at EDR: 09/15/2020Telephone: (2Date Made Active in Reports: 11/20/2020Last EDR CorNumber of Days to Update: 66Next Schedule

Telephone: (212) 637-3000 Last EDR Contact: 12/01/2020 Next Scheduled EDR Contact: 03/15/2021 Data Release Frequency: Quarterly

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 10/03/2020	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/06/2020	Telephone: 202-564-2280
Date Made Active in Reports: 01/04/2021	Last EDR Contact: 01/08/2021
Number of Days to Update: 90	Next Scheduled EDR Contact: 04/19/2021
	Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/31/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/26/2018	Telephone: 202-564-0527
Date Made Active in Reports: 10/05/2018	Last EDR Contact: 11/17/2020
Number of Days to Update: 71	Next Scheduled EDR Contact: 03/08/2021
	Data Release Frequency: Varies

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 12/31/2018SourceDate Data Arrived at EDR: 07/02/2020TelephDate Made Active in Reports: 09/17/2020Last ENumber of Days to Update: 77Next S

Source: Department of Defense Telephone: 703-704-1564 Last EDR Contact: 10/08/2020 Next Scheduled EDR Contact: 01/25/2021 Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 08/17/2020 Date Data Arrived at EDR: 08/17/2020 Date Made Active in Reports: 10/21/2020 Number of Days to Update: 65 Source: EPA Telephone: 800-385-6164 Last EDR Contact: 11/13/2020 Next Scheduled EDR Contact: 03/01/2021 Data Release Frequency: Quarterly

AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 08/14/2019 Date Data Arrived at EDR: 08/14/2019 Date Made Active in Reports: 10/16/2019 Number of Days to Update: 63	Source: Department of Environmental Conservation Telephone: 518-402-8452 Last EDR Contact: 10/14/2020 Next Scheduled EDR Contact: 02/01/2021 Data Release Frequency: Annually
COAL ASH: Coal Ash Disposal Site Listing A listing of coal ash disposal site locations.	
Date of Government Version: 09/30/2020 Date Data Arrived at EDR: 09/30/2020 Date Made Active in Reports: 12/21/2020 Number of Days to Update: 82	Source: Department of Environmental Conservation Telephone: 518-402-8660 Last EDR Contact: 12/21/2020 Next Scheduled EDR Contact: 04/12/2021 Data Release Frequency: Quarterly
DRYCLEANERS: Registered Drycleaners A listing of all registered drycleaning facilities.	
Date of Government Version: 12/02/2020 Date Data Arrived at EDR: 12/09/2020 Date Made Active in Reports: 12/16/2020 Number of Days to Update: 7	Source: Department of Environmental Conservation Telephone: 518-402-8403 Last EDR Contact: 12/02/2020 Next Scheduled EDR Contact: 03/22/2021 Data Release Frequency: Annually

E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 08/27/2020	Source: New York City Department of City Planning
Date Data Arrived at EDR: 09/30/2020	Telephone: 718-595-6658
Date Made Active in Reports: 12/04/2020	Last EDR Contact: 12/14/2020
Number of Days to Update: 65	Next Scheduled EDR Contact: 03/29/2021
	Data Release Frequency: Semi-Annually

Financial Assurance 1: Financial Assurance Information Listing Financial assurance information.

Date of Government Version: 10/07/2020	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 10/08/2020	Telephone: 518-402-8660
Date Made Active in Reports: 12/30/2020	Last EDR Contact: 01/11/2021
Number of Days to Update: 83	Next Scheduled EDR Contact: 04/12/2021
	Data Release Frequency: Quarterly

Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 06/11/2020		
Date Data Arrived at EDR: 06/16/2020		
Date Made Active in Reports: 09/02/2020		
Number of Days to Update: 78		

Source: Department of Environmental Conservation Telephone: 518-402-8712 Last EDR Contact: 12/02/2020 Next Scheduled EDR Contact: 03/22/2021 Data Release Frequency: Varies

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003 Date Data Arrived at EDR: 10/20/2006 Date Made Active in Reports: 11/30/2006	Source: Department of Environmental Conservation Telephone: 518-402-9564 Last EDR Contact: 05/26/2009	
Number of Days to Update: 41	Next Scheduled EDR Contact: 08/24/2009	
	Data Release Frequency: No Update Planned	
NY MANIFEST: Facility and Manifest Data Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.		
Date of Government Version: 01/01/2019 Date Data Arrived at EDR: 04/29/2020 Date Made Active in Reports: 07/10/2020 Number of Days to Update: 72	Source: Department of Environmental Conservation Telephone: 518-402-8651 Last EDR Contact: 10/30/2020 Next Scheduled EDR Contact: 02/08/2021	
	Data Release Frequency: Quarterly	
SPDES: State Pollutant Discharge Elimination System New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.		
Date of Government Version: 07/28/2020 Date Data Arrived at EDR: 08/06/2020 Date Made Active in Paparte: 10/28/2020	Source: Department of Environmental Conservation Telephone: 518-402-8233 Last EDR Contact: 10/14/2020	
Date Made Active in Reports: 10/28/2020 Number of Days to Update: 83	Next Scheduled EDR Contact: 02/01/2021 Data Release Frequency: No Update Planned	
VAPOR REOPENED: Vapor Intrusion Legacy Site List New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.		
Date of Government Version: 12/01/2018 Date Data Arrived at EDR: 02/13/2019 Date Made Active in Reports: 06/13/2019 Number of Days to Update: 120	Source: Department of Environmenal Conservation Telephone: 518-402-9814 Last EDR Contact: 11/13/2020 Next Scheduled EDR Contact: 02/22/2021 Data Release Frequency: Varies	
UIC: Underground Injection Control Wells A listing of enhanced oil recovery underground injection wells.		
Date of Government Version: 08/30/2020 Date Data Arrived at EDR: 09/01/2020 Date Made Active in Reports: 11/23/2020 Number of Days to Update: 83	Source: Department of Environmental Conservation Telephone: 518-402-8056 Last EDR Contact: 12/01/2020 Next Scheduled EDR Contact: 03/15/2021 Data Release Frequency: Quarterly	
COOLING TOWERS: Registered Cooling Towers This data includes the location of cooling towers registered with New York State. The data is self-reported by owners/property managers of cooling towers in service in New York State. In August 2015, the New York State Department of Health released emergency regulations requiring the owners of cooling towers to register them with New York State.		
Date of Government Version: 10/07/2020 Date Data Arrived at EDR: 10/13/2020 Date Made Active in Reports: 01/04/2021 Number of Days to Update: 83	Source: Department of Health Telephone: 518-402-7650 Last EDR Contact: 10/13/2020 Next Scheduled EDR Contact: 01/25/2021 Data Release Frequency: Varies	

MINES MRDS: Mineral Resources Data System Mineral Resources Data System	
Date of Government Version: 04/06/2018 Date Data Arrived at EDR: 10/21/2019 Date Made Active in Reports: 10/24/2019 Number of Days to Update: 3	Source: USGS Telephone: 703-648-6533 Last EDR Contact: 11/25/2020 Next Scheduled EDR Contact: 03/08/2021 Data Release Frequency: Varies
	ns serving students under six in applicable buildings. Identifies n of peeling paint, and if there was, standard response protocol was
Date of Government Version: 05/28/2020 Date Data Arrived at EDR: 05/29/2020 Date Made Active in Reports: 07/02/2020 Number of Days to Update: 34	Source: New York City Department of Education Telephone: 212-374-5141 Last EDR Contact: 10/26/2020 Next Scheduled EDR Contact: 02/15/2021 Data Release Frequency: Varies
issues violations against conditions in rental of City Housing Maintenance Code (HMC) or the	nance Code, the Department of Housing Preservation and Development (HPD) dwelling units that have been verified to violate the New York e New York State Multiple Dwelling Law (MDL). Violations are issued the HMC or MDL exists. It is closed when the violation is corrected, y the landlord.
Date of Government Version: 05/28/2020 Date Data Arrived at EDR: 06/02/2020 Date Made Active in Reports: 07/02/2020 Number of Days to Update: 30	Source: New York City Department of Housing Preservation & Development Telephone: 212-863-8200 Last EDR Contact: 10/26/2020 Next Scheduled EDR Contact: 02/15/2021 Data Release Frequency: Varies
PCS ENF: Enforcement data No description is available for this data	
Date of Government Version: 12/31/2014 Date Data Arrived at EDR: 02/05/2015 Date Made Active in Reports: 03/06/2015 Number of Days to Update: 29	Source: EPA Telephone: 202-564-2497 Last EDR Contact: 12/30/2020 Next Scheduled EDR Contact: 04/19/2021 Data Release Frequency: Varies
PCS INACTIVE: Listing of Inactive PCS Permits An inactive permit is a facility that has shut do	own or is no longer discharging.
Date of Government Version: 11/05/2014 Date Data Arrived at EDR: 01/06/2015 Date Made Active in Reports: 05/06/2015 Number of Days to Update: 120	Source: EPA Telephone: 202-564-2496 Last EDR Contact: 01/04/2021 Next Scheduled EDR Contact: 04/19/2021 Data Release Frequency: Semi-Annually
	tion system that contains data on National Pollutant Discharge Elimination S tracks the permit, compliance, and enforcement status of NPDES
Date of Government Version: 07/14/2011 Date Data Arrived at EDR: 08/05/2011	Source: EPA, Office of Water Telephone: 202-564-2496

Date of Government Version: 07/14/2011 Date Data Arrived at EDR: 08/05/2011 Date Made Active in Reports: 09/29/2011 Number of Days to Update: 55 Source: EPA, Office of Water Telephone: 202-564-2496 Last EDR Contact: 01/04/2021 Next Scheduled EDR Contact: 04/19/2021 Data Release Frequency: Semi-Annually

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A Date Data Arrived at EDR: 07/01/2013 Date Made Active in Reports: 12/30/2013 Number of Days to Update: 182 Source: Department of Environmental Conservation Telephone: N/A Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A Date Data Arrived at EDR: 07/01/2013 Date Made Active in Reports: 01/10/2014 Number of Days to Update: 193 Source: Department of Environmental Conservation Telephone: N/A Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

COUNTY RECORDS

CORTLAND COUNTY:

AST - CORTLAND: Cortland County Storage Tank Listing A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 08/20/2019 Date Data Arrived at EDR: 08/20/2019 Date Made Active in Reports: 10/16/2019 Number of Days to Update: 57 Source: Cortland County Health Department Telephone: 607-753-5035 Last EDR Contact: 10/22/2020 Next Scheduled EDR Contact: 02/08/2021 Data Release Frequency: Quarterly

UST - CORTLAND: Cortland County Storage Tank Listing A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 08/20/2019 Date Data Arrived at EDR: 08/20/2019 Date Made Active in Reports: 10/16/2019 Number of Days to Update: 57

Source: Cortland County Health Department Telephone: 607-753-5035 Last EDR Contact: 10/22/2020 Next Scheduled EDR Contact: 02/08/2021 Data Release Frequency: Quarterly

NASSAU COUNTY:

AST - NASSAU: Registered Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 01/09/2017	Source: Nassau County Health Department
Date Data Arrived at EDR: 01/11/2017	Telephone: 516-571-3314
Date Made Active in Reports: 02/15/2017	Last EDR Contact: 10/22/2020
Number of Days to Update: 35	Next Scheduled EDR Contact: 02/08/2021
	Data Release Frequency: No Update Planned

AST NCFM: Storage Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011Source: Nassau County Office of the Fire MarshalDate Data Arrived at EDR: 02/23/2011Telephone: 516-572-1000Date Made Active in Reports: 03/29/2011Last EDR Contact: 10/22/2020Number of Days to Update: 34Next Scheduled EDR Contact: 02/08/2021Data Release Frequency: Varies

TANKS NASSAU: Registered Tank Database in Nassau County A listing of facilities in Nassau County with storage tanks.	
Date of Government Version: 01/09/2017 Date Data Arrived at EDR: 01/11/2017 Date Made Active in Reports: 02/15/2017 Number of Days to Update: 35	Source: Nassau County Department of Health Telephone: 516-227-9691 Last EDR Contact: 10/22/2020 Next Scheduled EDR Contact: 02/08/2021 Data Release Frequency: Varies
UST - NASSAU: Registered Tank Database A listing of underground storage tank sites lo	cated in Nassau County.
Date of Covernment Version: 01/09/2017	Source: Nassau County Health Department

Date of Government Version: 01/09/2017	Source: Nassau County Health Department
Date Data Arrived at EDR: 01/11/2017	Telephone: 516-571-3314
Date Made Active in Reports: 02/15/2017	Last EDR Contact: 10/22/2020
Number of Days to Update: 35	Next Scheduled EDR Contact: 02/08/2021
	Data Release Frequency: No Update Planned

UST NCFM: Storage Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011	Source: Nassau County Office of the Fire Marshal
Date Data Arrived at EDR: 02/23/2011	Telephone: 516-572-1000
Date Made Active in Reports: 03/29/2011	Last EDR Contact: 10/22/2020
Number of Days to Update: 34	Next Scheduled EDR Contact: 02/08/2021
	Data Release Frequency: Varies

ROCKLAND COUNTY:

AST - ROCKLAND: Petroleum Bulk Storage Database

A listing of aboveground storage tank sites located in Rockland County. Rockland County?s Petroleum Bulk Storage (PBS) program is no longer in service. All related operations/duties are now wholly overseen by the New York State Dept. of Environmental Conservation (NYSDEC).

Date of Government Version: 02/02/2017 Date Data Arrived at EDR: 03/17/2017 Date Made Active in Reports: 09/22/2017 Number of Days to Update: 189 Source: Rockland County Health Department Telephone: 914-364-2605 Last EDR Contact: 11/25/2020 Next Scheduled EDR Contact: 03/15/2021 Data Release Frequency: No Update Planned

UST - ROCKLAND: Petroleum Bulk Storage Database

A listing of underground storage tank sites located in Rockland County. Rockland County?s Petroleum Bulk Storage (PBS) program is no longer in service. All related operations/duties are now wholly overseen by the New York State Dept. of Environmental Conservation (NYSDEC).

Date of Government Version: 02/02/2017 Date Data Arrived at EDR: 03/17/2017 Date Made Active in Reports: 09/22/2017 Number of Days to Update: 189 Source: Rockland County Health Department Telephone: 914-364-2605 Last EDR Contact: 11/25/2020 Next Scheduled EDR Contact: 03/15/2021 Data Release Frequency: No Update Planned

SUFFOLK COUNTY:

AST - SUFFOLK: Storage Tank Database

A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 06/28/2018	Source: Suffolk County Department of Health Services
Date Data Arrived at EDR: 12/06/2018	Telephone: 631-854-2521
Date Made Active in Reports: 02/07/2019	Last EDR Contact: 10/22/2020
Number of Days to Update: 63	Next Scheduled EDR Contact: 02/08/2021
	Data Release Frequency: No Update Planned

TANKS SUFFOLK: Storage Tank Database

This county is not included in the state?s database. These are facilities that have no tank information in the storage tank database.

Date of Government Version: 06/28/2018 Date Data Arrived at EDR: 02/05/2019 Date Made Active in Reports: 03/08/2019 Number of Days to Update: 31 Source: Department of Health Services Telephone: 631-854-2516 Last EDR Contact: 10/22/2020 Next Scheduled EDR Contact: 02/08/2021 Data Release Frequency: Varies

UST - SUFFOLK: Storage Tank Database

A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 06/28/2018Source: Suffolk County Department of Health ServicesDate Data Arrived at EDR: 12/06/2018Telephone: 631-854-2521Date Made Active in Reports: 02/07/2019Last EDR Contact: 10/22/2020Number of Days to Update: 63Next Scheduled EDR Contact: 02/08/2021Data Release Frequency: No Update Planned

WESTCHESTER COUNTY:

AST - WESTCHESTER: Listing of Storage Tanks A listing of aboveground storage tank sites located in Westchester County.

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 11/09/2020
Next Scheduled EDR Contact: 02/08/2021
Data Release Frequency: Semi-Annually

UST - WESTCHESTER: Listing of Storage Tanks

A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 06/09/2020	Source: Westchester County Department of Health
Date Data Arrived at EDR: 06/09/2020	Telephone: 914-813-5161
Date Made Active in Reports: 08/18/2020	Last EDR Contact: 11/09/2020
Number of Days to Update: 70	Next Scheduled EDR Contact: 02/08/2021
	Data Release Frequency: Semi-Annually

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 08/10/2020 Date Data Arrived at EDR: 10/20/2020 Date Made Active in Reports: 11/02/2020 Number of Days to Update: 13 Source: Department of Energy & Environmental Protection Telephone: 860-424-3375 Last EDR Contact: 11/09/2020 Next Scheduled EDR Contact: 02/22/2021 Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information Hazardous waste manifest information.	
Date of Government Version: 12/31/2018 Date Data Arrived at EDR: 04/10/2019 Date Made Active in Reports: 05/16/2019 Number of Days to Update: 36	Source: Department of Environmental Protection Telephone: N/A Last EDR Contact: 01/08/2021 Next Scheduled EDR Contact: 04/19/2021 Data Release Frequency: Annually
PA MANIFEST: Manifest Information Hazardous waste manifest information.	
Date of Government Version: 06/30/2018 Date Data Arrived at EDR: 07/19/2019 Date Made Active in Reports: 09/10/2019 Number of Days to Update: 53	Source: Department of Environmental Protection Telephone: 717-783-8990 Last EDR Contact: 01/11/2021 Next Scheduled EDR Contact: 04/26/2021 Data Release Frequency: Annually
RI MANIFEST: Manifest information Hazardous waste manifest information	
Date of Government Version: 12/31/2018 Date Data Arrived at EDR: 10/02/2019 Date Made Active in Reports: 12/10/2019 Number of Days to Update: 69	Source: Department of Environmental Management Telephone: 401-222-2797 Last EDR Contact: 11/11/2020 Next Scheduled EDR Contact: 03/01/2021 Data Release Frequency: Annually
VT MANIFEST: Hazardous Waste Manifest Data Hazardous waste manifest information.	
Date of Government Version: 10/28/2019 Date Data Arrived at EDR: 10/29/2019 Date Made Active in Reports: 01/09/2020 Number of Days to Update: 72	Source: Department of Environmental Conservation Telephone: 802-241-3443 Last EDR Contact: 01/11/2021 Next Scheduled EDR Contact: 04/26/2021 Data Release Frequency: Annually
WI MANIFEST: Manifest Information Hazardous waste manifest information.	
Date of Government Version: 05/31/2018 Date Data Arrived at EDR: 06/19/2019 Date Made Active in Reports: 09/03/2019 Number of Days to Update: 76	Source: Department of Natural Resources Telephone: N/A Last EDR Contact: 12/03/2020 Next Scheduled EDR Contact: 03/22/2021 Data Release Frequency: Annually
Gases (Miscellaneous)) N = Natural Gas Bundle ((Miscellaneous)). This map includes information of is provided on a best effort basis and Endeavor B fitness for any particular purpose. Such information Media.	Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases opyrighted by Endeavor Business Media. This information usiness Media does not guarantee its accuracy nor warrant its in has been reprinted with the permission of Endeavor Business
Electric Power Transmission Line Data Source: Endeavor Business Media	

This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals: Source: American Hospital Association, Inc. Telephone: 312-280-5991 The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals. Medical Centers: Provider of Services Listing Source: Centers for Medicare & Medicaid Services Telephone: 410-786-3000 A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services. Nursing Homes Source: National Institutes of Health Telephone: 301-594-6248 Information on Medicare and Medicaid certified nursing homes in the United States. **Public Schools** Source: National Center for Education Statistics Telephone: 202-502-7300 The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states. **Private Schools** Source: National Center for Education Statistics Telephone: 202-502-7300 The National Center for Education Statistics' primary database on private school locations in the United States. Daycare Centers: Day Care Providers Source: Department of Health Telephone: 212-676-2444

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA Telephone: 877-336-2627 Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands Source: Department of Environmental Conservation Telephone: 518-402-8961

Current USGS 7.5 Minute Topographic Map Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

CROSSROADS MANUFACTURING **GIBSON HILL ROAD** BELMONT, NY 14813

TARGET PROPERTY COORDINATES

Latitude (North):	42.256736 - 42° 15' 24.25"
Longitude (West):	78.052769 - 78° 3' 9.97"
Universal Tranverse Mercator:	Zone 17
UTM X (Meters):	743116.2
UTM Y (Meters):	4682274.5
Elevation:	1341 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	5938752 ANGELICA, NY
Version Date:	2013
South Map:	5940029 BELMONT, NY
Version Date:	2013

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

- Groundwater flow direction, and
 Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK[®] - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General East

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK[®] - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property	FEMA Source Type
3610930005B	FEMA Q3 Flood data
Additional Panels in search area:	FEMA Source Type
3610950010A	FEMA Q3 Flood data
NATIONAL WETLAND INVENTORY	
NWI Quad at Target Property NOT AVAILABLE	NWI Electronic <u>Data Coverage</u> YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:	
Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID Not Reported LOCATION FROM TP GENERAL DIRECTION GROUNDWATER FLOW

GEOCHECK[®] - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

GEOLOGIC AGE IDENTIFICATION

Era:		Category:	Stratified Sequence
System:	Devonian		
Series:	Upper Devonian		
Code:	D3 (decoded above as Era, System & Serie	s)	

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name:	TIOGA
Soil Surface Texture:	silt loam
Hydrologic Group:	Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.
Soil Drainage Class:	Well drained. Soils have intermediate water holding capacity. Depth to water table is more than 6 feet.
Hydric Status: Soil does not meet the	requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: LOV	V
---	---

Depth to Bedrock Min:	> 60 inches
-----------------------	-------------

Depth to Bedrock Max: > 60 inches

GEOCHECK[®] - PHYSICAL SETTING SOURCE SUMMARY

			Soil Layei	r Information			
	Bou	Indary		Classification			
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	Permeability Rate (in/hr)	Soil Reaction (pH)
1	0 inches	8 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 6.00 Min: 0.60	Max: 7.30 Min: 5.10
2	8 inches	36 inches	silt loam	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 6.00 Min: 0.60	Max: 7.30 Min: 5.10
3	36 inches	72 inches	silt loam	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILIS, Gravels, Clean Gravels, Well-graded gravel. COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel.	Max: 20.00 Min: 0.60	Max: 7.80 Min: 5.60

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures:	channery - silt loam gravelly - silt loam gravelly - loam
Surficial Soil Types:	channery - silt loam gravelly - silt loam gravelly - loam
Shallow Soil Types:	very fine sandy loam
Deeper Soil Types:	stratified very gravelly - sand very channery - silt loam very gravelly - loamy coarse sand very fine sandy loam gravelly - loam

GEOCHECK[®] - PHYSICAL SETTING SOURCE SUMMARY

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

		LOCATION
MAP ID	WELL ID	FROM TP
5	USGS40000852617	1/2 - 1 Mile ENE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

		LOCATION
MAP ID	WELL ID	FROM TP
No DWS System Found		

No PWS System Found

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
1 A2	NYWS002862 NYWS002852	1/4 - 1/2 Mile SW 1/2 - 1 Mile WSW
A2 A3	NYWS002853	1/2 - 1 Mile WSW
4	NYWS002818	1/2 - 1 Mile NW

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION

		LOCATION
MAP ID	WELL ID	FROM TP
1	NYOG90000000091	1/2 - 1 Mile NNW

PHYSICAL SETTING SOURCE MAP - 6328827.2s



ADDRESS:	Crossroads Manufacturing Gibson Hill Road Belmont NY 14813 42.256736 / 78.052769	CONTACT: INQUIRY #:	Clark Patterson Lee Norm Gardner 6328827.2s January 12, 2021 1:46 pm
Copyright © 2021 EDR, Inc. © 2015 TomTom Rel. 2015.			

Map ID Direction				
Distance Elevation			Database	EDR ID Number
1 SW 1/4 - 1/2 Mile Higher			NY WELLS	NYWS002862
Well ID: System ID: Type: Agency:	NY0230008 WL1 WL GLOVER, GWENDOLYN	Well Name: System Name: Status:	WELL #1 THE BELV A	IDERE
A2 WSW 1/2 - 1 Mile Higher			NY WELLS	NYWS002852
Well ID: System ID: Type: Agency:	NY0220578 WL1 WL TA OPERATING CORPORATION	Well Name: System Name: Status:	WELL #1 TRAVEL C A	ENTERS OF AMERICA
A3 WSW 1/2 - 1 Mile Higher			NY WELLS	NYWS002853
Well ID: System ID: Type: Agency:	NY0220578 WL2 WL TA OPERATING CORPORATION	Well Name: System Name: Status:	WELL #2 TRAVEL C A	ENTERS OF AMERICA
4 NW 1/2 - 1 Mile Higher			NY WELLS	NYWS002818
Well ID: System ID: Type: Agency:	NY0202560 WL1 WL STOCKIN, PHILIP	Well Name: System Name: Status:	WELL #1 HOUGHTC A	ON ACADEMY SOUTH
5 ENE 1/2 - 1 Mile Higher			FED USGS	USGS40000852617
Organization ID: Monitor Location: Type: HUC: Drainage Area Units: Contrib Drainage Area Unts Formation Type:	USGS-NY Local number, Ag-262, near Belmont Well 04130002 Not Reported S: Not Reported Canadaway Group	Organization Name: NY Description: Drainage Area: Contrib Drainage Area: Aquifer: Aquifer Type:	Not F Not F Not F Othe	S New York Water Science Cente Reported Reported Reported r aquifers Reported

Construction Date:	Not Reported		Well Depth:	29.5
Well Depth Units:	ft		Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported			
Ground water levels,Number	of Measurements:	184	Level reading date:	2005-02-20
Feet below surface:	-0.68		Feet to sea level:	Not Reported
Note:	Not Reported			
Level reading date:	2005-02-15		Feet below surface:	-0.61
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date: Feet to sea level:	2005-02-10 Not Reported		Feet below surface:	-0.59 Not Reported
Feel to sea level.	Not Reported		Note:	Not Reported
Level reading date:	2005-02-05		Feet below surface:	-0.23
Feet to sea level:	Not Reported		Note:	Not Reported
	0005 04 00			0.00
Level reading date: Feet to sea level:	2005-01-30 Not Reported		Feet below surface: Note:	-0.29 Not Reported
reet to sea level.	Not Reported		Note.	Not Reported
Level reading date:	2005-01-25		Feet below surface:	-0.50
Feet to sea level:	Not Reported		Note:	Not Reported
Lovel reading date.	2005 01 20		Feet below surface:	-0.67
Level reading date: Feet to sea level:	2005-01-20 Not Reported		Note:	-0.67 Not Reported
	Hornopolica			Norrioponou
Level reading date:	2005-01-15		Feet below surface:	-0.76
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date:	2005-01-10		Feet below surface:	-0.71
Feet to sea level:	Not Reported		Note:	Not Reported
				·
Level reading date:	2005-01-05		Feet below surface:	-0.53
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date:	2004-12-30		Feet below surface:	-0.32
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date: Feet to sea level:	2004-12-25		Feet below surface: Note:	-0.44 Not Reported
reel lo sea level.	Not Reported		Note.	Not Reported
Level reading date:	2004-12-20		Feet below surface:	-0.43
Feet to sea level:	Not Reported		Note:	Not Reported
Lovel reading date.	2004 42 45		Feet below surface:	0.50
Level reading date: Feet to sea level:	2004-12-15 Not Reported		Note:	-0.56 Not Reported
Level reading date:	2004-12-10		Feet below surface:	-0.54
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date:	2004-12-05		Feet below surface:	-0.42
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date:	2004-11-30		Feet below surface:	-0.18
Feet to sea level:	Not Reported		Note:	Not Reported
Level reading date:	2004-11-25		Feet below surface:	0.00
Feet to sea level:	Not Reported		Note:	Not Reported
	000 1 1 1 2 -		-	0.07
Level reading date: Feet to sea level:	2004-11-20 Not Reported		Feet below surface: Note:	0.05 Not Reported
1 CEL 10 SEA 16VEI.	Not Nepotted			Not reputed

Level reading date:
Feet to sea level:

Level reading date: Feet to sea level:

2004-11-15
Not Reported

2004-11-10 Not Reported

2004-11-05 Not Reported

2004-10-30 Not Reported

2004-10-25 Not Reported

2004-10-20 Not Reported

2004-10-15 Not Reported

2004-10-10 Not Reported

> 2004-10-05 Not Reported

2004-09-30 Not Reported

2004-09-25 Not Reported

2004-09-20 Not Reported

2004-09-15 Not Reported

2004-09-10 Not Reported

2004-09-05 Not Reported

2004-08-30 Not Reported

2004-08-25 Not Reported

2004-08-20 Not Reported

2004-08-15 Not Reported

2004-08-10 Not Reported

2004-08-05 Not Reported Note: Feet below surface:

Note:

Feet below surface:

Feet below surface: Note:

0.00 Not Reported

-0.14 Not Reported

-0.07 Not Reported

0.10 Not Reported

0.08 Not Reported

0.15 Not Reported

0.04 Not Reported

0.00 Not Reported

-0.15 Not Reported

-0.34 Not Reported

-0.53 Not Reported

-0.66 Not Reported

-0.53 Not Reported

-0.50 Not Reported

-0.45 Not Reported

-0.34 Not Reported

-0.45 Not Reported

-0.36 Not Reported

-0.48 Not Reported

-0.35 Not Reported

-0.61 Not Reported

Level reading date:	2004-07-30	Feet below surface:	-0.55
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-07-25	Feet below surface:	-0.24
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-07-20	Feet below surface:	-0.25
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-07-15	Feet below surface:	-0.06
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-07-10	Feet below surface:	-0.07
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-07-05	Feet below surface:	-0.25
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-06-30	Feet below surface:	-0.39
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-06-25	Feet below surface:	-0.55
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-06-20	Feet below surface:	-0.59
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-06-15	Feet below surface:	-0.45
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-06-10	Feet below surface:	-0.68
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-06-05	Feet below surface:	-0.92
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-05-30	Feet below surface:	-0.99
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-05-25	Feet below surface:	-0.98
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-05-20	Feet below surface:	-0.78
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-05-15	Feet below surface:	-0.79
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-05-10	Feet below surface:	-0.71
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-05-05	Feet below surface:	-0.77
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-04-30	Feet below surface:	-0.65
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-04-28	Feet below surface:	-0.72
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2004-04-25 Not Reported	Feet below surface:	-0.64 Not Reported

Note:

Feet to sea level:

Not Reported

Not Reported

Level reading date:
Feet to sea level:

Level reading date: Feet to sea level:

2004-04-20	
Not Reported	

2004-04-15 Not Reported

2004-04-10 Not Reported

2004-04-05 Not Reported

2004-03-30 Not Reported

2004-03-25 Not Reported

2004-03-20 Not Reported

2004-03-15 Not Reported

2004-03-11 Not Reported

2004-03-10 Not Reported

2003-12-29 Not Reported

2003-11-19 Not Reported

2003-11-15 Not Reported

2003-11-10 Not Reported

2003-11-05 Not Reported

2003-10-30 Not Reported

2003-10-29 Not Reported

2003-10-25 Not Reported

2003-10-20 Not Reported

2003-10-15 Not Reported

2003-10-10 Not Reported Note: Feet below surface: Note:

Feet below surface:

Feet below surface: Note:

Feet below surface: Note: -0.57 Not Reported

-0.65 Not Reported

-0.60 Not Reported

-0.75 Not Reported

-0.52 Not Reported

-0.46 Not Reported

-0.40 Not Reported

-0.39 Not Reported

-0.51 Not Reported

-0.52 Not Reported

-0.48 Not Reported

-0.14 Not Reported

0.00 Not Reported

0.00 Not Reported

-0.15 Not Reported

-0.15 Not Reported

-0.13 Not Reported

0.03 Not Reported

-0.09 Not Reported

-0.07 Not Reported

-0.13 Not Reported

Level reading date:	2003-10-05	Feet below surface:	-0.23
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-09-30	Feet below surface:	-0.24
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-09-25	Feet below surface:	-0.23
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-09-23	Feet below surface:	-0.19
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-09-20	Feet below surface:	-0.25
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date: Feet to sea level:	2003-09-15	Feet below surface: Note:	-0.12
Level reading date:	Not Reported 2003-09-10	Feet below surface:	Not Reported
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-09-05	Feet below surface:	
Feet to sea level:	Not Reported 2003-08-30	Note: Feet below surface:	Not Reported
Level reading date: Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-08-28	Feet below surface:	-0.08
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-08-25	Feet below surface:	-0.14
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-08-20	Feet below surface:	-0.37
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-08-15	Feet below surface:	-0.63
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-08-10	Feet below surface:	-0.59
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-08-05	Feet below surface:	-0.37
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-07-31	Feet below surface:	-0.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-07-30	Feet below surface:	-0.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-07-25	Feet below surface:	-0.26
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-07-20	Feet below surface:	0.16
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-07-15	Feet below surface:	0.21
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-07-10	Feet below surface:	0.25
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date:	2003-07-05	Feet below surface:	0.13
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-06-30	Feet below surface:	-0.05
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-06-29	Feet below surface:	-0.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-06-25	Feet below surface:	-0.30
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-06-20	Feet below surface:	-0.32
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-06-15	Feet below surface:	-0.51
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-06-10	Feet below surface:	-0.38
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-06-05	Feet below surface:	-0.31
Feet to sea level: Level reading date:	Not Reported	Note: Feet below surface:	-0.23
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-05-29	Feet below surface:	
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-05-28	Feet below surface:	
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-05-25	Feet below surface:	
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-05-20	Feet below surface:	-0.20
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-05-15	Feet below surface:	-0.13
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-05-10	Feet below surface:	-0.01
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-05-05	Feet below surface:	0.00
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-04-30	Feet below surface:	0.10
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-04-29	Feet below surface:	0.05
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-04-25	Feet below surface:	-0.03
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-04-20	Feet below surface:	-0.03
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2003-04-15 Not Reported	Feet below surface:	-0.25 Not Reported

Note:

Feet to sea level:

Not Reported

Not Reported

Level reading date:	2003-04-10	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-04-05	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-03-30	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-03-26	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-03-25	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-03-20	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-03-15	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-03-10	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-03-05	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-02-25	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-02-20	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-02-15	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-02-10	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-02-05	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-01-30	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-01-25	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-01-24	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-01-23	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-01-20	Feet below surface:
Feet to sea level:	Not Reported	Note:
Level reading date:	2003-01-15	Feet below surface:

Feet to sea level:

Level reading date: Feet to sea level: 2003-01-10 Not Reported

Not Reported

Feet below surface Note:

Feet below surface: Note: -0.36 Not Reported

-0.32 Not Reported

-0.18 Not Reported

-0.14 Not Reported

-0.12 Not Reported

0.10 Not Reported

0.27 Not Reported

0.25 Not Reported

0.31 Not Reported

0.48 Not Reported

0.67 Not Reported

0.57 Not Reported

0.39 Not Reported

0.66 Not Reported

0.73 Not Reported

0.59 Not Reported

0.56 Not Reported

0.53 Not Reported

0.41 Not Reported

0.28 Not Reported

0.14 Not Reported

Level reading date:	2003-01-05	Feet below surface:	0.14
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2002-12-31	Feet below surface:	0.42
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2002-12-30	Feet below surface:	0.43
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2002-12-25	Feet below surface:	0.17
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2002-12-20	Feet below surface:	0.22
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2002-12-15	Feet below surface:	0.29
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2002-12-10	Feet below surface:	0.68
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2002-12-05	Feet below surface:	0.59
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2002-11-30	Feet below surface:	0.40
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2002-11-25	Feet below surface:	0.47
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2002-11-20	Feet below surface:	0.62
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2002-11-15	Feet below surface:	0.88
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2002-11-10	Feet below surface:	0.96
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2002-11-06	Feet below surface:	
Feet to sea level:	Not Reported	Note:	
Level reading date: Feet to sea level:	2002-11-05	Feet below surface:	Not Reported
Level reading date:	Not Reported	Note: Feet below surface:	Not Reported
Feet to sea level:	Not Reported	Note:	Not Reported
Level reading date:	2001-07-01	Feet below surface:	
Feet to sea level: Level reading date:	Not Reported	Note: Feet below surface:	0.26
Feet to sea level: Level reading date:	Not Reported	Note: Feet below surface:	Not Reported
Feet to sea level: Level reading date:	Not Reported	Note: Feet below surface:	Not Reported
Feet to sea level:	Not Reported	Note:	Not Reported

Level reading date: Feet to sea level:

2000-07-25

Not Reported

Feet below surface:

Note:

ed

1.26 Not Reported

Level reading date:
Feet to sea level:

Level reading date: Feet to sea level:

Level reading date: Feet to sea level: 2000-04-26 Not Reported

1999-10-20 Not Reported

1999-04-19 Not Reported

1999-01-18 Not Reported

1998-10-05 Not Reported

1998-07-27 Not Reported

1998-04-14 Not Reported

1998-01-20 Not Reported

> 1997-10-22 Not Reported

1997-07-15 Not Reported

1997-04-01 Not Reported

1997-03-27 Not Reported

1996-10-31 Not Reported

1996-08-30 Not Reported

1996-04-30 Not Reported

1996-01-29 Not Reported

1995-11-09 Not Reported

1994-07-13 Not Reported Note: Feet below surface: Note:

Feet below surface:

Feet below surface: Note:

Feet below surface: Note: -0.58 Not Reported

0.52 Not Reported

-0.59 Not Reported

0.77 Not Reported

0.99 Not Reported

-0.30 Not Reported

-0.76 Not Reported

-1.24 Not Reported

0.44 Not Reported

-0.56 Not Reported

-0.99 Not Reported

-0.53 Not Reported

-0.26 Not Reported

0.07 Not Reported

-0.26 Not Reported

2.44 Not Reported

0.76 Not Reported

-0.39 Not Reported

Map ID Direction Distance

Database

0

0

NA

4260

EDR ID Number

1 NNW 1/2 - 1 Mile

API Well #: Owner: Well Type: Permit Date: Completion Date: Field Name: Borehole Slant: Proposed Depth: Measured Length: 31003003430000 Hanley & Bird Dry Wildcat 0 1930 418 Not Applicable Vertical 0 4260

Well Name: Operator: Well Status: Drill Date: Plug Date: Formation: State Owned Lease: True Depth:

NYOG9000000091 OIL_GAS

Clark 1 542 Plugged and Abandoned Not Applicable

AREA RADON INFORMATION

State Database: NY Radon

Radon Test Results

County	Town	Num Tests	Avg Result	Geo Mean	Max Result
ALLEGANY	ALFRED	34	4.05	2.16	26.4
ALLEGANY	ALLEN	34 1	4.05 8.5	8.5	8.5
ALLEGANY	ALMA	6	6.98	1.88	30
ALLEGANY	ALMOND	17	8.07	5.28	25.7
ALLEGANY	AMITY	32	14.15	6.95	45.2
ALLEGANY	ANDOVER	39	11.88	6.07	40.4
ALLEGANY	ANGELICA	4	19.75	13.7	40.4
ALLEGANY	BELFAST	15	11.18	3.78	117.2
ALLEGANY	BOLIVAR	27	7.01	3.7	24.6
ALLEGANY	BURNS	19	28.81	6.32	216.6
ALLEGANY	CANEADEA	21	3.31	1.94	14
ALLEGANY	CENTERVILLE	2	6.2	5.31	9.4
ALLEGANY	CLARKSVILLE	6	5.58	3.5	10.8
ALLEGANY	CUBA	33	14.32	6.22	81.1
ALLEGANY	FRIENDSHIP	8	21.48	13.02	65.8
ALLEGANY	GENESEE	5	5.18	3.57	10.9
ALLEGANY	GRANGER	2	1.3	1.24	1.7
ALLEGANY	GROVE	1	0.3	0.3	0.3
ALLEGANY	HUME	38	8.46	5.2	42.6
ALLEGANY	INDEPENDENCE	6	5.83	4.21	15.5
ALLEGANY	NEW HUDSON	1	0.6	0.6	0.6
ALLEGANY	RUSHFORD	9	2.12	1.52	4.9
ALLEGANY	SCIO	12	13.15	5.38	48.1
ALLEGANY	W. ALMOND	3	2.5	2.47	2.8
ALLEGANY	WARD	6	12.47	6.19	26.4
ALLEGANY	WELLSVILLE	147	12.16	5.54	113.8
ALLEGANY	WILLING	6	16.52	12.69	38.1
ALLEGANY	WIRT	2	1.25	1.2	1.6
	VVIIXI	£	1.20	1.4	1.0

Federal EPA Radon Zone for ALLEGANY County: 1

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for ALLEGANY COUNTY, NY

Number of sites tested: 59

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	3.130 pCi/L	56%	40%	4%
Basement	3.930 pCi/L	58%	37%	5%

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA Telephone: 877-336-2627 Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS) The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS) Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS) This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells Source: New York Department of Health Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database Source: Department of Environmental Conservation Telephone: 518-402-8072 These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon Source: Department of Health Telephone: 518-402-7556 Radon Test Results

Area Radon Information

Source: USGS Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA Telephone: 703-356-4020 Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX D HISTORICAL RECORDS

Crossroads Manufacturing Gibson Hill Road Belmont, NY 14813

Inquiry Number: 6328827.5 January 13, 2021

The EDR-City Directory Image Report

6 Armstrong Road Shelton, CT 06484 800.352.0050 www.edrnet.com

Environmental Data Resources Inc

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business. Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING. WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Report is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Report includes a search of available city directory data at 5 year intervals.

RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Bradstreet. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.



RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. A check mark indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Target Street</u>	<u>Cross Street</u>	<u>Source</u>
2017	\checkmark		EDR Digital Archive
2014	\checkmark		EDR Digital Archive
2010	\checkmark		EDR Digital Archive
2005	\checkmark		EDR Digital Archive
2000	\checkmark		EDR Digital Archive

FINDINGS

TARGET PROPERTY STREET

Gibson Hill Road Belmont, NY 14813

<u>Year</u>	<u>CD Image</u>	<u>Source</u>		
GIBSON HILL RD				
2017	-	EDR Digital Archive	Street not listed in Source	
2014	-	EDR Digital Archive	Street not listed in Source	
2010	-	EDR Digital Archive	Street not listed in Source	
2005	-	EDR Digital Archive	Street not listed in Source	
2000	-	EDR Digital Archive	Street not listed in Source	
OLD STATE RD				

2017	pg A1	EDR Digital Archive
2014	pg A2	EDR Digital Archive
2010	pg A3	EDR Digital Archive
2005	pg A4	EDR Digital Archive
2000	pg A5	EDR Digital Archive

FINDINGS

CROSS STREETS

No Cross Streets Identified


City Directory Images



-

Source EDR Digital Archive


- 5319 THOMAS, SUZANNE M
- 5324 BENJAMIN, LYLE L
- 5329 PLATT, BRENT A
- 5852 GAMBINO, PETER M
- 5855 THE BELVIDERE
- 5867 BLAKE, CHRISTOPHER R
- 5870 SIMONS, G C
- 5877 JONES MEMORIAL HOSPITAL JONES MEMORIAL MEDICAL PRACTICES



-

Source EDR Digital Archive


- 5313 ZLOMEK, JOHN R
- 5319 THOMAS, SUZANNE M
- 5324 BENJAMIN, LYLE L
- 5329 OCCUPANT UNKNOWN,
- 5852 GAMBINO, PETER M
- 5867 OCCUPANT UNKNOWN,
- 5870 SIMONS, G C
- 5877 JONES MEMORIAL MEDICAL PRACTICES



-

Source EDR Digital Archive


- 5313 OCCUPANT UNKNOWN,
- 5319 THOMAS, SUZANNE M
- 5324 BENJAMIN, PHYLLIS J
- 5329 OCCUPANT UNKNOWN,
- 5852 GAMBINO, PETER S
- 5867 OCCUPANT UNKNOWN,
- 5870 SIMONS, G C



-

Source EDR Digital Archive

5313	ZLOMEK, JOHN R
5319	THOMAS, EDWARD W
5324	BENJAMIN, PHYLLIS J
5329	OCCUPANT UNKNOWN,
5852	GAMBINO, PETER S
5855	BELVIDERE
5867	MONROE, KELLY W
5870	SIMONS, G C
5877	AZIZ, M
	MAHJBEEN, AZIZ
6034	OCCUPANT UNKNOWN,
6042	BAKER, CHESTER L



-

Source EDR Digital Archive

OLD STATE RD 2000

5324 BENJAMIN, LYLE L

Crossroads Manufacturing

Gibson Hill Road Belmont, NY 14813

Inquiry Number: 6328827.8 January 13, 2021

The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th floor Shelton, CT 06484 Toll Free: 800.352.0050 www.edrnet.com

EDR Aerial Photo Decade Package

Site Name:

Client Name:

Crossroads Manufacturing Gibson Hill Road Belmont, NY 14813 EDR Inquiry # 6328827.8 Clark Patterson Lee 186 North Water Street Rochester, NY 14604 Contact: Norm Gardner



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search	Results:			
Year	<u>Scale</u>	Details	Source	
2017	1"=500'	Flight Year: 2017	USDA/NAIP	
2013	1"=500'	Flight Year: 2013	USDA/NAIP	
2009	1"=500'	Flight Year: 2009	USDA/NAIP	
2006	1"=500'	Flight Year: 2006	USDA/NAIP	
1994	1"=500'	Acquisition Date: April 22, 1994	USGS/DOQQ	
1985	1"=500'	Flight Date: April 29, 1985	USDA	
1981	1"=750'	Flight Date: April 16, 1981	USGS	
1963	1"=750'	Flight Date: April 28, 1963	USGS	
1957	1"=500'	Flight Date: April 30, 1957	USGS	
1952	1"=500'	Flight Date: April 16, 1952	USGS	

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provide in this Report is not to be construed as legal advice.

Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.





















Crossroads Manufacturing Gibson Hill Road Belmont, NY 14813

Inquiry Number: 6328827.4 January 12, 2021

EDR Historical Topo Map Report with QuadMatch™



6 Armstrong Road, 4th floor Shelton, CT 06484 Toll Free: 800.352.0050 www.edrnet.com

EDR Historical Topo Map Report

Site Name:

1947

1939, 1941 1925 1906

Client Name:

Crossroads Manufacturing Gibson Hill Road Belmont, NY 14813 EDR Inquiry # 6328827.4 Clark Patterson Lee 186 North Water Street Rochester, NY 14604 Contact: Norm Gardner



01/12/21

EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Clark Patterson Lee were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:		Coordinates:	
P.O.#	NA	Latitude:	42.256736 42° 15' 24" North
Project:	Crossroad Manufacturing	Longitude:	-78.052769 -78° 3' 10" West
•	5	UTM Zone:	Zone 17 North
		UTM X Meters:	743109.50
		UTM Y Meters:	4682488.54
		Elevation:	1341.25' above sea level
Maps Provid	ed:		
2013			
1978			
1964, 1965	5		

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provide in this Report is not to be construed as legal advice.

Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2013 Source Sheets





Angelica 2013 7.5-minute, 24000

Belmont 2013 7.5-minute, 24000

1978 Source Sheets





Angelica 1978 7.5-minute, 24000 Aerial Photo Revised 1976

Belmont 1978 7.5-minute, 24000 Aerial Photo Revised 1976



ANGELICA 1978 7.5-minute, 24000

1964, 1965 Source Sheets



Angelica 1964 7.5-minute, 24000 Aerial Photo Revised 1963

1947 Source Sheets



ANGELICA 1947 15-minute, 62500



Belmont 1965 7.5-minute, 24000 Aerial Photo Revised 1963

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1939, 1941 Source Sheets





15-minute, 62500

Aerial Photo Revised 1938

Angelica

1941

Belmont 1939 15-minute, 62500 Aerial Photo Revised 1939

1925 Source Sheets





Belmont 1925 15-minute, 62500

1906 Source Sheets



Angelica 1906 15-minute, 62500






SW

S

SE




SW


S


SE


6328827 - 4 page 7




page 8 6328827 - 4








6328827 - 4 page 9





S

6328827 - 4 page 11 Crossroads Manufacturing Gibson Hill Road Belmont, NY 14813

Inquiry Number: 6328827.3 January 12, 2021

Certified Sanborn® Map Report



6 Armstrong Road, 4th floor Shelton, CT 06484 Toll Free: 800.352.0050 www.edrnet.com

Certified Sanborn® Map Report

Site Name:

Crossroads Manufacturing Gibson Hill Road Belmont, NY 14813 EDR Inquiry # 6328827.3

Client Name:

Clark Patterson Lee 186 North Water Street Rochester, NY 14604 Contact: Norm Gardner



01/12/21

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Clark Patterson Lee were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results: Certification # A1D5-472F-BE3F PO# NA Crossroad Manufacturing Project

UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.



Sanborn® Library search results Certification #: A1D5-472F-BE3F

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

Library of Congress	
---------------------	--

University Publications of America

EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Clark Patterson Lee (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

APPENDIX E SITE PHOTOGRAPHS



Figure 1 – Looking south along Old State Rd from the west side of parcel.



Figure 2 - Looking north along County Road 20 from the west side of parcel.



Figure 3 – Looking east into the property from the west side of the parcel.



Figure 4 – Looking northeast from the southern side of the parcel.



Figure 5 – Looking north from the southern side of the parcel.



Figure 6 – Looking west from the center of the parcel.



Figure 7 – Looking east from the northern side of the parcel.



Figure 8 – Looking north toward CR 20 from the northern side of the parcel.



Figure 9 - Looking south toward Belvidere from the northern side of the parcel.



Figure 10 - Looking north along CR 20 from the center of the parcel.



Figure 11 - Looking south along CR 20 from the center of the parcel.



Figure 12 - Looking south along CR 20 from the southwest corner of the parcel.